



```
=== Verbose logging started: 12/06/2013 11:08:00 Build type: SHIP UNICODE 5.00.7601.00
Calling process: C:\Windows\system32\msiexec.exe ===
MSI (c) (E8:F4) [11:08:00:621]: Font created. Charset: Req=0, Ret=0, Font: Req=MS Shell
Dlg, Ret=MS Shell Dlg
MSI (c) (E8:F4) [11:08:00:621]: Font created. Charset: Req=0, Ret=0, Font: Req=MS Shell
Dlg, Ret=MS Shell Dlg
MSI (c) (E8:D4) [11:08:00:640]: Resetting cached policy values
MSI (c) (E8:D4) [11:08:00:640]: Machine policy value 'Debug' is 7
MSI (c) (E8:D4) [11:08:00:640]: ***** RunEngine:
***** Product: {C7055651-A299-4AEF-9463-D9247821F163}
***** Action:
***** CommandLine: REINSTALL=ALL REINSTALLMODE=a
MSI (c) (E8:D4) [11:08:00:640]: Client-side and UI is none or basic: Running entire install on
the server.
MSI (c) (E8:D4) [11:08:00:641]: Grabbed execution mutex.
MSI (c) (E8:D4) [11:08:00:649]: Cloaking enabled.
MSI (c) (E8:D4) [11:08:00:649]: Attempting to enable all disabled privileges before calling
Install on Server
MSI (c) (E8:D4) [11:08:00:654]: Incrementing counter to disable shutdown. Counter after
increment: 0
MSI (s) (F0:98) [11:08:00:667]: Running installation inside multi-package transaction
{C7055651-A299-4AEF-9463-D9247821F163}
MSI (s) (F0:98) [11:08:00:667]: Grabbed execution mutex.
MSI (s) (F0:A8) [11:08:00:668]: Resetting cached policy values
MSI (s) (F0:A8) [11:08:00:669]: Machine policy value 'Debug' is 7
MSI (s) (F0:A8) [11:08:00:669]: ***** RunEngine:
***** Product: {C7055651-A299-4AEF-9463-D9247821F163}
***** Action:
***** CommandLine: REINSTALL=ALL REINSTALLMODE=a
CURRENTDIRECTORY="C:\Users\David2\Desktop" CLIENTUILEVEL=2
CLIENTPROCESSID=3816
MSI (s) (F0:A8) [11:08:00:669]: Machine policy value 'DisableUserInstalls' is 0
MSI (s) (F0:A8) [11:08:00:742]: Machine policy value 'LimitSystemRestoreCheckpointing' is 0
MSI (s) (F0:A8) [11:08:00:742]: SRSetRestorePoint skipped for this transaction.
MSI (s) (F0:A8) [11:08:00:743]: End dialog not enabled
MSI (s) (F0:A8) [11:08:00:751]: Original package ==> C:\Windows\Installer\3916cc.msi
```

MSI (s) (F0:A8) [11:08:00:751]: Package we're running from ==>
C:\Windows\Installer\3916cc.msi

MSI (s) (F0:A8) [11:08:00:753]: APPCOMPAT: Uninstall Flags override found.

MSI (s) (F0:A8) [11:08:00:754]: APPCOMPAT: Uninstall VersionNT override found.

MSI (s) (F0:A8) [11:08:00:755]: APPCOMPAT: Uninstall ServicePackLevel override found.

MSI (s) (F0:A8) [11:08:00:756]: APPCOMPAT: looking for appcompat database entry with ProductCode '{C7055651-A299-4AEF-9463-D9247821F163}'.

MSI (s) (F0:A8) [11:08:00:757]: APPCOMPAT: no matching ProductCode found in database.

MSI (s) (F0:A8) [11:08:00:786]: MSCOREE not loaded loading copy from system32

MSI (s) (F0:A8) [11:08:00:791]: Machine policy value 'DisablePatch' is 0

MSI (s) (F0:A8) [11:08:00:792]: Machine policy value 'AllowLockdownPatch' is 0

MSI (s) (F0:A8) [11:08:00:792]: Machine policy value 'DisableLUAPatching' is 0

MSI (s) (F0:A8) [11:08:00:793]: Machine policy value 'DisableFlyWeightPatching' is 0

MSI (s) (F0:A8) [11:08:00:794]: APPCOMPAT: looking for appcompat database entry with ProductCode '{C7055651-A299-4AEF-9463-D9247821F163}'.

MSI (s) (F0:A8) [11:08:00:794]: APPCOMPAT: no matching ProductCode found in database.

MSI (s) (F0:A8) [11:08:00:794]: Transforms are not secure.

MSI (s) (F0:A8) [11:08:00:794]: PROPERTY CHANGE: Adding MsiLogFileLocation property. Its value is 'C:\Users\David2\Desktop\repair.log'.

MSI (s) (F0:A8) [11:08:00:794]: Command Line: REINSTALL=ALL REINSTALLMODE=a
CURRENTDIRECTORY=C:\Users\David2\Desktop CLIENTUILEVEL=2
CLIENTPROCESSID=3816

MSI (s) (F0:A8) [11:08:00:794]: PROPERTY CHANGE: Adding PackageCode property. Its value is '{1DFAB752-3B7B-4E67-8D14-6545AA891B59}'.

MSI (s) (F0:A8) [11:08:00:794]: Product Code passed to Engine.Initialize: '{C7055651-A299-4AEF-9463-D9247821F163}'

MSI (s) (F0:A8) [11:08:00:794]: Product Code from property table before transforms: '{C7055651-A299-4AEF-9463-D9247821F163}'

MSI (s) (F0:A8) [11:08:00:794]: Product Code from property table after transforms: '{C7055651-A299-4AEF-9463-D9247821F163}'

MSI (s) (F0:A8) [11:08:00:794]: Product registered: entering maintenance mode

MSI (s) (F0:A8) [11:08:00:795]: Determined that existing product (either this product or the product being upgraded with a patch) is installed per-user.

MSI (s) (F0:A8) [11:08:00:795]: Product {C7055651-A299-4AEF-9463-D9247821F163} is not managed.

MSI (s) (F0:A8) [11:08:00:795]: MSI_LUA: Credential prompt not required, user is an admin

MSI (s) (F0:A8) [11:08:00:795]: PROPERTY CHANGE: Adding ProductState property. Its value is '5'.

MSI (s) (F0:A8) [11:08:00:795]: PROPERTY CHANGE: Adding ProductToBeRegistered

property. Its value is '1'.

MSI (s) (F0:A8) [11:08:00:797]: Package name retrieved from configuration data: 'TracsExe-24.0.132.1.msi'

MSI (s) (F0:A8) [11:08:00:797]: Note: 1: 2205 2: 3: Error

MSI (s) (F0:A8) [11:08:00:799]: Note: 1: 2262 2: AdminProperties 3: -2147287038

MSI (s) (F0:A8) [11:08:00:800]: Machine policy value 'DisableMsi' is 0

MSI (s) (F0:A8) [11:08:00:800]: Machine policy value 'AlwaysInstallElevated' is 0

MSI (s) (F0:A8) [11:08:00:800]: User policy value 'AlwaysInstallElevated' is 0

MSI (s) (F0:A8) [11:08:00:800]: Product {C7055651-A299-4AEF-9463-D9247821F163} is not managed.

MSI (s) (F0:A8) [11:08:00:800]: Running product '{C7055651-A299-4AEF-9463-D9247821F163}' with user privileges: It's not assigned.

MSI (s) (F0:A8) [11:08:00:800]: PROPERTY CHANGE: Adding REINSTALL property. Its value is 'ALL'.

MSI (s) (F0:A8) [11:08:00:800]: PROPERTY CHANGE: Adding REINSTALLMODE property. Its value is 'a'.

MSI (s) (F0:A8) [11:08:00:800]: PROPERTY CHANGE: Adding CURRENTDIRECTORY property. Its value is 'C:\Users\David2\Desktop'.

MSI (s) (F0:A8) [11:08:00:800]: PROPERTY CHANGE: Adding CLIENTUILEVEL property. Its value is '2'.

MSI (s) (F0:A8) [11:08:00:800]: PROPERTY CHANGE: Adding CLIENTPROCESSID property. Its value is '3816'.

MSI (s) (F0:A8) [11:08:00:801]: Machine policy value 'DisableAutomaticApplicationShutdown' is 0

MSI (s) (F0:A8) [11:08:00:805]: PROPERTY CHANGE: Adding MsiRestartManagerSessionKey property. Its value is '62173d68b10561478c86a7fdd1b49969'.

MSI (s) (F0:A8) [11:08:00:805]: RESTART MANAGER: Session opened.

MSI (s) (F0:A8) [11:08:00:805]: PROPERTY CHANGE: Adding MsiSystemRebootPending property. Its value is '1'.

MSI (s) (F0:A8) [11:08:00:805]: TRANSFORMS property is now:

MSI (s) (F0:A8) [11:08:00:805]: PROPERTY CHANGE: Adding PRODUCTLANGUAGE property. Its value is '1033'.

MSI (s) (F0:A8) [11:08:00:805]: PROPERTY CHANGE: Adding VersionDatabase property. Its value is '200'.

MSI (s) (F0:A8) [11:08:00:807]: SHELL32::SHGetFolderPath returned: C:\Users\David2\AppData\Roaming

MSI (s) (F0:A8) [11:08:00:810]: SHELL32::SHGetFolderPath returned: C:\Users\David2\Favorites

MSI (s) (F0:A8) [11:08:00:812]: SHELL32::SHGetFolderPath returned:

C:\Users\David2\AppData\Roaming\Microsoft\Windows\Network Shortcuts
MSI (s) (F0:A8) [11:08:00:815]: SHELL32::SHGetFolderPath returned:
C:\Users\David2\Documents
MSI (s) (F0:A8) [11:08:00:818]: SHELL32::SHGetFolderPath returned:
C:\Users\David2\AppData\Roaming\Microsoft\Windows\Printer Shortcuts
MSI (s) (F0:A8) [11:08:00:821]: SHELL32::SHGetFolderPath returned:
C:\Users\David2\AppData\Roaming\Microsoft\Windows\Recent
MSI (s) (F0:A8) [11:08:00:823]: SHELL32::SHGetFolderPath returned:
C:\Users\David2\AppData\Roaming\Microsoft\Windows\SendTo
MSI (s) (F0:A8) [11:08:00:826]: SHELL32::SHGetFolderPath returned:
C:\Users\David2\AppData\Roaming\Microsoft\Windows\Templates
MSI (s) (F0:A8) [11:08:00:826]: SHELL32::SHGetFolderPath returned: C:\ProgramData
MSI (s) (F0:A8) [11:08:00:828]: SHELL32::SHGetFolderPath returned:
C:\Users\David2\AppData\Local
MSI (s) (F0:A8) [11:08:00:832]: SHELL32::SHGetFolderPath returned:
C:\Users\David2\Pictures
MSI (s) (F0:A8) [11:08:00:837]: SHELL32::SHGetFolderPath returned:
C:\Users\David2\AppData\Roaming\Microsoft\Windows\Start Menu\Programs\Administrative
Tools
MSI (s) (F0:A8) [11:08:00:840]: SHELL32::SHGetFolderPath returned:
C:\Users\David2\AppData\Roaming\Microsoft\Windows\Start Menu\Programs\Startup
MSI (s) (F0:A8) [11:08:00:842]: SHELL32::SHGetFolderPath returned:
C:\Users\David2\AppData\Roaming\Microsoft\Windows\Start Menu\Programs
MSI (s) (F0:A8) [11:08:00:845]: SHELL32::SHGetFolderPath returned:
C:\Users\David2\AppData\Roaming\Microsoft\Windows\Start Menu
MSI (s) (F0:A8) [11:08:00:848]: SHELL32::SHGetFolderPath returned:
C:\Users\David2\Desktop
MSI (s) (F0:A8) [11:08:00:853]: SHELL32::SHGetFolderPath returned:
C:\ProgramData\Microsoft\Windows\Start Menu\Programs\Administrative Tools
MSI (s) (F0:A8) [11:08:00:855]: SHELL32::SHGetFolderPath returned:
C:\ProgramData\Microsoft\Windows\Start Menu\Programs\Startup
MSI (s) (F0:A8) [11:08:00:857]: SHELL32::SHGetFolderPath returned:
C:\ProgramData\Microsoft\Windows\Start Menu\Programs
MSI (s) (F0:A8) [11:08:00:860]: SHELL32::SHGetFolderPath returned:
C:\ProgramData\Microsoft\Windows\Start Menu
MSI (s) (F0:A8) [11:08:00:862]: SHELL32::SHGetFolderPath returned:
C:\Users\Public\Desktop
MSI (s) (F0:A8) [11:08:00:862]: SHELL32::SHGetFolderPath returned: C:\Windows\Fonts
MSI (s) (F0:A8) [11:08:00:863]: Note: 1: 2898 2: MS Sans Serif 3: MS Sans Serif 4: 0 5: 16

MSI (s) (F0:A8) [11:08:00:867]: MSI_LUA: Setting MsiRunningElevated property to 1 because the install is already running elevated.

MSI (s) (F0:A8) [11:08:00:867]: PROPERTY CHANGE: Adding MsiRunningElevated property. Its value is '1'.

MSI (s) (F0:A8) [11:08:00:867]: PROPERTY CHANGE: Adding Privileged property. Its value is '1'.

MSI (s) (F0:A8) [11:08:00:867]: Note: 1: 1402 2:

HKEY_CURRENT_USER\Software\Microsoft\MS Setup (ACME)\User Info 3: 2

MSI (s) (F0:A8) [11:08:00:868]: PROPERTY CHANGE: Adding USERNAME property. Its value is 'RWAAdmin'.

MSI (s) (F0:A8) [11:08:00:868]: Note: 1: 1402 2:

HKEY_CURRENT_USER\Software\Microsoft\MS Setup (ACME)\User Info 3: 2

MSI (s) (F0:A8) [11:08:00:869]: PROPERTY CHANGE: Adding COMPANYNAME property. Its value is 'Microsoft'.

MSI (s) (F0:A8) [11:08:00:869]: PROPERTY CHANGE: Adding Installed property. Its value is '00:00:00'.

MSI (s) (F0:A8) [11:08:00:869]: PROPERTY CHANGE: Adding DATABASE property. Its value is 'C:\Windows\Installer\3916cc.msi'.

MSI (s) (F0:A8) [11:08:00:869]: PROPERTY CHANGE: Adding OriginalDatabase property. Its value is 'C:\Windows\Installer\3916cc.msi'.

MSI (s) (F0:A8) [11:08:00:869]: Machine policy value 'MsiDisableEmbeddedUI' is 0

MSI (s) (F0:A8) [11:08:00:870]: Note: 1: 2205 2: 3: PatchPackage

MSI (s) (F0:A8) [11:08:00:870]: Machine policy value 'DisableRollback' is 0

MSI (s) (F0:A8) [11:08:00:870]: User policy value 'DisableRollback' is 0

MSI (s) (F0:A8) [11:08:00:870]: PROPERTY CHANGE: Adding UILevel property. Its value is '3'.

=== Logging started: 12/06/2013 11:08:00 ===

MSI (s) (F0:A8) [11:08:00:871]: PROPERTY CHANGE: Adding Preselected property. Its value is '1'.

MSI (s) (F0:A8) [11:08:00:871]: PROPERTY CHANGE: Adding ACTION property. Its value is 'INSTALL'.

MSI (s) (F0:A8) [11:08:00:871]: Doing action: INSTALL

MSI (s) (F0:A8) [11:08:00:871]: Note: 1: 2205 2: 3: ActionText

Action start 11:08:00: INSTALL.

MSI (s) (F0:A8) [11:08:00:873]: Running ExecuteSequence

MSI (s) (F0:A8) [11:08:00:874]: Doing action: FindRelatedProducts

MSI (s) (F0:A8) [11:08:00:874]: Note: 1: 2205 2: 3: ActionText

MSI (s) (F0:A8) [11:08:00:875]: Skipping FindRelatedProducts action: not run in maintenance mode

Action start 11:08:00: FindRelatedProducts.

MSI (s) (F0:A8) [11:08:00:875]: Skipping action: NewerVersionExists (condition is false)

MSI (s) (F0:A8) [11:08:00:876]: Doing action: ValidateProductID

MSI (s) (F0:A8) [11:08:00:876]: Note: 1: 2205 2: 3: ActionText

Action ended 11:08:00: FindRelatedProducts. Return value 0.

Action start 11:08:00: ValidateProductID.

MSI (s) (F0:A8) [11:08:00:877]: Doing action: CostInitialize

MSI (s) (F0:A8) [11:08:00:877]: Note: 1: 2205 2: 3: ActionText

Action ended 11:08:00: ValidateProductID. Return value 1.

MSI (s) (F0:A8) [11:08:00:878]: Machine policy value 'MaxPatchCacheSize' is 10

MSI (s) (F0:A8) [11:08:00:880]: PROPERTY CHANGE: Adding ROOTDRIVE property. Its value is 'C:\'.

MSI (s) (F0:A8) [11:08:00:880]: PROPERTY CHANGE: Adding CostingComplete property. Its value is '0'.

MSI (s) (F0:A8) [11:08:00:881]: Note: 1: 2205 2: 3: Patch

MSI (s) (F0:A8) [11:08:00:881]: Note: 1: 2205 2: 3: PatchPackage

MSI (s) (F0:A8) [11:08:00:881]: Note: 1: 2205 2: 3: MsiPatchHeaders

MSI (s) (F0:A8) [11:08:00:881]: Note: 1: 2205 2: 3: __MsiPatchFileList

MSI (s) (F0:A8) [11:08:00:881]: Note: 1: 2205 2: 3: PatchPackage

MSI (s) (F0:A8) [11:08:00:881]: Note: 1: 2228 2: 3: PatchPackage 4: SELECT `DiskId`, `PatchId`, `LastSequence` FROM `Media`, `PatchPackage` WHERE `Media`.`DiskId`=`PatchPackage`.`Media_` ORDER BY `DiskId`

MSI (s) (F0:A8) [11:08:00:881]: Note: 1: 2205 2: 3: Patch

Action start 11:08:00: CostInitialize.

MSI (s) (F0:A8) [11:08:00:882]: Doing action: SetDataLocationDefault

MSI (s) (F0:A8) [11:08:00:882]: Note: 1: 2205 2: 3: ActionText

Action ended 11:08:00: CostInitialize. Return value 1.

MSI (s) (F0:A8) [11:08:00:883]: PROPERTY CHANGE: Adding DATALOCATION property. Its value is 'C:\tracsex.exe'.

Action start 11:08:00: SetDataLocationDefault.

MSI (s) (F0:A8) [11:08:00:883]: Doing action: FileCost

MSI (s) (F0:A8) [11:08:00:883]: Note: 1: 2205 2: 3: ActionText

Action ended 11:08:00: SetDataLocationDefault. Return value 1.

MSI (s) (F0:A8) [11:08:00:885]: Note: 1: 2205 2: 3: MsiAssembly

MSI (s) (F0:A8) [11:08:00:885]: Note: 1: 2205 2: 3: Registry

MSI (s) (F0:A8) [11:08:00:885]: Note: 1: 2205 2: 3: Registry

MSI (s) (F0:A8) [11:08:00:885]: Note: 1: 2205 2: 3: Class

MSI (s) (F0:A8) [11:08:00:885]: Note: 1: 2205 2: 3: Extension

MSI (s) (F0:A8) [11:08:00:885]: Note: 1: 2205 2: 3: TypeLib

Action start 11:08:00: FileCost.

MSI (s) (F0:A8) [11:08:00:885]: Doing action: CostFinalize

MSI (s) (F0:A8) [11:08:00:885]: Note: 1: 2205 2: 3: ActionText

Action ended 11:08:00: FileCost. Return value 1.

MSI (s) (F0:A8) [11:08:00:886]: PROPERTY CHANGE: Adding OutOfDiskSpace property. Its value is '0'.

MSI (s) (F0:A8) [11:08:00:886]: PROPERTY CHANGE: Adding OutOfNoRbDiskSpace property. Its value is '0'.

MSI (s) (F0:A8) [11:08:00:887]: PROPERTY CHANGE: Adding PrimaryVolumeSpaceAvailable property. Its value is '0'.

MSI (s) (F0:A8) [11:08:00:887]: PROPERTY CHANGE: Adding PrimaryVolumeSpaceRequired property. Its value is '0'.

MSI (s) (F0:A8) [11:08:00:887]: PROPERTY CHANGE: Adding PrimaryVolumeSpaceRemaining property. Its value is '0'.

MSI (s) (F0:A8) [11:08:00:887]: Note: 1: 2205 2: 3: MsiAssembly

MSI (s) (F0:A8) [11:08:00:887]: Note: 1: 2228 2: 3: MsiAssembly 4: SELECT
`MsiAssembly`.`Attributes`, `MsiAssembly`.`File_Application`, `MsiAssembly`.`File_Manifest`,
`Component`.`KeyPath` FROM `MsiAssembly`, `Component` WHERE
`MsiAssembly`.`Component_` = `Component`.`Component` AND
`MsiAssembly`.`Component_` = ?

MSI (s) (F0:A8) [11:08:00:887]: PROPERTY CHANGE: Adding MANIFESTDATA property. Its value is 'C:\tracsexex'.

MSI (s) (F0:A8) [11:08:00:888]: PROPERTY CHANGE: Adding TRACSEXEDATA property. Its value is 'C:\tracsexex'.

MSI (s) (F0:A8) [11:08:00:909]: Note: 1: 2205 2: 3: Patch

MSI (s) (F0:A8) [11:08:00:909]: Note: 1: 2205 2: 3: Condition

MSI (s) (F0:A8) [11:08:00:911]: PROPERTY CHANGE: Adding TARGETDIR property. Its value is 'C:\'.

MSI (s) (F0:A8) [11:08:00:911]: PROPERTY CHANGE: Modifying DATALOCATION property. Its current value is 'C:\tracsexex'. Its new value: 'C:\tracsexex'.

MSI (s) (F0:A8) [11:08:00:911]: PROPERTY CHANGE: Modifying TRACSEXEDATA property. Its current value is 'C:\tracsexex'. Its new value: 'C:\tracsexex'.

MSI (s) (F0:A8) [11:08:00:911]: PROPERTY CHANGE: Modifying MANIFESTDATA property. Its current value is 'C:\tracsexex'. Its new value: 'C:\tracsexex'.

MSI (s) (F0:A8) [11:08:00:911]: Target path resolution complete. Dumping Directory table...

MSI (s) (F0:A8) [11:08:00:911]: Note: target paths subject to change (via custom actions or browsing)

MSI (s) (F0:A8) [11:08:00:911]: Dir (target): Key: TARGETDIR , Object: C:\

MSI (s) (F0:A8) [11:08:00:911]: Dir (target): Key: DATALOCATION , Object: C:\tracsexex\

MSI (s) (F0:A8) [11:08:00:911]: Dir (target): Key: TRACSEXEDATA , Object: C:\tracsexel

MSI (s) (F0:A8) [11:08:00:911]: Dir (target): Key: MANIFESTDATA , Object: C:\tracsexel

MSI (s) (F0:A8) [11:08:00:911]: PROPERTY CHANGE: Adding INSTALLLEVEL property. Its value is '1'.

Action start 11:08:00: CostFinalize.

MSI (s) (F0:A8) [11:08:02:084]: Doing action: InstallValidate

MSI (s) (F0:A8) [11:08:02:084]: Note: 1: 2205 2: 3: ActionText

Action ended 11:08:02: CostFinalize. Return value 1.

MSI (s) (F0:A8) [11:08:02:084]: PROPERTY CHANGE: Deleting MsiRestartManagerSessionKey property. Its current value is '62173d68b10561478c86a7fdd1b49969'.

MSI (s) (F0:A8) [11:08:02:085]: Feature: TracsExe; Installed: Local; Request: Reinstall; Action: Reinstall

MSI (s) (F0:A8) [11:08:02:085]: Component: TracsExeManifestxml; Installed: Local; Request: Local; Action: Local

MSI (s) (F0:A8) [11:08:02:085]: Component: addpenexe; Installed: Local; Request: Local; Action: Local

MSI (s) (F0:A8) [11:08:02:085]: Component: bds52fdll; Installed: Local; Request: Local; Action: Local

MSI (s) (F0:A8) [11:08:02:085]: Component: checkingdll; Installed: Local; Request: Local; Action: Local

MSI (s) (F0:A8) [11:08:02:085]: Component: chktripsdll; Installed: Local; Request: Local; Action: Local

MSI (s) (F0:A8) [11:08:02:085]: Component: CTLFileEditorexexe; Installed: Local; Request: Local; Action: Local

MSI (s) (F0:A8) [11:08:02:085]: Component: cw3230dll; Installed: Local; Request: Local; Action: Local

MSI (s) (F0:A8) [11:08:02:085]: Component: displayexe; Installed: Local; Request: Local; Action: Local

MSI (s) (F0:A8) [11:08:02:085]: Component: dosbuildexe; Installed: Local; Request: Local; Action: Local

MSI (s) (F0:A8) [11:08:02:085]: Component: dosdisplayexe; Installed: Local; Request: Local; Action: Local

MSI (s) (F0:A8) [11:08:02:085]: Component: dosmergeexe; Installed: Local; Request: Local; Action: Local

MSI (s) (F0:A8) [11:08:02:085]: Component: dostravlexe; Installed: Local; Request: Local; Action: Local

MSI (s) (F0:A8) [11:08:02:085]: Component: findslackexe; Installed: Local; Request: Local; Action: Local

MSI (s) (F0:A8) [11:08:02:085]: Component: freeformexe; Installed: Local; Request: Local; Action: Local

MSI (s) (F0:A8) [11:08:02:085]: Component: gdogdll; Installed: Local; Request: Local; Action: Local

MSI (s) (F0:A8) [11:08:02:085]: Component: getidexe; Installed: Local; Request: Local; Action: Local

MSI (s) (F0:A8) [11:08:02:085]: Component: mergeexe; Installed: Local; Request: Local; Action: Local

MSI (s) (F0:A8) [11:08:02:085]: Component: mrchangeexe; Installed: Local; Request: Local; Action: Local

MSI (s) (F0:A8) [11:08:02:085]: Component: msvcp60DLL; Installed: Local; Request: Local; Action: Local

MSI (s) (F0:A8) [11:08:02:085]: Component: MultiFileMRobustexe; Installed: Local; Request: Local; Action: Local

MSI (s) (F0:A8) [11:08:02:085]: Component: MultiProcPSolverexe; Installed: Local; Request: Local; Action: Local

MSI (s) (F0:A8) [11:08:02:085]: Component: out_prespecexe; Installed: Local; Request: Local; Action: Local

MSI (s) (F0:A8) [11:08:02:085]: Component: owl52fdll; Installed: Local; Request: Local; Action: Local

MSI (s) (F0:A8) [11:08:02:085]: Component: passdisplybat; Installed: Local; Request: Local; Action: Local

MSI (s) (F0:A8) [11:08:02:085]: Component: penaltyexe; Installed: Local; Request: Local; Action: Local

MSI (s) (F0:A8) [11:08:02:085]: Component: printdiagramdll; Installed: Local; Request: Local; Action: Local

MSI (s) (F0:A8) [11:08:02:085]: Component: printssexexe; Installed: Local; Request: Local; Action: Local

MSI (s) (F0:A8) [11:08:02:085]: Component: printucvexe; Installed: Local; Request: Local; Action: Local

MSI (s) (F0:A8) [11:08:02:085]: Component: productivityexe; Installed: Local; Request: Local; Action: Local

MSI (s) (F0:A8) [11:08:02:085]: Component: prtscheduleexe; Installed: Local; Request: Local; Action: Local

MSI (s) (F0:A8) [11:08:02:085]: Component: pstrimbat; Installed: Local; Request: Local; Action: Local

MSI (s) (F0:A8) [11:08:02:085]: Component: readssdll; Installed: Local; Request: Local; Action: Local

MSI (s) (F0:A8) [11:08:02:085]: Component: Schedulebat; Installed: Local; Request: Local;

Action: Local

MSI (s) (F0:A8) [11:08:02:085]: Component: Schedulxbat; Installed: Local; Request: Local;

Action: Local

MSI (s) (F0:A8) [11:08:02:085]: Component: schxpt; Installed: Local; Request: Local; Action: Local

MSI (s) (F0:A8) [11:08:02:085]: Component: setidexe; Installed: Local; Request: Local; Action: Local

MSI (s) (F0:A8) [11:08:02:085]: Component: slpzipexe; Installed: Local; Request: Local; Action: Local

MSI (s) (F0:A8) [11:08:02:085]: Component: svxroutesexe; Installed: Local; Request: Local; Action: Local

MSI (s) (F0:A8) [11:08:02:085]: Component: testcheckexe; Installed: Local; Request: Local; Action: Local

MSI (s) (F0:A8) [11:08:02:085]: Component: tidyupexe; Installed: Local; Request: Local; Action: Local

MSI (s) (F0:A8) [11:08:02:085]: Component: travelreduceexe; Installed: Local; Request: Local; Action: Local

MSI (s) (F0:A8) [11:08:02:086]: Component: treadssdll; Installed: Local; Request: Local; Action: Local

MSI (s) (F0:A8) [11:08:02:086]: Component: trimexe; Installed: Local; Request: Local; Action: Local

MSI (s) (F0:A8) [11:08:02:086]: Component: validateexe; Installed: Local; Request: Local; Action: Local

MSI (s) (F0:A8) [11:08:02:086]: Note: 1: 2205 2: 3: Registry

MSI (s) (F0:A8) [11:08:02:086]: Note: 1: 2205 2: 3: BindImage

MSI (s) (F0:A8) [11:08:02:086]: Note: 1: 2205 2: 3: ProgId

MSI (s) (F0:A8) [11:08:02:086]: Note: 1: 2205 2: 3: PublishComponent

MSI (s) (F0:A8) [11:08:02:086]: Note: 1: 2205 2: 3: SelfReg

MSI (s) (F0:A8) [11:08:02:086]: Note: 1: 2205 2: 3: Extension

MSI (s) (F0:A8) [11:08:02:086]: Note: 1: 2205 2: 3: Font

MSI (s) (F0:A8) [11:08:02:086]: Note: 1: 2205 2: 3: Shortcut

MSI (s) (F0:A8) [11:08:02:086]: Note: 1: 2205 2: 3: Class

MSI (s) (F0:A8) [11:08:02:086]: Note: 1: 2205 2: 3: TypeLib

Action start 11:08:02: InstallValidate.

MSI (s) (F0:A8) [11:08:02:087]: Note: 1: 2205 2: 3: _RemoveFilePath

MSI (s) (F0:A8) [11:08:02:148]: PROPERTY CHANGE: Modifying CostingComplete property. Its current value is '0'. Its new value: '1'.

MSI (s) (F0:A8) [11:08:02:149]: Note: 1: 2205 2: 3: Registry

MSI (s) (F0:A8) [11:08:02:149]: Note: 1: 2205 2: 3: BindImage

MSI (s) (F0:A8) [11:08:02:149]: Note: 1: 2205 2: 3: ProgId
MSI (s) (F0:A8) [11:08:02:149]: Note: 1: 2205 2: 3: PublishComponent
MSI (s) (F0:A8) [11:08:02:149]: Note: 1: 2205 2: 3: SelfReg
MSI (s) (F0:A8) [11:08:02:149]: Note: 1: 2205 2: 3: Extension
MSI (s) (F0:A8) [11:08:02:149]: Note: 1: 2205 2: 3: Font
MSI (s) (F0:A8) [11:08:02:149]: Note: 1: 2205 2: 3: Shortcut
MSI (s) (F0:A8) [11:08:02:149]: Note: 1: 2205 2: 3: Class
MSI (s) (F0:A8) [11:08:02:149]: Note: 1: 2205 2: 3: TypeLib
MSI (s) (F0:A8) [11:08:02:150]: Note: 1: 2727 2:
MSI (s) (F0:A8) [11:08:02:150]: Note: 1: 2205 2: 3: FilesInUse
MSI (s) (F0:A8) [11:08:02:172]: Note: 1: 2727 2:
MSI (s) (F0:A8) [11:08:02:173]: Doing action: InstallInitialize
MSI (s) (F0:A8) [11:08:02:173]: Note: 1: 2205 2: 3: ActionText
Action ended 11:08:02: InstallValidate. Return value 1.
MSI (s) (F0:A8) [11:08:02:174]: Machine policy value 'AlwaysInstallElevated' is 0
MSI (s) (F0:A8) [11:08:02:174]: User policy value 'AlwaysInstallElevated' is 0
MSI (s) (F0:A8) [11:08:02:174]: BeginTransaction: Locking Server
MSI (s) (F0:A8) [11:08:02:174]: SRSetRestorePoint skipped for this transaction.
MSI (s) (F0:A8) [11:08:02:174]: Server not locked: locking for product {C7055651-A299-4AEF-9463-D9247821F163}
Action start 11:08:02: InstallInitialize.
MSI (s) (F0:A8) [11:08:02:287]: Doing action: ProcessComponents
MSI (s) (F0:A8) [11:08:02:287]: Note: 1: 2205 2: 3: ActionText
Action ended 11:08:02: InstallInitialize. Return value 1.
MSI (s) (F0:A8) [11:08:02:289]: Note: 1: 2205 2: 3: ActionText
MSI (s) (F0:A8) [11:08:02:289]: Note: 1: 2205 2: 3: ActionText
MSI (s) (F0:A8) [11:08:02:291]: Note: 1: 2205 2: 3: ActionText
Action start 11:08:02: ProcessComponents.
MSI (s) (F0:A8) [11:08:02:298]: Doing action: UnpublishFeatures
MSI (s) (F0:A8) [11:08:02:298]: Note: 1: 2205 2: 3: ActionText
Action ended 11:08:02: ProcessComponents. Return value 1.
Action start 11:08:02: UnpublishFeatures.
MSI (s) (F0:A8) [11:08:02:299]: Doing action: RemoveFiles
MSI (s) (F0:A8) [11:08:02:299]: Note: 1: 2205 2: 3: ActionText
Action ended 11:08:02: UnpublishFeatures. Return value 1.
MSI (s) (F0:A8) [11:08:02:300]: Note: 1: 2205 2: 3: RemoveFile
MSI (s) (F0:A8) [11:08:02:300]: Note: 1: 2205 2: 3: RemoveFile
Action start 11:08:02: RemoveFiles.
MSI (s) (F0:A8) [11:08:02:300]: Doing action: InstallFiles

MSI (s) (F0:A8) [11:08:02:300]: Note: 1: 2205 2: 3: ActionText

Action ended 11:08:02: RemoveFiles. Return value 0.

Action start 11:08:02: InstallFiles.

MSI (s) (F0:A8) [11:08:02:307]: Note: 1: 2205 2: 3: Patch

MSI (s) (F0:A8) [11:08:02:307]: Note: 1: 2228 2: 3: Patch 4: SELECT `Patch`.`File_`,
`Patch`.`Header`, `Patch`.`Attributes`, `Patch`.`Sequence`, `Patch`.`StreamRef_` FROM
`Patch` WHERE `Patch`.`File_` = ? AND `Patch`.`#_MsiActive`=? ORDER BY
`Patch`.`Sequence`

MSI (s) (F0:A8) [11:08:02:307]: Note: 1: 2205 2: 3: Error

MSI (s) (F0:A8) [11:08:02:307]: Note: 1: 2228 2: 3: Error 4: SELECT `Message` FROM `Error`
WHERE `Error` = 1302

MSI (s) (F0:A8) [11:08:02:307]: Note: 1: 2205 2: 3: MsiSFCBypass

MSI (s) (F0:A8) [11:08:02:307]: Note: 1: 2228 2: 3: MsiSFCBypass 4: SELECT `File_` FROM
`MsiSFCBypass` WHERE `File_` = ?

MSI (s) (F0:A8) [11:08:02:307]: Note: 1: 2205 2: 3: MsiPatchHeaders

MSI (s) (F0:A8) [11:08:02:307]: Note: 1: 2228 2: 3: MsiPatchHeaders 4: SELECT `Header`
FROM `MsiPatchHeaders` WHERE `StreamRef` = ?

MSI (s) (F0:A8) [11:08:02:308]: Note: 1: 2205 2: 3: PatchPackage

MSI (s) (F0:A8) [11:08:02:308]: Note: 1: 2205 2: 3: MsiPatchHeaders

MSI (s) (F0:A8) [11:08:02:308]: Note: 1: 2205 2: 3: PatchPackage

MSI (s) (F0:A8) [11:08:02:317]: Note: 1: 2205 2: 3: Patch

MSI (s) (F0:A8) [11:08:02:317]: Note: 1: 2228 2: 3: Patch 4: SELECT `Patch`.`Sequence`,
`Patch`.`PatchSize`, `Patch`.`Attributes`, `Patch`.`Header`, `Patch`.`StreamRef_` FROM
`File`,`Patch`,`Component` WHERE `File`= ? AND `File`=`File_` AND
`Component`=`Component_` ORDER BY `Patch`.`Sequence`

MSI (s) (F0:A8) [11:08:02:319]: Note: 1: 2205 2: 3: Patch

MSI (s) (F0:A8) [11:08:02:319]: Note: 1: 2228 2: 3: Patch 4: SELECT `Patch`.`Sequence`,
`Patch`.`PatchSize`, `Patch`.`Attributes`, `Patch`.`Header`, `Patch`.`StreamRef_` FROM
`File`,`Patch`,`Component` WHERE `File`= ? AND `File`=`File_` AND
`Component`=`Component_` ORDER BY `Patch`.`Sequence`

MSI (s) (F0:A8) [11:08:02:320]: Note: 1: 2205 2: 3: Patch

MSI (s) (F0:A8) [11:08:02:320]: Note: 1: 2228 2: 3: Patch 4: SELECT `Patch`.`Sequence`,
`Patch`.`PatchSize`, `Patch`.`Attributes`, `Patch`.`Header`, `Patch`.`StreamRef_` FROM
`File`,`Patch`,`Component` WHERE `File`= ? AND `File`=`File_` AND
`Component`=`Component_` ORDER BY `Patch`.`Sequence`

MSI (s) (F0:A8) [11:08:02:321]: Note: 1: 2205 2: 3: Patch

MSI (s) (F0:A8) [11:08:02:321]: Note: 1: 2228 2: 3: Patch 4: SELECT `Patch`.`Sequence`,
`Patch`.`PatchSize`, `Patch`.`Attributes`, `Patch`.`Header`, `Patch`.`StreamRef_` FROM
`File`,`Patch`,`Component` WHERE `File`= ? AND `File`=`File_` AND

`Component`=`Component_` ORDER BY `Patch`.`Sequence`

MSI (s) (F0:A8) [11:08:02:322]: Note: 1: 2205 2: 3: Patch

MSI (s) (F0:A8) [11:08:02:322]: Note: 1: 2228 2: 3: Patch 4: SELECT `Patch`.`Sequence`,
`Patch`.`PatchSize`, `Patch`.`Attributes`, `Patch`.`Header`, `Patch`.`StreamRef_` FROM
`File`,`Patch`,`Component` WHERE `File`= ? AND `File`=`File_` AND

`Component`=`Component_` ORDER BY `Patch`.`Sequence`

MSI (s) (F0:A8) [11:08:02:323]: Note: 1: 2205 2: 3: Patch

MSI (s) (F0:A8) [11:08:02:323]: Note: 1: 2228 2: 3: Patch 4: SELECT `Patch`.`Sequence`,
`Patch`.`PatchSize`, `Patch`.`Attributes`, `Patch`.`Header`, `Patch`.`StreamRef_` FROM
`File`,`Patch`,`Component` WHERE `File`= ? AND `File`=`File_` AND

`Component`=`Component_` ORDER BY `Patch`.`Sequence`

MSI (s) (F0:A8) [11:08:02:324]: Note: 1: 2205 2: 3: Patch

MSI (s) (F0:A8) [11:08:02:324]: Note: 1: 2228 2: 3: Patch 4: SELECT `Patch`.`Sequence`,
`Patch`.`PatchSize`, `Patch`.`Attributes`, `Patch`.`Header`, `Patch`.`StreamRef_` FROM
`File`,`Patch`,`Component` WHERE `File`= ? AND `File`=`File_` AND

`Component`=`Component_` ORDER BY `Patch`.`Sequence`

MSI (s) (F0:A8) [11:08:02:325]: Note: 1: 2205 2: 3: Patch

MSI (s) (F0:A8) [11:08:02:325]: Note: 1: 2228 2: 3: Patch 4: SELECT `Patch`.`Sequence`,
`Patch`.`PatchSize`, `Patch`.`Attributes`, `Patch`.`Header`, `Patch`.`StreamRef_` FROM
`File`,`Patch`,`Component` WHERE `File`= ? AND `File`=`File_` AND

`Component`=`Component_` ORDER BY `Patch`.`Sequence`

MSI (s) (F0:A8) [11:08:02:328]: Note: 1: 2205 2: 3: Patch

MSI (s) (F0:A8) [11:08:02:328]: Note: 1: 2228 2: 3: Patch 4: SELECT `Patch`.`Sequence`,
`Patch`.`PatchSize`, `Patch`.`Attributes`, `Patch`.`Header`, `Patch`.`StreamRef_` FROM
`File`,`Patch`,`Component` WHERE `File`= ? AND `File`=`File_` AND

`Component`=`Component_` ORDER BY `Patch`.`Sequence`

MSI (s) (F0:A8) [11:08:02:329]: Note: 1: 2205 2: 3: Patch

MSI (s) (F0:A8) [11:08:02:329]: Note: 1: 2228 2: 3: Patch 4: SELECT `Patch`.`Sequence`,
`Patch`.`PatchSize`, `Patch`.`Attributes`, `Patch`.`Header`, `Patch`.`StreamRef_` FROM
`File`,`Patch`,`Component` WHERE `File`= ? AND `File`=`File_` AND

`Component`=`Component_` ORDER BY `Patch`.`Sequence`

MSI (s) (F0:A8) [11:08:02:330]: Note: 1: 2205 2: 3: Patch

MSI (s) (F0:A8) [11:08:02:330]: Note: 1: 2228 2: 3: Patch 4: SELECT `Patch`.`Sequence`,
`Patch`.`PatchSize`, `Patch`.`Attributes`, `Patch`.`Header`, `Patch`.`StreamRef_` FROM
`File`,`Patch`,`Component` WHERE `File`= ? AND `File`=`File_` AND

`Component`=`Component_` ORDER BY `Patch`.`Sequence`

MSI (s) (F0:A8) [11:08:02:332]: Note: 1: 2205 2: 3: Patch

MSI (s) (F0:A8) [11:08:02:332]: Note: 1: 2228 2: 3: Patch 4: SELECT `Patch`.`Sequence`,
`Patch`.`PatchSize`, `Patch`.`Attributes`, `Patch`.`Header`, `Patch`.`StreamRef_` FROM

`File`,`Patch`,`Component` WHERE `File`= ? AND `File`=`File_` AND
`Component`=`Component_` ORDER BY `Patch`.`Sequence`
MSI (s) (F0:A8) [11:08:02:335]: Note: 1: 2205 2: 3: Patch
MSI (s) (F0:A8) [11:08:02:335]: Note: 1: 2228 2: 3: Patch 4: SELECT `Patch`.`Sequence`,
`Patch`.`PatchSize`, `Patch`.`Attributes`, `Patch`.`Header`, `Patch`.`StreamRef_` FROM
`File`,`Patch`,`Component` WHERE `File`= ? AND `File`=`File_` AND
`Component`=`Component_` ORDER BY `Patch`.`Sequence`
MSI (s) (F0:A8) [11:08:02:337]: Note: 1: 2205 2: 3: Patch
MSI (s) (F0:A8) [11:08:02:337]: Note: 1: 2228 2: 3: Patch 4: SELECT `Patch`.`Sequence`,
`Patch`.`PatchSize`, `Patch`.`Attributes`, `Patch`.`Header`, `Patch`.`StreamRef_` FROM
`File`,`Patch`,`Component` WHERE `File`= ? AND `File`=`File_` AND
`Component`=`Component_` ORDER BY `Patch`.`Sequence`
MSI (s) (F0:A8) [11:08:02:339]: Note: 1: 2205 2: 3: Patch
MSI (s) (F0:A8) [11:08:02:339]: Note: 1: 2228 2: 3: Patch 4: SELECT `Patch`.`Sequence`,
`Patch`.`PatchSize`, `Patch`.`Attributes`, `Patch`.`Header`, `Patch`.`StreamRef_` FROM
`File`,`Patch`,`Component` WHERE `File`= ? AND `File`=`File_` AND
`Component`=`Component_` ORDER BY `Patch`.`Sequence`
MSI (s) (F0:A8) [11:08:02:340]: Note: 1: 2205 2: 3: Patch
MSI (s) (F0:A8) [11:08:02:340]: Note: 1: 2228 2: 3: Patch 4: SELECT `Patch`.`Sequence`,
`Patch`.`PatchSize`, `Patch`.`Attributes`, `Patch`.`Header`, `Patch`.`StreamRef_` FROM
`File`,`Patch`,`Component` WHERE `File`= ? AND `File`=`File_` AND
`Component`=`Component_` ORDER BY `Patch`.`Sequence`
MSI (s) (F0:A8) [11:08:02:342]: Note: 1: 2205 2: 3: Patch
MSI (s) (F0:A8) [11:08:02:342]: Note: 1: 2228 2: 3: Patch 4: SELECT `Patch`.`Sequence`,
`Patch`.`PatchSize`, `Patch`.`Attributes`, `Patch`.`Header`, `Patch`.`StreamRef_` FROM
`File`,`Patch`,`Component` WHERE `File`= ? AND `File`=`File_` AND
`Component`=`Component_` ORDER BY `Patch`.`Sequence`
MSI (s) (F0:A8) [11:08:02:343]: Note: 1: 2205 2: 3: Patch
MSI (s) (F0:A8) [11:08:02:343]: Note: 1: 2228 2: 3: Patch 4: SELECT `Patch`.`Sequence`,
`Patch`.`PatchSize`, `Patch`.`Attributes`, `Patch`.`Header`, `Patch`.`StreamRef_` FROM
`File`,`Patch`,`Component` WHERE `File`= ? AND `File`=`File_` AND
`Component`=`Component_` ORDER BY `Patch`.`Sequence`
MSI (s) (F0:A8) [11:08:02:345]: Note: 1: 2205 2: 3: Patch
MSI (s) (F0:A8) [11:08:02:345]: Note: 1: 2228 2: 3: Patch 4: SELECT `Patch`.`Sequence`,
`Patch`.`PatchSize`, `Patch`.`Attributes`, `Patch`.`Header`, `Patch`.`StreamRef_` FROM
`File`,`Patch`,`Component` WHERE `File`= ? AND `File`=`File_` AND
`Component`=`Component_` ORDER BY `Patch`.`Sequence`
MSI (s) (F0:A8) [11:08:02:346]: Note: 1: 2205 2: 3: Patch
MSI (s) (F0:A8) [11:08:02:346]: Note: 1: 2228 2: 3: Patch 4: SELECT `Patch`.`Sequence`,

`Patch`.`PatchSize`, `Patch`.`Attributes`, `Patch`.`Header`, `Patch`.`StreamRef_` FROM
`File`,`Patch`,`Component` WHERE `File`= ? AND `File`=`File_` AND
`Component`=`Component_` ORDER BY `Patch`.`Sequence`

MSI (s) (F0:A8) [11:08:02:352]: Note: 1: 2205 2: 3: Patch

MSI (s) (F0:A8) [11:08:02:352]: Note: 1: 2228 2: 3: Patch 4: SELECT `Patch`.`Sequence`,
`Patch`.`PatchSize`, `Patch`.`Attributes`, `Patch`.`Header`, `Patch`.`StreamRef_` FROM
`File`,`Patch`,`Component` WHERE `File`= ? AND `File`=`File_` AND
`Component`=`Component_` ORDER BY `Patch`.`Sequence`

MSI (s) (F0:A8) [11:08:02:353]: Note: 1: 2205 2: 3: Patch

MSI (s) (F0:A8) [11:08:02:353]: Note: 1: 2228 2: 3: Patch 4: SELECT `Patch`.`Sequence`,
`Patch`.`PatchSize`, `Patch`.`Attributes`, `Patch`.`Header`, `Patch`.`StreamRef_` FROM
`File`,`Patch`,`Component` WHERE `File`= ? AND `File`=`File_` AND
`Component`=`Component_` ORDER BY `Patch`.`Sequence`

MSI (s) (F0:A8) [11:08:02:355]: Note: 1: 2205 2: 3: Patch

MSI (s) (F0:A8) [11:08:02:355]: Note: 1: 2228 2: 3: Patch 4: SELECT `Patch`.`Sequence`,
`Patch`.`PatchSize`, `Patch`.`Attributes`, `Patch`.`Header`, `Patch`.`StreamRef_` FROM
`File`,`Patch`,`Component` WHERE `File`= ? AND `File`=`File_` AND
`Component`=`Component_` ORDER BY `Patch`.`Sequence`

MSI (s) (F0:A8) [11:08:02:356]: Note: 1: 2205 2: 3: Patch

MSI (s) (F0:A8) [11:08:02:356]: Note: 1: 2228 2: 3: Patch 4: SELECT `Patch`.`Sequence`,
`Patch`.`PatchSize`, `Patch`.`Attributes`, `Patch`.`Header`, `Patch`.`StreamRef_` FROM
`File`,`Patch`,`Component` WHERE `File`= ? AND `File`=`File_` AND
`Component`=`Component_` ORDER BY `Patch`.`Sequence`

MSI (s) (F0:A8) [11:08:02:357]: Note: 1: 2205 2: 3: Patch

MSI (s) (F0:A8) [11:08:02:357]: Note: 1: 2228 2: 3: Patch 4: SELECT `Patch`.`Sequence`,
`Patch`.`PatchSize`, `Patch`.`Attributes`, `Patch`.`Header`, `Patch`.`StreamRef_` FROM
`File`,`Patch`,`Component` WHERE `File`= ? AND `File`=`File_` AND
`Component`=`Component_` ORDER BY `Patch`.`Sequence`

MSI (s) (F0:A8) [11:08:02:359]: Note: 1: 2205 2: 3: Patch

MSI (s) (F0:A8) [11:08:02:359]: Note: 1: 2228 2: 3: Patch 4: SELECT `Patch`.`Sequence`,
`Patch`.`PatchSize`, `Patch`.`Attributes`, `Patch`.`Header`, `Patch`.`StreamRef_` FROM
`File`,`Patch`,`Component` WHERE `File`= ? AND `File`=`File_` AND
`Component`=`Component_` ORDER BY `Patch`.`Sequence`

MSI (s) (F0:A8) [11:08:02:361]: Note: 1: 2205 2: 3: Patch

MSI (s) (F0:A8) [11:08:02:361]: Note: 1: 2228 2: 3: Patch 4: SELECT `Patch`.`Sequence`,
`Patch`.`PatchSize`, `Patch`.`Attributes`, `Patch`.`Header`, `Patch`.`StreamRef_` FROM
`File`,`Patch`,`Component` WHERE `File`= ? AND `File`=`File_` AND
`Component`=`Component_` ORDER BY `Patch`.`Sequence`

MSI (s) (F0:A8) [11:08:02:365]: Note: 1: 2205 2: 3: Patch

MSI (s) (F0:A8) [11:08:02:365]: Note: 1: 2228 2: 3: Patch 4: SELECT `Patch`.`Sequence`,
`Patch`.`PatchSize`, `Patch`.`Attributes`, `Patch`.`Header`, `Patch`.`StreamRef_` FROM
`File`,`Patch`,`Component` WHERE `File`= ? AND `File`=`File_` AND
`Component`=`Component_` ORDER BY `Patch`.`Sequence`

MSI (s) (F0:A8) [11:08:02:369]: Note: 1: 2205 2: 3: Patch

MSI (s) (F0:A8) [11:08:02:369]: Note: 1: 2228 2: 3: Patch 4: SELECT `Patch`.`Sequence`,
`Patch`.`PatchSize`, `Patch`.`Attributes`, `Patch`.`Header`, `Patch`.`StreamRef_` FROM
`File`,`Patch`,`Component` WHERE `File`= ? AND `File`=`File_` AND
`Component`=`Component_` ORDER BY `Patch`.`Sequence`

MSI (s) (F0:A8) [11:08:02:371]: Note: 1: 2205 2: 3: Patch

MSI (s) (F0:A8) [11:08:02:371]: Note: 1: 2228 2: 3: Patch 4: SELECT `Patch`.`Sequence`,
`Patch`.`PatchSize`, `Patch`.`Attributes`, `Patch`.`Header`, `Patch`.`StreamRef_` FROM
`File`,`Patch`,`Component` WHERE `File`= ? AND `File`=`File_` AND
`Component`=`Component_` ORDER BY `Patch`.`Sequence`

MSI (s) (F0:A8) [11:08:02:372]: Note: 1: 2205 2: 3: Patch

MSI (s) (F0:A8) [11:08:02:372]: Note: 1: 2228 2: 3: Patch 4: SELECT `Patch`.`Sequence`,
`Patch`.`PatchSize`, `Patch`.`Attributes`, `Patch`.`Header`, `Patch`.`StreamRef_` FROM
`File`,`Patch`,`Component` WHERE `File`= ? AND `File`=`File_` AND
`Component`=`Component_` ORDER BY `Patch`.`Sequence`

MSI (s) (F0:A8) [11:08:02:375]: Note: 1: 2205 2: 3: Patch

MSI (s) (F0:A8) [11:08:02:375]: Note: 1: 2228 2: 3: Patch 4: SELECT `Patch`.`Sequence`,
`Patch`.`PatchSize`, `Patch`.`Attributes`, `Patch`.`Header`, `Patch`.`StreamRef_` FROM
`File`,`Patch`,`Component` WHERE `File`= ? AND `File`=`File_` AND
`Component`=`Component_` ORDER BY `Patch`.`Sequence`

MSI (s) (F0:A8) [11:08:02:376]: Note: 1: 2205 2: 3: Patch

MSI (s) (F0:A8) [11:08:02:376]: Note: 1: 2228 2: 3: Patch 4: SELECT `Patch`.`Sequence`,
`Patch`.`PatchSize`, `Patch`.`Attributes`, `Patch`.`Header`, `Patch`.`StreamRef_` FROM
`File`,`Patch`,`Component` WHERE `File`= ? AND `File`=`File_` AND
`Component`=`Component_` ORDER BY `Patch`.`Sequence`

MSI (s) (F0:A8) [11:08:02:378]: Note: 1: 2205 2: 3: Patch

MSI (s) (F0:A8) [11:08:02:378]: Note: 1: 2228 2: 3: Patch 4: SELECT `Patch`.`Sequence`,
`Patch`.`PatchSize`, `Patch`.`Attributes`, `Patch`.`Header`, `Patch`.`StreamRef_` FROM
`File`,`Patch`,`Component` WHERE `File`= ? AND `File`=`File_` AND
`Component`=`Component_` ORDER BY `Patch`.`Sequence`

MSI (s) (F0:A8) [11:08:02:381]: Doing action: RegisterUser

MSI (s) (F0:A8) [11:08:02:381]: Note: 1: 2205 2: 3: ActionText

Action ended 11:08:02: InstallFiles. Return value 1.

Action start 11:08:02: RegisterUser.

MSI (s) (F0:A8) [11:08:02:382]: Doing action: RegisterProduct

MSI (s) (F0:A8) [11:08:02:382]: Note: 1: 2205 2: 3: ActionText
Action ended 11:08:02: RegisterUser. Return value 0.
Action start 11:08:02: RegisterProduct.

MSI (s) (F0:A8) [11:08:02:385]: Doing action: PublishFeatures
MSI (s) (F0:A8) [11:08:02:385]: Note: 1: 2205 2: 3: ActionText
Action ended 11:08:02: RegisterProduct. Return value 1.
Action start 11:08:02: PublishFeatures.

MSI (s) (F0:A8) [11:08:02:387]: Doing action: PublishProduct
MSI (s) (F0:A8) [11:08:02:387]: Note: 1: 2205 2: 3: ActionText
Action ended 11:08:02: PublishFeatures. Return value 1.
Action start 11:08:02: PublishProduct.

MSI (s) (F0:A8) [11:08:02:388]: Doing action: InstallFinalize
MSI (s) (F0:A8) [11:08:02:389]: Note: 1: 2205 2: 3: ActionText
Action ended 11:08:02: PublishProduct. Return value 1.

MSI (s) (F0:A8) [11:08:02:389]: Running Script: C:\Windows\Installer\MSIB585.tmp
MSI (s) (F0:A8) [11:08:02:389]: PROPERTY CHANGE: Adding UpdateStarted property. Its value is '1'.

MSI (s) (F0:A8) [11:08:02:395]: Machine policy value 'DisableRollback' is 0
MSI (s) (F0:A8) [11:08:02:408]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\Software\Microsoft\Windows\CurrentVersion\Installer\Rollback\Scripts 3: 2

MSI (s) (F0:A8) [11:08:02:415]: Executing op:
Header(Signature=1397708873,Version=500,Timestamp=1120688386,LangId=1033,Platform=0,ScriptType=1,ScriptMajorVersion=21,ScriptMinorVersion=4,ScriptAttributes=0)
Action start 11:08:02: InstallFinalize.

MSI (s) (F0:A8) [11:08:02:416]: Executing op: ProductInfo(ProductKey={C7055651-A299-4AEF-9463-D9247821F163},ProductName=TracsExe 24.0.132.1,PackageName=TracsExe-24.0.132.1.msi,Language=1033,Version=402653316,Assignment=0,ObsoleteArg=0,ProductIcon=TrainTRACS.ico,,PackageCode={1DFAB752-3B7B-4E67-8D14-6545AA891B59},,,InstanceType=0,LUASetting=0,RemoteURTInstalls=0,ProductDeploymentFlags=3)

MSI (s) (F0:A8) [11:08:02:420]: SHELL32::SHGetFolderPath returned:
C:\Users\David2\AppData\Roaming

MSI (s) (F0:A8) [11:08:02:420]: Executing op: DialogInfo(Type=0,Argument=1033)
MSI (s) (F0:A8) [11:08:02:421]: Executing op: DialogInfo(Type=1,Argument=TracsExe 24.0.132.1)

MSI (s) (F0:A8) [11:08:02:421]: Executing op:
RollbackInfo(,RollbackAction=Rollback,RollbackDescription=Rolling back action:,RollbackTemplate=

[1],CleanupAction=RollbackCleanup,CleanupDescription=Removing backup files,CleanupTemplate=File: [1])

MSI (s) (F0:A8) [11:08:02:421]: Executing op: SetBaseline(Baseline=0,)

MSI (s) (F0:A8) [11:08:02:421]: Executing op: SetBaseline(Baseline=1,)

MSI (s) (F0:A8) [11:08:02:421]: Executing op:

ActionStart(Name=ProcessComponents,Description=Updating component registration,)

MSI (s) (F0:A8) [11:08:02:422]: Executing op:

ProgressTotal(Total=44,Type=1,ByteEquivalent=24000)

MSI (s) (F0:A8) [11:08:02:422]: Executing op: ComponentRegister(ComponentId={CAC5B07F-800B-424F-BE52-32BD9D4D766B},

KeyPath=C:\tracsexex\TracsExe.Manifest.xml,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (F0:A8) [11:08:02:424]: Executing op: ComponentRegister(ComponentId={E06EB2DC-9EEA-4771-933D-FB7D7028DFFA},

KeyPath=C:\tracsexex\addpen.exe,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (F0:A8) [11:08:02:426]: Executing op: ComponentRegister(ComponentId={0FA7E36E-136F-427C-964A-BFCFBE470B59},

KeyPath=C:\tracsexex\bds52f.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (F0:A8) [11:08:02:428]: Executing op: ComponentRegister(ComponentId={B856A7F7-46B9-4CE7-94E6-B89E8CE123A4},

KeyPath=C:\tracsexex\checking.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (F0:A8) [11:08:02:430]: Executing op: ComponentRegister(ComponentId={138A48B4-DB9C-474E-B0E9-9D537775AB23},

KeyPath=C:\tracsexex\chktrips.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (F0:A8) [11:08:02:431]: Executing op: ComponentRegister(ComponentId={EA06CDBB-0D14-4244-8100-64B5F871FE09},

KeyPath=C:\tracsexex\CTLFileEditor.exe,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (F0:A8) [11:08:02:432]: Executing op: ComponentRegister(ComponentId={C4095811-E534-47ED-B724-8D8ED07BC3A3},

KeyPath=C:\tracsexex\cw3230.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (F0:A8) [11:08:02:434]: Executing op: ComponentRegister(ComponentId={2BF7CB84-E24C-460F-B182-944544943353},

KeyPath=C:\tracsexex\display.exe,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

ryType=0)

MSI (s) (F0:A8) [11:08:02:435]: Executing op: ComponentRegister(ComponentId={D1F730EC-940F-4969-8B0F-188DE5F44C4A},KeyPath=C:\tracsexex\dosbuild.exe,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (F0:A8) [11:08:02:437]: Executing op: ComponentRegister(ComponentId={807AEDCE-755C-4FB1-9B13-2EFAC4D4384A},KeyPath=C:\tracsexex\dosdisplay.exe,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (F0:A8) [11:08:02:438]: Executing op: ComponentRegister(ComponentId={DF9B9A74-544D-498C-BFC8-597D0A4D117C},KeyPath=C:\tracsexex\dosmerge.exe,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (F0:A8) [11:08:02:439]: Executing op: ComponentRegister(ComponentId={7F466F39-4D9B-4B81-A7F4-B11F1C3F7CD5},KeyPath=C:\tracsexex\dostravl.exe,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (F0:A8) [11:08:02:441]: Executing op: ComponentRegister(ComponentId={FF20D01A-E6F2-4288-9319-27B79061FD6B},KeyPath=C:\tracsexex\findslack.exe,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (F0:A8) [11:08:02:442]: Executing op: ComponentRegister(ComponentId={7DB1E030-9D5C-4B7B-BD58-E3A46BACA68F},KeyPath=C:\tracsexex\freeform.exe,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (F0:A8) [11:08:02:444]: Executing op: ComponentRegister(ComponentId={9A2A2581-5618-4900-B8A3-FB7834CBDB61},KeyPath=C:\tracsexex\gdog.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (F0:A8) [11:08:02:445]: Executing op: ComponentRegister(ComponentId={30EBEA47-C0CD-46C7-A9FF-F1F472B93315},KeyPath=C:\tracsexex\getid.exe,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (F0:A8) [11:08:02:447]: Executing op: ComponentRegister(ComponentId={E34B8D82-5FC3-4AF3-AC0B-B3D6C1EA2D34},KeyPath=C:\tracsexex\merge.exe,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (F0:A8) [11:08:02:449]: Executing op: ComponentRegister(ComponentId={A8284C28-375E-48A5-ACAE-

C8B0620520A9},KeyPath=C:\tracsexex\mrchange.exe,State=3,,Disk=1,SharedDllRefCount=0, BinaryType=0)

MSI (s) (F0:A8) [11:08:02:450]: Executing op: ComponentRegister(ComponentId={D84AF3B3-92C9-4E62-9516-C34E1C382AB7},KeyPath=C:\tracsexex\msvc60.DLL,State=3,,Disk=1,SharedDllRefCount=0, BinaryType=0)

MSI (s) (F0:A8) [11:08:02:451]: Executing op: ComponentRegister(ComponentId={5A6D97E2-1DB3-46CA-A46D-391FD0EC6B08},KeyPath=C:\tracsexex\MultiFileMRobust.exe,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (F0:A8) [11:08:02:453]: Executing op: ComponentRegister(ComponentId={EAAB7418-A127-4019-A92D-26ADB10D6FF9},KeyPath=C:\tracsexex\MultiProcPSolver.exe,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (F0:A8) [11:08:02:455]: Executing op: ComponentRegister(ComponentId={DA9937BF-CC7B-481F-8403-750DEE04B40A},KeyPath=C:\tracsexex\out_prespec.exe,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (F0:A8) [11:08:02:456]: Executing op: ComponentRegister(ComponentId={E5805DA9-545D-4203-929D-6EBFF50D23C5},KeyPath=C:\tracsexex\owl52f.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (F0:A8) [11:08:02:458]: Executing op: ComponentRegister(ComponentId={574BCFF9-512C-4B55-A7E1-B9D5F1F2E71D},KeyPath=C:\tracsexex\passdisply.bat,State=3,,Disk=1,SharedDllRefCount=0, BinaryType=0)

MSI (s) (F0:A8) [11:08:02:459]: Executing op: ComponentRegister(ComponentId={2421612D-9DE1-425E-B786-7610E6909DDC},KeyPath=C:\tracsexex\penalty.exe,State=3,,Disk=1,SharedDllRefCount=0, BinaryType=0)

MSI (s) (F0:A8) [11:08:02:460]: Executing op: ComponentRegister(ComponentId={50DCE4E8-A38E-45BB-B3AA-300E2A28DC89},KeyPath=C:\tracsexex\printdiagram.dll,State=3,,Disk=1,SharedDllRefCount=0, BinaryType=0)

MSI (s) (F0:A8) [11:08:02:462]: Executing op: ComponentRegister(ComponentId={E5E74D38-98EC-4087-9E21-FB24CC7057BA},KeyPath=C:\tracsexex\printss.exe,State=3,,Disk=1,SharedDllRefCount=0, BinaryType=0)

MSI (s) (F0:A8) [11:08:02:463]: Executing op: ComponentRegister(ComponentId={79D4B0C0-

F4EF-451F-A869-

F1A11AC52493},KeyPath=C:\tracsexex\printucv.exe,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (F0:A8) [11:08:02:465]: Executing op: ComponentRegister(ComponentId={7657640F-70D1-49F9-B9E2-

812FD00BBF3A},KeyPath=C:\tracsexex\productivity.exe,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (F0:A8) [11:08:02:466]: Executing op: ComponentRegister(ComponentId={D3532EDB-E796-4F83-A26E-

9966AAF10326},KeyPath=C:\tracsexex\prtschedule.exe,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (F0:A8) [11:08:02:468]: Executing op: ComponentRegister(ComponentId={F9A4B5A6-24DF-406C-9688-

BACAAC239766},KeyPath=C:\tracsexex\pstrim.bat,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (F0:A8) [11:08:02:469]: Executing op: ComponentRegister(ComponentId={A81BD8A5-3237-4D8B-8752-

B09307D3AEFB},KeyPath=C:\tracsexex\readss.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (F0:A8) [11:08:02:470]: Executing op: ComponentRegister(ComponentId={E5458610-BCA9-4694-8819-

97A68862A5D6},KeyPath=C:\tracsexex\Schedule.bat,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (F0:A8) [11:08:02:472]: Executing op: ComponentRegister(ComponentId={3A3820A3-EDBC-4967-8285-

99CD5F7CA185},KeyPath=C:\tracsexex\Schedulx.bat,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (F0:A8) [11:08:02:473]: Executing op: ComponentRegister(ComponentId={22F781CF-157F-496D-A4BC-

1CAE25FBAD71},KeyPath=C:\tracsexex\sch.xpt,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (F0:A8) [11:08:02:475]: Executing op: ComponentRegister(ComponentId={D0E53C3E-79EB-4305-A859-

189C918AAD13},KeyPath=C:\tracsexex\setid.exe,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (F0:A8) [11:08:02:477]: Executing op: ComponentRegister(ComponentId={0EBA6BF4-0A51-41D2-A1FD-

9BD135A8DEED},KeyPath=C:\tracsexex\slpzip.exe,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (F0:A8) [11:08:02:478]: Executing op: ComponentRegister(ComponentId={1D224202-D653-4F03-B362-ABA052982B4B},KeyPath=C:\tracsexex\svxroutes.exe,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (F0:A8) [11:08:02:480]: Executing op: ComponentRegister(ComponentId={A8387813-EAA7-4E48-8DE4-93748DA9BFED},KeyPath=C:\tracsexex\testcheck.exe,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (F0:A8) [11:08:02:481]: Executing op: ComponentRegister(ComponentId={82653202-E912-45F4-9760-A77CF0D3683C},KeyPath=C:\tracsexex\tidyup.exe,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (F0:A8) [11:08:02:482]: Executing op: ComponentRegister(ComponentId={1066EFFB-9C3C-4E12-8EF7-51B1D01D4875},KeyPath=C:\tracsexex\travelreduce.exe,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (F0:A8) [11:08:02:484]: Executing op: ComponentRegister(ComponentId={CE9F739F-007A-4307-8D27-9E2110EF7CBA},KeyPath=C:\tracsexex\treadss.dll,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (F0:A8) [11:08:02:485]: Executing op: ComponentRegister(ComponentId={4AFDA584-FA74-41EE-B586-FDBECE85369A},KeyPath=C:\tracsexex\trim.exe,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (F0:A8) [11:08:02:487]: Executing op: ComponentRegister(ComponentId={EE7A924D-54F8-4667-B58C-B37DCB199707},KeyPath=C:\tracsexex\validate.exe,State=3,,Disk=1,SharedDllRefCount=0,BinaryType=0)

MSI (s) (F0:A8) [11:08:02:488]: Executing op:
ActionStart(Name=InstallFiles,Description=Copying new files,Template=File: [1], Directory: [9], Size: [6])

MSI (s) (F0:A8) [11:08:02:489]: Executing op:
ProgressTotal(Total=16365153,Type=0,ByteEquivalent=1)

MSI (s) (F0:A8) [11:08:02:489]: Executing op: SetTargetFolder(Folder=C:\tracsexex\)

MSI (s) (F0:A8) [11:08:02:489]: Executing op: SetSourceFolder(Folder=1\tracsexex\)

MSI (s) (F0:A8) [11:08:02:489]: Executing op: ChangeMedia(,MediaPrompt=Please insert the disk:
,MediaCabinet=mediaTracsExe.cab,BytesPerTick=65536,CopierType=2,ModuleFileName=1\TracsExe-24.0.132.1.msi,,,,,IsFirstPhysicalMedia=1)

MSI (s) (F0:A8) [11:08:02:489]: Executing op:
RegisterSharedComponentProvider(.,File=addpenexe,Component={E06EB2DC-9EEA-4771-933D-FB7D7028DFFA},ComponentVersion=24.0.132.1,ProductCode={C7055651-A299-4AEF-9463-D9247821F163},ProductVersion=24.0.132,PatchSize=0,PatchAttributes=0,PatchSequence=0,SharedComponent=0,IsFullFile=0)

MSI (s) (F0:A8) [11:08:02:498]: Executing op:
FileCopy(SourceName=addpen.exe,SourceCabKey=addpenexe,DestName=addpen.exe,Attributes=512,FileSize=212992,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=24.0.132.1,Language=2057,InstallMode=4194304,,,,,,)

MSI (s) (F0:A8) [11:08:02:499]: File: C:\tracsexex\addpen.exe; Overwrite; Won't patch; REINSTALLMODE specifies all files to be overwritten

MSI (s) (F0:A8) [11:08:02:499]: Resolving source.

MSI (s) (F0:A8) [11:08:02:499]: User policy value 'SearchOrder' is 'nmu'

MSI (s) (F0:A8) [11:08:02:499]: User policy value 'DisableMedia' is 0

MSI (s) (F0:A8) [11:08:02:499]: Machine policy value 'AllowLockdownMedia' is 1

MSI (s) (F0:A8) [11:08:02:499]: SOURCEMGMT: Looking for sourcelist for product {C7055651-A299-4AEF-9463-D9247821F163}

MSI (s) (F0:A8) [11:08:02:499]: SOURCEMGMT: Adding {C7055651-A299-4AEF-9463-D9247821F163}; to potential sourcelist list (pcode;disk;relpath).

MSI (s) (F0:A8) [11:08:02:499]: SOURCEMGMT: Now checking product {C7055651-A299-4AEF-9463-D9247821F163}

MSI (s) (F0:A8) [11:08:02:500]: SOURCEMGMT: Attempting to use LastUsedSource from source list.

MSI (s) (F0:A8) [11:08:02:501]: SOURCEMGMT: Trying source C:\Users\David2\Desktop\.

MSI (s) (F0:A8) [11:08:02:506]: SOURCEMGMT: Resolved source to:
'C:\Users\David2\Desktop\'

MSI (s) (F0:A8) [11:08:02:506]: PROPERTY CHANGE: Adding SourceDir property. Its value is 'C:\Users\David2\Desktop\'.
MSI (s) (F0:A8) [11:08:02:506]: PROPERTY CHANGE: Adding SOURCEDIR property. Its value is 'C:\Users\David2\Desktop\'.
MSI (s) (F0:A8) [11:08:02:506]: PROPERTY CHANGE: Adding SourcedirProduct property. Its value is '{C7055651-A299-4AEF-9463-D9247821F163}'.

MSI (s) (F0:A8) [11:08:02:506]: SOURCEDIR ==> C:\Users\David2\Desktop\
MSI (s) (F0:A8) [11:08:02:506]: SOURCEDIR product ==> {C7055651-A299-4AEF-9463-D9247821F163}

MSI (s) (F0:A8) [11:08:02:506]: Determining source type
MSI (s) (F0:A8) [11:08:02:511]: Source type from package 'TracsExe-24.0.132.1.msi': 2
MSI (s) (F0:A8) [11:08:02:511]: Source for file 'addpenexe' is compressed

MSI (s) (F0:A8) [11:08:02:512]: Re-applying security from existing file.

MSI (s) (F0:A8) [11:08:02:514]: Verifying accessibility of file: addpen.exe

MSI (s) (F0:A8) [11:08:02:518]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:08:02:520]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:08:02:525]: SOFTWARE RESTRICTION POLICY: Verifying object --> 'C:\Users\David2\Desktop\TracsExe-24.0.132.1.msi' against software restriction policy

MSI (s) (F0:A8) [11:08:02:525]: Note: 1: 2262 2: DigitalSignature 3: -2147287038

MSI (s) (F0:A8) [11:08:02:525]: SOFTWARE RESTRICTION POLICY: C:\Users\David2\Desktop\TracsExe-24.0.132.1.msi is not digitally signed

MSI (s) (F0:A8) [11:08:02:533]: SOFTWARE RESTRICTION POLICY: C:\Users\David2\Desktop\TracsExe-24.0.132.1.msi is permitted to run at the 'unrestricted' authorization level.

MSI (s) (F0:A8) [11:08:02:540]: Executing op: SetSourceFolder(Folder=C:\Windows\Installer\\$\PatchCache\$\UnManaged\S-1-5-21-3125272479-178404603-3945747847-1006\1565507C992AFEA449369D4287121F36\24.0.132\)

MSI (s) (F0:A8) [11:08:02:540]: Executing op: RegisterSharedComponentProvider(,File=bds52fdll,Component={0FA7E36E-136F-427C-964A-BFCFBE470B59},ComponentVersion=5.0.0.4,ProductCode={C7055651-A299-4AEF-9463-D9247821F163},ProductVersion=24.0.132,PatchSize=0,PatchAttributes=0,PatchSequence=0,SharedComponent=0,IsFullFile=0)

MSI (s) (F0:A8) [11:08:02:647]: Executing op: FileCopy(SourceName=bds52fdll,SourceCabKey=bds52fdll,DestName=bds52f.dll,Attributes=512,FileSize=82976,PerTick=65536,,VerifyMedia=0,,,,,CheckCRC=0,Version=5.0.0.4,Language=1033,InstallMode=4194304,,,,,,)

MSI (s) (F0:A8) [11:08:02:649]: File: C:\tracsexex\bds52f.dll; Overwrite; Won't patch; REINSTALLMODE specifies all files to be overwritten

MSI (s) (F0:A8) [11:08:02:649]: Source for file 'bds52fdll' is uncompressed, at 'C:\Windows\Installer\\$\PatchCache\$\UnManaged\S-1-5-21-3125272479-178404603-3945747847-1006\1565507C992AFEA449369D4287121F36\24.0.132\'.

MSI (s) (F0:A8) [11:08:02:653]: Re-applying security from existing file.

MSI (s) (F0:A8) [11:08:02:654]: Verifying accessibility of file: bds52f.dll

MSI (s) (F0:A8) [11:08:02:657]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:08:02:658]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:08:02:659]: File will have security applied from OpCode.

MSI (s) (F0:A8) [11:08:02:661]: Executing op: SetSourceFolder(Folder=1\tracsexex\)

MSI (s) (F0:A8) [11:08:02:661]: Executing op: RegisterSharedComponentProvider(,File=checkingdll,Component={B856A7F7-46B9-4CE7-

94E6-B89E8CE123A4},ComponentVersion=24.0.132.1,ProductCode={C7055651-A299-4AEF-9463-D9247821F163},ProductVersion=24.0.132,PatchSize=0,PatchAttributes=0,PatchSequence=0,SharedComponent=0,IsFullFile=0)

MSI (s) (F0:A8) [11:08:02:765]: Executing op:
FileCopy(SourceName=checking.dll,SourceCabKey=checkingdll,DestName=checking.dll,Attributes=512,FileSize=720896,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=24.0.132.1,Language=2057,InstallMode=4194304,,,,,,)

MSI (s) (F0:A8) [11:08:02:766]: File: C:\tracsexe\checking.dll; Overwrite; Won't patch; REINSTALLMODE specifies all files to be overwritten

MSI (s) (F0:A8) [11:08:02:766]: Source for file 'checkingdll' is compressed

MSI (s) (F0:A8) [11:08:02:769]: Re-applying security from existing file.

MSI (s) (F0:A8) [11:08:02:770]: Verifying accessibility of file: checking.dll

MSI (s) (F0:A8) [11:08:02:773]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:08:02:774]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:08:02:785]: Executing op:
RegisterSharedComponentProvider(,File=chktripsdll,Component={138A48B4-DB9C-474E-B0E9-9D537775AB23},ComponentVersion=24.0.132.1,ProductCode={C7055651-A299-4AEF-9463-D9247821F163},ProductVersion=24.0.132,PatchSize=0,PatchAttributes=0,PatchSequence=0,SharedComponent=0,IsFullFile=0)

MSI (s) (F0:A8) [11:08:02:795]: Executing op:
FileCopy(SourceName=chktrips.dll,SourceCabKey=chktripsdll,DestName=chktrips.dll,Attributes=512,FileSize=561152,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=24.0.132.1,Language=2057,InstallMode=4194304,,,,,,)

MSI (s) (F0:A8) [11:08:02:796]: File: C:\tracsexe\chktrips.dll; Overwrite; Won't patch; REINSTALLMODE specifies all files to be overwritten

MSI (s) (F0:A8) [11:08:02:796]: Source for file 'chktripsdll' is compressed

MSI (s) (F0:A8) [11:08:02:797]: Re-applying security from existing file.

MSI (s) (F0:A8) [11:08:02:798]: Verifying accessibility of file: chktrips.dll

MSI (s) (F0:A8) [11:08:02:801]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:08:02:802]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:08:02:810]: Executing op:
RegisterSharedComponentProvider(,File=CTLFileEditorexe,Component={EA06CDBB-0D14-4244-8100-64B5F871FE09},ComponentVersion=24.0.132.1,ProductCode={C7055651-A299-4AEF-9463-D9247821F163},ProductVersion=24.0.132,PatchSize=0,PatchAttributes=0,PatchSequence=0,SharedComponent=0,IsFullFile=0)

MSI (s) (F0:A8) [11:08:02:908]: Executing op:

FileCopy(SourceName=ydohtbnu.exe|CTLFileEditor.exe,SourceCabKey=CTLFileEditorex, DestName=CTLFileEditor.exe,Attributes=512,FileSize=61952,PerTick=65536,,VerifyMedia=1,,,,, CheckCRC=0,Version=24.0.132.1,Language=0,InstallMode=4194304,,,,,,)

MSI (s) (F0:A8) [11:08:02:910]: File: C:\tracsexe\CTLFileEditor.exe; Overwrite; Won't patch; REINSTALLMODE specifies all files to be overwritten

MSI (s) (F0:A8) [11:08:02:910]: Source for file 'CTLFileEditorex' is compressed

MSI (s) (F0:A8) [11:08:02:910]: Re-applying security from existing file.

MSI (s) (F0:A8) [11:08:02:912]: Verifying accessibility of file: CTLFileEditor.exe

MSI (s) (F0:A8) [11:08:02:915]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:08:02:916]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:08:02:919]: Executing op:

SetSourceFolder(Folder=C:\Windows\Installer\\$\PatchCache\$\UnManaged\S-1-5-21-3125272479-178404603-3945747847-

1006\1565507C992AFEA449369D4287121F36\24.0.132\)

MSI (s) (F0:A8) [11:08:02:920]: Executing op:

RegisterSharedComponentProvider(,File=cw3230dll,Component={C4095811-E534-47ED-B724-8D8ED07BC3A3},ComponentVersion=4.2.0.0,ProductCode={C7055651-A299-4AEF-9463-

D9247821F163},ProductVersion=24.0.132,PatchSize=0,PatchAttributes=0,PatchSequence=0, SharedComponent=0,IsFullFile=0)

MSI (s) (F0:A8) [11:08:03:022]: Executing op:

FileCopy(SourceName=cw3230dll,SourceCabKey=cw3230dll,DestName=cw3230.dll,Attributes=512,FileSize=303104,PerTick=65536,,VerifyMedia=0,,,,,CheckCRC=0,Version=4.2.0.0,Language=1033,InstallMode=4194304,,,,,,)

MSI (s) (F0:A8) [11:08:03:023]: File: C:\tracsexe\cw3230.dll; Overwrite; Won't patch; REINSTALLMODE specifies all files to be overwritten

MSI (s) (F0:A8) [11:08:03:023]: Source for file 'cw3230dll' is uncompressed, at 'C:\Windows\Installer\\$\PatchCache\$\UnManaged\S-1-5-21-3125272479-178404603-3945747847-1006\1565507C992AFEA449369D4287121F36\24.0.132\'.

MSI (s) (F0:A8) [11:08:03:025]: Re-applying security from existing file.

MSI (s) (F0:A8) [11:08:03:027]: Verifying accessibility of file: cw3230.dll

MSI (s) (F0:A8) [11:08:03:030]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:08:03:030]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:08:03:031]: File will have security applied from OpCode.

MSI (s) (F0:A8) [11:08:03:034]: Executing op:

RegisterSharedComponentProvider(,File=displayexe,Component={2BF7CB84-E24C-460F-B182-944544943353},ComponentVersion=1.0.0.0,ProductCode={C7055651-A299-4AEF-9463-

D9247821F163},ProductVersion=24.0.132,PatchSize=0,PatchAttributes=0,PatchSequence=0,

exe,Attributes=512,FileSize=888832,PerTick=65536,,VerifyMedia=0,,,,,CheckCRC=0,,,Install Mode=4194304,HashOptions=0,HashPart1=806935395,HashPart2=-1549666646,HashPart3=-297051302,HashPart4=2064282673,,)

MSI (s) (F0:A8) [11:08:03:275]: File: C:\tracsexexe\dosdisplay.exe; Overwrite; Won't patch; REINSTALLMODE specifies all files to be overwritten

MSI (s) (F0:A8) [11:08:03:275]: Source for file 'dosdisplayexe' is uncompressed, at 'C:\Windows\Installer\\$\PatchCache\$\UnManaged\S-1-5-21-3125272479-178404603-3945747847-1006\1565507C992AFEA449369D4287121F36\24.0.132'.

MSI (s) (F0:A8) [11:08:03:278]: Re-applying security from existing file.

MSI (s) (F0:A8) [11:08:03:280]: Verifying accessibility of file: dosdisplay.exe

MSI (s) (F0:A8) [11:08:03:282]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:08:03:283]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:08:03:284]: File will have security applied from OpCode.

MSI (s) (F0:A8) [11:08:03:287]: Executing op:

RegisterSharedComponentProvider(,File=dosmergeexe,Component={DF9B9A74-544D-498C-BFC8-597D0A4D117C},ComponentVersion=3.0.139.0,ProductCode={C7055651-A299-4AEF-9463-D9247821F163},ProductVersion=24.0.132,PatchSize=0,PatchAttributes=0,PatchSequence=0,SharedComponent=0,IsFullFile=0)

MSI (s) (F0:A8) [11:08:03:390]: Executing op:

FileCopy(SourceName=dosmergeexe,SourceCabKey=dosmergeexe,DestName=dosmerge.exe,Attributes=512,FileSize=26624,PerTick=65536,,VerifyMedia=0,,,,,CheckCRC=0,Version=3.0.139.0,Language=0,InstallMode=4194304,,,,,,)

MSI (s) (F0:A8) [11:08:03:391]: File: C:\tracsexexe\dosmerge.exe; Overwrite; Won't patch; REINSTALLMODE specifies all files to be overwritten

MSI (s) (F0:A8) [11:08:03:391]: Source for file 'dosmergeexe' is uncompressed, at 'C:\Windows\Installer\\$\PatchCache\$\UnManaged\S-1-5-21-3125272479-178404603-3945747847-1006\1565507C992AFEA449369D4287121F36\24.0.132'.

MSI (s) (F0:A8) [11:08:03:395]: Re-applying security from existing file.

MSI (s) (F0:A8) [11:08:03:397]: Verifying accessibility of file: dosmerge.exe

MSI (s) (F0:A8) [11:08:03:399]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:08:03:400]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:08:03:401]: File will have security applied from OpCode.

MSI (s) (F0:A8) [11:08:03:403]: Executing op: SetSourceFolder(Folder=1\tracsexexe\)

MSI (s) (F0:A8) [11:08:03:403]: Executing op:

RegisterSharedComponentProvider(,File=dostravlexe,Component={7F466F39-4D9B-4B81-A7F4-B11F1C3F7CD5},ComponentVersion=24.0.132.1,ProductCode={C7055651-A299-4AEF-9463-D9247821F163},ProductVersion=24.0.132,PatchSize=0,PatchAttributes=0,PatchSequence=0,

SharedComponent=0,IsFullFile=0)

MSI (s) (F0:A8) [11:08:03:510]: Executing op:

FileCopy(SourceName=dostravl.exe,SourceCabKey=dostravlexe,DestName=dostravl.exe,Attributes=512,FileSize=270336,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=24.0.132.1,Language=2057,InstallMode=4194304,,,,,,)

MSI (s) (F0:A8) [11:08:03:511]: File: C:\tracsexex\dostravl.exe; Overwrite; Won't patch; REINSTALLMODE specifies all files to be overwritten

MSI (s) (F0:A8) [11:08:03:511]: Source for file 'dostravlexe' is compressed

MSI (s) (F0:A8) [11:08:03:512]: Re-applying security from existing file.

MSI (s) (F0:A8) [11:08:03:513]: Verifying accessibility of file: dostravl.exe

MSI (s) (F0:A8) [11:08:03:517]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:08:03:518]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:08:03:533]: Executing op:

RegisterSharedComponentProvider(,File=findslackexe,Component={FF20D01A-E6F2-4288-9319-27B79061FD6B},ComponentVersion=24.0.132.1,ProductCode={C7055651-A299-4AEF-9463-

D9247821F163},ProductVersion=24.0.132,PatchSize=0,PatchAttributes=0,PatchSequence=0,SharedComponent=0,IsFullFile=0)

MSI (s) (F0:A8) [11:08:03:628]: Executing op:

FileCopy(SourceName=qtbnjkl.exe|findslack.exe,SourceCabKey=findslackexe,DestName=findslack.exe,Attributes=512,FileSize=217088,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=24.0.132.1,Language=2057,InstallMode=4194304,,,,,,)

MSI (s) (F0:A8) [11:08:03:630]: File: C:\tracsexex\findslack.exe; Overwrite; Won't patch; REINSTALLMODE specifies all files to be overwritten

MSI (s) (F0:A8) [11:08:03:630]: Source for file 'findslackexe' is compressed

MSI (s) (F0:A8) [11:08:03:631]: Re-applying security from existing file.

MSI (s) (F0:A8) [11:08:03:633]: Verifying accessibility of file: findslack.exe

MSI (s) (F0:A8) [11:08:03:636]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:08:03:638]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:08:03:643]: Executing op:

RegisterSharedComponentProvider(,File=freeformexe,Component={7DB1E030-9D5C-4B7B-BD58-E3A46BACA68F},ComponentVersion=24.0.132.1,ProductCode={C7055651-A299-4AEF-9463-

D9247821F163},ProductVersion=24.0.132,PatchSize=0,PatchAttributes=0,PatchSequence=0,SharedComponent=0,IsFullFile=0)

MSI (s) (F0:A8) [11:08:03:749]: Executing op:

FileCopy(SourceName=freeform.exe,SourceCabKey=freeformexe,DestName=freeform.exe,Attributes=512,FileSize=98304,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=24.0.132.1,Language=2057,InstallMode=4194304,,,,,,)

MSI (s) (F0:A8) [11:08:03:750]: File: C:\tracsexefreeform.exe; Overwrite; Won't patch;

REINSTALLMODE specifies all files to be overwritten

MSI (s) (F0:A8) [11:08:03:750]: Source for file 'freeformexe' is compressed

MSI (s) (F0:A8) [11:08:03:751]: Re-applying security from existing file.

MSI (s) (F0:A8) [11:08:03:752]: Verifying accessibility of file: freeform.exe

MSI (s) (F0:A8) [11:08:03:756]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:08:03:757]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:08:03:761]: Executing op:

SetSourceFolder(Folder=C:\Windows\Installer\\$\PatchCache\$\UnManaged\S-1-5-21-3125272479-178404603-3945747847-

1006\1565507C992AFEA449369D4287121F36\24.0.132\)

MSI (s) (F0:A8) [11:08:03:761]: Executing op:

RegisterSharedComponentProvider(,File=gdogdll,Component={9A2A2581-5618-4900-B8A3-FB7834CBDB61},ComponentVersion=0.0.0.0,ProductCode={C7055651-A299-4AEF-9463-D9247821F163},ProductVersion=24.0.132,PatchSize=0,PatchAttributes=0,PatchSequence=0,SharedComponent=0,IsFullFile=0)

MSI (s) (F0:A8) [11:08:03:867]: Executing op:

FileCopy(SourceName=gdogdll,SourceCabKey=gdogdll,DestName=gdog.dll,Attributes=512,FileSize=1607168,PerTick=65536,,VerifyMedia=0,,,,,CheckCRC=0,Version=0.0.0.0,Language=2057,InstallMode=4194304,,,,,,)

MSI (s) (F0:A8) [11:08:03:869]: File: C:\tracsexefgdog.dll; Overwrite; Won't patch;

REINSTALLMODE specifies all files to be overwritten

MSI (s) (F0:A8) [11:08:03:869]: Source for file 'gdogdll' is uncompressed, at

'C:\Windows\Installer\\$\PatchCache\$\UnManaged\S-1-5-21-3125272479-178404603-3945747847-1006\1565507C992AFEA449369D4287121F36\24.0.132\'

MSI (s) (F0:A8) [11:08:03:873]: Re-applying security from existing file.

MSI (s) (F0:A8) [11:08:03:875]: Verifying accessibility of file: gdog.dll

MSI (s) (F0:A8) [11:08:03:877]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:08:03:878]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:08:03:944]: File will have security applied from OpCode.

MSI (s) (F0:A8) [11:08:03:948]: Executing op: SetSourceFolder(Folder=1\tracsexef\)

MSI (s) (F0:A8) [11:08:03:948]: Executing op:

RegisterSharedComponentProvider(,File=getidexe,Component={30EBEA47-C0CD-46C7-A9FF-F1F472B93315},ComponentVersion=24.0.132.1,ProductCode={C7055651-A299-4AEF-9463-

D9247821F163},ProductVersion=24.0.132,PatchSize=0,PatchAttributes=0,PatchSequence=0,SharedComponent=0,IsFullFile=0)

MSI (s) (F0:A8) [11:08:04:054]: Executing op:

FileCopy(SourceName=getid.exe,SourceCabKey=getidexe,DestName=getid.exe,Attributes=5

12,FileSize=1624064,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=24.0.132.1,Language=1033,InstallMode=4194304,,,,,,)

MSI (s) (F0:A8) [11:08:04:056]: File: C:\tracsexex\getid.exe; Overwrite; Won't patch;
REINSTALLMODE specifies all files to be overwritten

MSI (s) (F0:A8) [11:08:04:056]: Source for file 'getidexe' is compressed

MSI (s) (F0:A8) [11:08:04:059]: Re-applying security from existing file.

MSI (s) (F0:A8) [11:08:04:060]: Verifying accessibility of file: getid.exe

MSI (s) (F0:A8) [11:08:04:064]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:08:04:065]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:08:04:103]: Executing op:

SetSourceFolder(Folder=C:\Windows\Installer\\$\PatchCache\$\UnManaged\S-1-5-21-3125272479-178404603-3945747847-1006\1565507C992AFEA449369D4287121F36\24.0.132\)

MSI (s) (F0:A8) [11:08:04:103]: Executing op:

RegisterSharedComponentProvider(,File=mergeexe,Component={E34B8D82-5FC3-4AF3-AC0B-B3D6C1EA2D34},ComponentVersion=1.0.0.0,ProductCode={C7055651-A299-4AEF-9463-

D9247821F163},ProductVersion=24.0.132,PatchSize=0,PatchAttributes=0,PatchSequence=0,SharedComponent=0,IsFullFile=0)

MSI (s) (F0:A8) [11:08:04:179]: Executing op:

FileCopy(SourceName=mergeexe,SourceCabKey=mergeexe,DestName=merge.exe,Attributes=512,FileSize=5632,PerTick=65536,,VerifyMedia=0,,,,,CheckCRC=0,Version=1.0.0.0,Language=0,InstallMode=4194304,,,,,,)

MSI (s) (F0:A8) [11:08:04:182]: File: C:\tracsexex\merge.exe; Overwrite; Won't patch;
REINSTALLMODE specifies all files to be overwritten

MSI (s) (F0:A8) [11:08:04:182]: Source for file 'mergeexe' is uncompressed, at
'C:\Windows\Installer\\$\PatchCache\$\UnManaged\S-1-5-21-3125272479-178404603-3945747847-1006\1565507C992AFEA449369D4287121F36\24.0.132\'

MSI (s) (F0:A8) [11:08:04:186]: Re-applying security from existing file.

MSI (s) (F0:A8) [11:08:04:189]: Verifying accessibility of file: merge.exe

MSI (s) (F0:A8) [11:08:04:193]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:08:04:194]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:08:04:195]: File will have security applied from OpCode.

MSI (s) (F0:A8) [11:08:04:197]: Executing op: SetSourceFolder(Folder=1\tracsexex\)

MSI (s) (F0:A8) [11:08:04:197]: Executing op:

RegisterSharedComponentProvider(,File=mrchangeexe,Component={A8284C28-375E-48A5-ACAE-C8B0620520A9},ComponentVersion=24.0.132.1,ProductCode={C7055651-A299-4AEF-9463-

D9247821F163},ProductVersion=24.0.132,PatchSize=0,PatchAttributes=0,PatchSequence=0,

SharedComponent=0,IsFullFile=0)

MSI (s) (F0:A8) [11:08:04:303]: Executing op:

FileCopy(SourceName=mrchange.exe,SourceCabKey=mrchangeexe,DestName=mrchange.exe,Attributes=512,FileSize=155648,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=24.0.132.1,Language=2057,InstallMode=4194304,,,,,,)

MSI (s) (F0:A8) [11:08:04:304]: File: C:\tracsexex\mrchange.exe; Overwrite; Won't patch; REINSTALLMODE specifies all files to be overwritten

MSI (s) (F0:A8) [11:08:04:304]: Source for file 'mrchangeexe' is compressed

MSI (s) (F0:A8) [11:08:04:305]: Re-applying security from existing file.

MSI (s) (F0:A8) [11:08:04:306]: Verifying accessibility of file: mrchange.exe

MSI (s) (F0:A8) [11:08:04:309]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:08:04:310]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:08:04:318]: Executing op:

SetSourceFolder(Folder=C:\Windows\Installer\\$\PatchCache\$\UnManaged\S-1-5-21-3125272479-178404603-3945747847-

1006\1565507C992AFEA449369D4287121F36\24.0.132\)

MSI (s) (F0:A8) [11:08:04:319]: Executing op:

RegisterSharedComponentProvider(,File=msvc60DLL,Component={D84AF3B3-92C9-4E62-9516-C34E1C382AB7},ComponentVersion=6.0.8168.0,ProductCode={C7055651-A299-4AEF-9463-

D9247821F163},ProductVersion=24.0.132,PatchSize=0,PatchAttributes=0,PatchSequence=0,SharedComponent=0,IsFullFile=0)

MSI (s) (F0:A8) [11:08:04:423]: Executing op:

FileCopy(SourceName=msvc60DLL,SourceCabKey=msvc60DLL,DestName=msvc60.DLL,Attributes=512,FileSize=401462,PerTick=65536,,VerifyMedia=0,,,,,CheckCRC=0,Version=6.0.8168.0,Language=1033,InstallMode=4194304,,,,,,)

MSI (s) (F0:A8) [11:08:04:425]: File: C:\tracsexex\msvc60.DLL; Overwrite; Won't patch; REINSTALLMODE specifies all files to be overwritten

MSI (s) (F0:A8) [11:08:04:425]: Source for file 'msvc60DLL' is uncompressed, at 'C:\Windows\Installer\\$\PatchCache\$\UnManaged\S-1-5-21-3125272479-178404603-3945747847-1006\1565507C992AFEA449369D4287121F36\24.0.132\'.
MSI (s) (F0:A8) [11:08:04:429]: Re-applying security from existing file.

MSI (s) (F0:A8) [11:08:04:432]: Verifying accessibility of file: msvc60.DLL

MSI (s) (F0:A8) [11:08:04:438]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:08:04:440]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:08:04:442]: File will have security applied from OpCode.

MSI (s) (F0:A8) [11:08:04:447]: Executing op: SetSourceFolder(Folder=1\tracsexex\)

MSI (s) (F0:A8) [11:08:04:447]: Executing op:

RegisterSharedComponentProvider(,File=MultiFileMRobustexe,Component={5A6D97E2-

1DB3-46CA-A46D-391FD0EC6B08},ComponentVersion=24.0.132.1,ProductCode={C7055651-A299-4AEF-9463-D9247821F163},ProductVersion=24.0.132,PatchSize=0,PatchAttributes=0,PatchSequence=0,SharedComponent=0,IsFullFile=0)

MSI (s) (F0:A8) [11:08:04:463]: Executing op: FileCopy(SourceName=ni2jekln.exe|MultiFileMRobust.exe,SourceCabKey=MultiFileMRobustexe,DestName=MultiFileMRobust.exe,Attributes=512,FileSize=51200,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=24.0.132.1,Language=0,InstallMode=4194304,,,,,,)

MSI (s) (F0:A8) [11:08:04:464]: File: C:\tracsexex\MultiFileMRobust.exe; Overwrite; Won't patch; REINSTALLMODE specifies all files to be overwritten

MSI (s) (F0:A8) [11:08:04:464]: Source for file 'MultiFileMRobustexe' is compressed

MSI (s) (F0:A8) [11:08:04:465]: Re-applying security from existing file.

MSI (s) (F0:A8) [11:08:04:467]: Verifying accessibility of file: MultiFileMRobust.exe

MSI (s) (F0:A8) [11:08:04:470]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:08:04:471]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:08:04:478]: Executing op: RegisterSharedComponentProvider(,File=MultiProcPSolverexe,Component={EAAB7418-A127-4019-A92D-26ADB10D6FF9},ComponentVersion=24.0.132.1,ProductCode={C7055651-A299-4AEF-9463-D9247821F163},ProductVersion=24.0.132,PatchSize=0,PatchAttributes=0,PatchSequence=0,SharedComponent=0,IsFullFile=0)

MSI (s) (F0:A8) [11:08:04:583]: Executing op: FileCopy(SourceName=6p0kkpqb.exe|MultiProcPSolver.exe,SourceCabKey=MultiProcPSolverexe,DestName=MultiProcPSolver.exe,Attributes=512,FileSize=243200,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=24.0.132.1,Language=0,InstallMode=4194304,,,,,,)

MSI (s) (F0:A8) [11:08:04:585]: File: C:\tracsexex\MultiProcPSolver.exe; Overwrite; Won't patch; REINSTALLMODE specifies all files to be overwritten

MSI (s) (F0:A8) [11:08:04:585]: Source for file 'MultiProcPSolverexe' is compressed

MSI (s) (F0:A8) [11:08:04:586]: Re-applying security from existing file.

MSI (s) (F0:A8) [11:08:04:589]: Verifying accessibility of file: MultiProcPSolver.exe

MSI (s) (F0:A8) [11:08:04:595]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:08:04:597]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:08:04:599]: Note: 1: 1310 2: 0 3: C:\tracsexex\MultiProcPSolver.exe

MSI (s) (F0:A8) [11:08:04:600]: Note: 1: 2205 2: 3: Error

MSI (s) (F0:A8) [11:08:04:600]: Note: 1: 2228 2: 3: Error 4: SELECT `Message` FROM `Error` WHERE `Error` = 1310

MSI (s) (F0:A8) [11:10:51:100]: Note: 1: 2205 2: 3: Error

MSI (s) (F0:A8) [11:10:51:100]: Note: 1: 2228 2: 3: Error 4: SELECT `Message` FROM `Error` WHERE `Error` = 1709

MSI (s) (F0:A8) [11:10:51:100]: Product: TracsExe 24.0.132.1 -- Error 1310. Error writing to file: C:\tracsexex\MultiProcPSolver.exe. System error 0. Verify that you have access to that directory.

MSI (c) (E8:F4) [11:08:04:610]: Font created. Charset: Req=0, Ret=0, Font: Req=MS Shell Dlg, Ret=MS Shell Dlg

Error 1310. Error writing to file: C:\tracsexex\MultiProcPSolver.exe. System error 0. Verify that you have access to that directory.

MSI (s) (F0:A8) [11:10:51:115]: Executing op:

RegisterSharedComponentProvider(,File=out_prespecexe,Component={DA9937BF-CC7B-481F-8403-750DEE04B40A},ComponentVersion=24.0.132.1,ProductCode={C7055651-A299-4AEF-9463-D9247821F163},ProductVersion=24.0.132,PatchSize=0,PatchAttributes=0,PatchSequence=0,SharedComponent=0,IsFullFile=0)

MSI (s) (F0:A8) [11:10:51:216]: Executing op:

FileCopy(SourceName=fepde9wi.exe|out_prespec.exe,SourceCabKey=out_prespecexe,DestName=out_prespec.exe,Attributes=512,FileSize=229376,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=24.0.132.1,Language=2057,InstallMode=4194304,,,,,,)

MSI (s) (F0:A8) [11:10:51:219]: File: C:\tracsexex\out_prespec.exe; Overwrite; Won't patch; REINSTALLMODE specifies all files to be overwritten

MSI (s) (F0:A8) [11:10:51:219]: Source for file 'out_prespecexe' is compressed

MSI (s) (F0:A8) [11:10:51:220]: Re-applying security from existing file.

MSI (s) (F0:A8) [11:10:51:223]: Verifying accessibility of file: out_prespec.exe

MSI (s) (F0:A8) [11:10:51:229]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:10:51:231]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:10:51:241]: Executing op:

SetSourceFolder(Folder=C:\Windows\Installer\SPatchCache\$\UnManaged\S-1-5-21-3125272479-178404603-3945747847-1006\1565507C992AFEA449369D4287121F36\24.0.132\)

MSI (s) (F0:A8) [11:10:51:241]: Executing op:

FileCopy(SourceName=owl52fdll,SourceCabKey=owl52fdll,DestName=owl52f.dll,Attributes=512,FileSize=906784,PerTick=65536,,VerifyMedia=0,,,,,CheckCRC=0,,InstallMode=4194304,HashOptions=0,HashPart1=1036208024,HashPart2=1101443821,HashPart3=900289302,HashPart4=-127767171,,)

MSI (s) (F0:A8) [11:10:51:249]: File: C:\tracsexex\owl52f.dll; Overwrite; Won't patch; REINSTALLMODE specifies all files to be overwritten

MSI (s) (F0:A8) [11:10:51:249]: Source for file 'owl52fdll' is uncompressed, at 'C:\Windows\Installer\SPatchCache\$\UnManaged\S-1-5-21-3125272479-178404603-3945747847-1006\1565507C992AFEA449369D4287121F36\24.0.132\'.
MSI (s) (F0:A8) [11:10:51:253]: Re-applying security from existing file.

MSI (s) (F0:A8) [11:10:51:256]: Verifying accessibility of file: owl52f.dll

MSI (s) (F0:A8) [11:10:51:260]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:10:51:261]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:10:51:262]: File will have security applied from OpCode.

MSI (s) (F0:A8) [11:10:51:263]: Note: 1: 1310 2: 0 3: C:\tracsexex\owl52f.dll

MSI (s) (F0:A8) [11:10:51:263]: Note: 1: 2205 2: 3: Error

MSI (s) (F0:A8) [11:10:51:263]: Note: 1: 2228 2: 3: Error 4: SELECT `Message` FROM `Error` WHERE `Error` = 1310

MSI (s) (F0:A8) [11:10:51:807]: Note: 1: 2205 2: 3: Error

MSI (s) (F0:A8) [11:10:51:807]: Note: 1: 2228 2: 3: Error 4: SELECT `Message` FROM `Error` WHERE `Error` = 1709

MSI (s) (F0:A8) [11:10:51:808]: Product: TracsExe 24.0.132.1 -- Error 1310. Error writing to file: C:\tracsexex\owl52f.dll. System error 0. Verify that you have access to that directory.

MSI (s) (F0:A8) [11:10:51:809]: File will have security applied from OpCode.

MSI (c) (E8:F4) [11:10:51:268]: Font created. Charset: Req=0, Ret=0, Font: Req=MS Shell Dlg, Ret=MS Shell Dlg

Error 1310. Error writing to file: C:\tracsexex\owl52f.dll. System error 0. Verify that you have access to that directory.

MSI (s) (F0:A8) [11:10:51:815]: Executing op:
FileCopy(SourceName=passdisplybat,SourceCabKey=passdisplybat,DestName=passdisply.bat,Attributes=512,FileSize=216,PerTick=65536,,VerifyMedia=0,,,,,CheckCRC=0,,,InstallMode=4194304,HashOptions=0,HashPart1=-61755590,HashPart2=-215154888,HashPart3=-982080362,HashPart4=1554582936,,)

MSI (s) (F0:A8) [11:10:51:818]: File: C:\tracsexex\passdisply.bat; Overwrite; Won't patch; REINSTALLMODE specifies all files to be overwritten

MSI (s) (F0:A8) [11:10:51:818]: Source for file 'passdisplybat' is uncompressed, at 'C:\Windows\Installer\\$\PatchCache\$\UnManaged\S-1-5-21-3125272479-178404603-3945747847-1006\1565507C992AFEA449369D4287121F36\24.0.132\'.

MSI (s) (F0:A8) [11:10:51:823]: Re-applying security from existing file.

MSI (s) (F0:A8) [11:10:51:825]: Verifying accessibility of file: passdisply.bat

MSI (s) (F0:A8) [11:10:51:830]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:10:51:831]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:10:51:832]: File will have security applied from OpCode.

MSI (s) (F0:A8) [11:10:51:833]: Executing op:
RegisterSharedComponentProvider(,File=penaltyexe,Component={2421612D-9DE1-425E-B786-7610E6909DDC},ComponentVersion=1.0.0.1,ProductCode={C7055651-A299-4AEF-9463-D9247821F163},ProductVersion=24.0.132,PatchSize=0,PatchAttributes=0,PatchSequence=0,SharedComponent=0,IsFullFile=0)

MSI (s) (F0:A8) [11:10:51:943]: Executing op:

FileCopy(SourceName=penaltyexe,SourceCabKey=penaltyexe,DestName=penalty.exe,Attributes=512,FileSize=1945600,PerTick=65536,,VerifyMedia=0,,,,,CheckCRC=0,Version=1.0.0.1,Language=1033,InstallMode=4194304,,,,,,)

MSI (s) (F0:A8) [11:10:51:946]: File: C:\tracsexex\penalty.exe; Overwrite; Won't patch; REINSTALLMODE specifies all files to be overwritten

MSI (s) (F0:A8) [11:10:51:946]: Source for file 'penaltyexe' is uncompressed, at 'C:\Windows\Installer\\$\PatchCache\$\UnManaged\S-1-5-21-3125272479-178404603-3945747847-1006\1565507C992AFEA449369D4287121F36\24.0.132\'.
MSI (s) (F0:A8) [11:10:51:950]: Re-applying security from existing file.

MSI (s) (F0:A8) [11:10:51:950]: Re-applying security from existing file.

MSI (s) (F0:A8) [11:10:51:953]: Verifying accessibility of file: penalty.exe

MSI (s) (F0:A8) [11:10:51:959]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:10:51:961]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:10:51:962]: File will have security applied from OpCode.

MSI (s) (F0:A8) [11:10:51:971]: Executing op: SetSourceFolder(Folder=1\tracsexex\)

MSI (s) (F0:A8) [11:10:51:971]: Executing op:

RegisterSharedComponentProvider(,File=printdiagramdll,Component={50DCE4E8-A38E-45BB-B3AA-300E2A28DC89},ComponentVersion=24.0.132.1,ProductCode={C7055651-A299-4AEF-9463-

D9247821F163},ProductVersion=24.0.132,PatchSize=0,PatchAttributes=0,PatchSequence=0,SharedComponent=0,IsFullFile=0)

MSI (s) (F0:A8) [11:10:51:985]: Executing op:

FileCopy(SourceName=bnapejou.dll|printdiagram.dll,SourceCabKey=printdiagramdll,DestName=printdiagram.dll,Attributes=512,FileSize=339968,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=24.0.132.1,Language=2057,InstallMode=4194304,,,,,,)

MSI (s) (F0:A8) [11:10:51:986]: File: C:\tracsexex\printdiagram.dll; Overwrite; Won't patch; REINSTALLMODE specifies all files to be overwritten

MSI (s) (F0:A8) [11:10:51:987]: Source for file 'printdiagramdll' is compressed

MSI (s) (F0:A8) [11:10:51:990]: Re-applying security from existing file.

MSI (s) (F0:A8) [11:10:51:991]: Verifying accessibility of file: printdiagram.dll

MSI (s) (F0:A8) [11:10:51:994]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:10:51:995]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:10:52:027]: Executing op:

RegisterSharedComponentProvider(,File=printssexex,Component={E5E74D38-98EC-4087-9E21-FB24CC7057BA},ComponentVersion=24.0.132.1,ProductCode={C7055651-A299-4AEF-9463-

D9247821F163},ProductVersion=24.0.132,PatchSize=0,PatchAttributes=0,PatchSequence=0,SharedComponent=0,IsFullFile=0)

MSI (s) (F0:A8) [11:10:52:107]: Executing op:

FileCopy(SourceName=printss.exe,SourceCabKey=printssexex,DestName=printss.exe,Attributes=512,FileSize=114688,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=24.0.132.1,Language=2057,InstallMode=4194304,,,,,,)

MSI (s) (F0:A8) [11:10:52:110]: File: C:\tracsexex\printss.exe; Overwrite; Won't patch;
REINSTALLMODE specifies all files to be overwritten

MSI (s) (F0:A8) [11:10:52:110]: Source for file 'printssexex' is compressed

MSI (s) (F0:A8) [11:10:52:113]: Re-applying security from existing file.

MSI (s) (F0:A8) [11:10:52:116]: Verifying accessibility of file: printss.exe

MSI (s) (F0:A8) [11:10:52:120]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:10:52:121]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:10:52:131]: Executing op:

RegisterSharedComponentProvider(,File=printucvexe,Component={79D4B0C0-F4EF-451F-A869-F1A11AC52493},ComponentVersion=24.0.132.1,ProductCode={C7055651-A299-4AEF-9463-

D9247821F163},ProductVersion=24.0.132,PatchSize=0,PatchAttributes=0,PatchSequence=0,SharedComponent=0,IsFullFile=0)

MSI (s) (F0:A8) [11:10:52:142]: Executing op:

FileCopy(SourceName=printucv.exe,SourceCabKey=printucvexe,DestName=printucv.exe,Attributes=512,FileSize=106496,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=24.0.132.1,Language=2057,InstallMode=4194304,,,,,,)

MSI (s) (F0:A8) [11:10:52:144]: File: C:\tracsexex\printucv.exe; Overwrite; Won't patch;
REINSTALLMODE specifies all files to be overwritten

MSI (s) (F0:A8) [11:10:52:144]: Source for file 'printucvexe' is compressed

MSI (s) (F0:A8) [11:10:52:144]: Re-applying security from existing file.

MSI (s) (F0:A8) [11:10:52:146]: Verifying accessibility of file: printucv.exe

MSI (s) (F0:A8) [11:10:52:149]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:10:52:150]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:10:52:153]: Executing op:

RegisterSharedComponentProvider(,File=productivityexe,Component={7657640F-70D1-49F9-B9E2-812FD00BBF3A},ComponentVersion=24.0.132.1,ProductCode={C7055651-A299-4AEF-9463-

D9247821F163},ProductVersion=24.0.132,PatchSize=0,PatchAttributes=0,PatchSequence=0,SharedComponent=0,IsFullFile=0)

MSI (s) (F0:A8) [11:10:52:262]: Executing op:

FileCopy(SourceName=o7df0vnu.exe|productivity.exe,SourceCabKey=productivityexe,DestName=productivity.exe,Attributes=512,FileSize=233472,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=24.0.132.1,Language=2057,InstallMode=4194304,,,,,,)

MSI (s) (F0:A8) [11:10:52:265]: File: C:\tracsexex\productivity.exe; Overwrite; Won't patch;
REINSTALLMODE specifies all files to be overwritten

MSI (s) (F0:A8) [11:10:52:265]: Source for file 'productivityexe' is compressed

MSI (s) (F0:A8) [11:10:52:268]: Re-applying security from existing file.

MSI (s) (F0:A8) [11:10:52:271]: Verifying accessibility of file: productivity.exe

MSI (s) (F0:A8) [11:10:52:276]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:10:52:277]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:10:52:279]: Note: 1: 1310 2: 0 3: C:\tracsexex\productivity.exe

MSI (s) (F0:A8) [11:10:52:280]: Note: 1: 2205 2: 3: Error

MSI (s) (F0:A8) [11:10:52:280]: Note: 1: 2228 2: 3: Error 4: SELECT `Message` FROM `Error` WHERE `Error` = 1310

MSI (s) (F0:A8) [11:10:52:777]: Note: 1: 2205 2: 3: Error

MSI (s) (F0:A8) [11:10:52:777]: Note: 1: 2228 2: 3: Error 4: SELECT `Message` FROM `Error` WHERE `Error` = 1709

MSI (s) (F0:A8) [11:10:52:777]: Product: TracsExe 24.0.132.1 -- Error 1310. Error writing to file: C:\tracsexex\productivity.exe. System error 0. Verify that you have access to that directory.

MSI (c) (E8:F4) [11:10:52:284]: Font created. Charset: Req=0, Ret=0, Font: Req=MS Shell Dlg, Ret=MS Shell Dlg

Error 1310. Error writing to file: C:\tracsexex\productivity.exe. System error 0. Verify that you have access to that directory.

MSI (s) (F0:A8) [11:10:52:788]: Executing op:
RegisterSharedComponentProvider(.,File=prtscheduleexe,Component={D3532EDB-E796-4F83-A26E-9966AAF10326},ComponentVersion=24.0.132.1,ProductCode={C7055651-A299-4AEF-9463-D9247821F163},ProductVersion=24.0.132,PatchSize=0,PatchAttributes=0,PatchSequence=0,SharedComponent=0,IsFullFile=0)

MSI (s) (F0:A8) [11:10:52:807]: Executing op:
FileCopy(SourceName=9a61hyno.exe|prtschedule.exe,SourceCabKey=prtscheduleexe,DestName=prtschedule.exe,Attributes=512,FileSize=40960,PerTick=65536,VerifyMedia=1,,,,,CheckCRC=0,Version=24.0.132.1,Language=2057,InstallMode=4194304,,,,,,)

MSI (s) (F0:A8) [11:10:52:809]: File: C:\tracsexex\prtschedule.exe; Overwrite; Won't patch; REINSTALLMODE specifies all files to be overwritten

MSI (s) (F0:A8) [11:10:52:809]: Source for file 'prtscheduleexe' is compressed

MSI (s) (F0:A8) [11:10:52:810]: Re-applying security from existing file.

MSI (s) (F0:A8) [11:10:52:813]: Verifying accessibility of file: prtschedule.exe

MSI (s) (F0:A8) [11:10:52:819]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:10:52:821]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:10:52:823]: Note: 1: 1310 2: 0 3: C:\tracsexex\prtschedule.exe

MSI (s) (F0:A8) [11:10:52:823]: Note: 1: 2205 2: 3: Error

MSI (s) (F0:A8) [11:10:52:823]: Note: 1: 2228 2: 3: Error 4: SELECT `Message` FROM `Error` WHERE `Error` = 1310

MSI (s) (F0:A8) [11:10:53:248]: Note: 1: 2205 2: 3: Error

MSI (s) (F0:A8) [11:10:53:248]: Note: 1: 2228 2: 3: Error 4: SELECT `Message` FROM `Error` WHERE `Error` = 1709

MSI (s) (F0:A8) [11:10:53:248]: Product: TracsExe 24.0.132.1 -- Error 1310. Error writing to file: C:\tracsexe\prtschedule.exe. System error 0. Verify that you have access to that directory.

MSI (s) (F0:A8) [11:10:53:253]: Note: 1: 1310 2: 0 3: C:\tracsexe\prtschedule.exe

MSI (s) (F0:A8) [11:10:53:253]: Note: 1: 2205 2: 3: Error

MSI (s) (F0:A8) [11:10:53:253]: Note: 1: 2228 2: 3: Error 4: SELECT `Message` FROM `Error` WHERE `Error` = 1310

MSI (c) (E8:F4) [11:10:52:834]: Font created. Charset: Req=0, Ret=0, Font: Req=MS Shell Dlg, Ret=MS Shell Dlg

Error 1310. Error writing to file: C:\tracsexe\prtschedule.exe. System error 0. Verify that you have access to that directory.

MSI (s) (F0:A8) [11:10:53:659]: Note: 1: 2205 2: 3: Error

MSI (s) (F0:A8) [11:10:53:659]: Note: 1: 2228 2: 3: Error 4: SELECT `Message` FROM `Error` WHERE `Error` = 1709

MSI (s) (F0:A8) [11:10:53:659]: Product: TracsExe 24.0.132.1 -- Error 1310. Error writing to file: C:\tracsexe\prtschedule.exe. System error 0. Verify that you have access to that directory.

MSI (s) (F0:A8) [11:10:53:663]: Note: 1: 1310 2: 0 3: C:\tracsexe\prtschedule.exe

MSI (s) (F0:A8) [11:10:53:663]: Note: 1: 2205 2: 3: Error

MSI (s) (F0:A8) [11:10:53:663]: Note: 1: 2228 2: 3: Error 4: SELECT `Message` FROM `Error` WHERE `Error` = 1310

MSI (c) (E8:F4) [11:10:53:261]: Font created. Charset: Req=0, Ret=0, Font: Req=MS Shell Dlg, Ret=MS Shell Dlg

Error 1310. Error writing to file: C:\tracsexe\prtschedule.exe. System error 0. Verify that you have access to that directory.

MSI (s) (F0:A8) [11:10:54:039]: Note: 1: 2205 2: 3: Error

MSI (s) (F0:A8) [11:10:54:039]: Note: 1: 2228 2: 3: Error 4: SELECT `Message` FROM `Error` WHERE `Error` = 1709

MSI (s) (F0:A8) [11:10:54:039]: Product: TracsExe 24.0.132.1 -- Error 1310. Error writing to file: C:\tracsexe\prtschedule.exe. System error 0. Verify that you have access to that directory.

MSI (c) (E8:F4) [11:10:53:671]: Font created. Charset: Req=0, Ret=0, Font: Req=MS Shell Dlg, Ret=MS Shell Dlg

Error 1310. Error writing to file: C:\tracsexe\prtschedule.exe. System error 0. Verify that you have access to that directory.

MSI (s) (F0:A8) [11:10:54:046]: Executing op:

SetSourceFolder(Folder=C:\Windows\Installer\\$\PatchCache\$\UnManaged\S-1-5-21-3125272479-178404603-3945747847-

1006\1565507C992AFEA449369D4287121F36\24.0.132\)

MSI (s) (F0:A8) [11:10:54:046]: Executing op:

FileCopy(SourceName=pstrimbat,SourceCabKey=pstrimbat,DestName=pstrim.bat,Attributes=512,FileSize=305,PerTick=65536,,VerifyMedia=0,,,,,CheckCRC=0,,,InstallMode=4194304,HashOptions=0,HashPart1=461415424,HashPart2=-1896697622,HashPart3=98573089,HashPart4=-1247842882,,)

MSI (s) (F0:A8) [11:10:54:049]: File: C:\tracsexex\pstrim.bat; Overwrite; Won't patch; REINSTALLMODE specifies all files to be overwritten

MSI (s) (F0:A8) [11:10:54:049]: Source for file 'pstrimbat' is uncompressed, at 'C:\Windows\Installer\\$\PatchCache\$\UnManaged\S-1-5-21-3125272479-178404603-3945747847-1006\1565507C992AFEA449369D4287121F36\24.0.132\'.
MSI (s) (F0:A8) [11:10:54:053]: Re-applying security from existing file.

MSI (s) (F0:A8) [11:10:54:056]: Verifying accessibility of file: pstrim.bat

MSI (s) (F0:A8) [11:10:54:062]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:10:54:064]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:10:54:066]: File will have security applied from OpCode.

MSI (s) (F0:A8) [11:10:54:108]: Note: 1: 1310 2: 0 3: C:\tracsexex\pstrim.bat

MSI (s) (F0:A8) [11:10:54:108]: Note: 1: 2205 2: 3: Error

MSI (s) (F0:A8) [11:10:54:108]: Note: 1: 2228 2: 3: Error 4: SELECT `Message` FROM `Error` WHERE `Error` = 1310

MSI (s) (F0:A8) [11:10:54:456]: Note: 1: 2205 2: 3: Error

MSI (s) (F0:A8) [11:10:54:456]: Note: 1: 2228 2: 3: Error 4: SELECT `Message` FROM `Error` WHERE `Error` = 1709

MSI (s) (F0:A8) [11:10:54:456]: Product: TracsExe 24.0.132.1 -- Error 1310. Error writing to file: C:\tracsexex\pstrim.bat. System error 0. Verify that you have access to that directory.

MSI (s) (F0:A8) [11:10:54:460]: File will have security applied from OpCode.

MSI (c) (E8:F4) [11:10:54:117]: Font created. Charset: Req=0, Ret=0, Font: Req=MS Shell Dlg, Ret=MS Shell Dlg

Error 1310. Error writing to file: C:\tracsexex\pstrim.bat. System error 0. Verify that you have access to that directory.

MSI (s) (F0:A8) [11:10:54:461]: Executing op: SetSourceFolder(Folder=1\tracsexex\)

MSI (s) (F0:A8) [11:10:54:462]: Executing op:

RegisterSharedComponentProvider(,File=readssdll,Component={A81BD8A5-3237-4D8B-8752-B09307D3AEFB},ComponentVersion=24.0.132.1,ProductCode={C7055651-A299-4AEF-9463-

D9247821F163},ProductVersion=24.0.132,PatchSize=0,PatchAttributes=0,PatchSequence=0,SharedComponent=0,IsFullFile=0)

MSI (s) (F0:A8) [11:10:54:471]: Executing op:

FileCopy(SourceName=readss.dll,SourceCabKey=readssdll,DestName=readss.dll,Attributes=512,FileSize=163840,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=24.0.132.1,Lan

guage=2057,InstallMode=4194304,,,,,,)

MSI (s) (F0:A8) [11:10:54:472]: File: C:\tracsexe\readss.dll; Overwrite; Won't patch;

REINSTALLMODE specifies all files to be overwritten

MSI (s) (F0:A8) [11:10:54:472]: Source for file 'readssdll' is compressed

MSI (s) (F0:A8) [11:10:54:472]: Re-applying security from existing file.

MSI (s) (F0:A8) [11:10:54:474]: Verifying accessibility of file: readss.dll

MSI (s) (F0:A8) [11:10:54:476]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:10:54:477]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:10:54:480]: Executing op:

SetSourceFolder(Folder=C:\Windows\Installer\\$\PatchCache\$\UnManaged\S-1-5-21-

3125272479-178404603-3945747847-

1006\1565507C992AFEA449369D4287121F36\24.0.132\)

MSI (s) (F0:A8) [11:10:54:481]: Executing op:

FileCopy(SourceName=Schedulebat,SourceCabKey=Schedulebat,DestName=Schedule.bat,A

ttributes=512,FileSize=2146,PerTick=65536,,VerifyMedia=0,,,,CheckCRC=0,,InstallMode=41

94304,HashOptions=0,HashPart1=622101330,HashPart2=1774377681,HashPart3=-2125500

44,HashPart4=-1908636591,,)

MSI (s) (F0:A8) [11:10:54:482]: File: C:\tracsexe\Schedule.bat; Overwrite; Won't patch;

REINSTALLMODE specifies all files to be overwritten

MSI (s) (F0:A8) [11:10:54:482]: Source for file 'Schedulebat' is uncompressed, at

'C:\Windows\Installer\\$\PatchCache\$\UnManaged\S-1-5-21-3125272479-178404603-

3945747847-1006\1565507C992AFEA449369D4287121F36\24.0.132'.

MSI (s) (F0:A8) [11:10:54:484]: Re-applying security from existing file.

MSI (s) (F0:A8) [11:10:54:485]: Verifying accessibility of file: Schedule.bat

MSI (s) (F0:A8) [11:10:54:488]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:10:54:489]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:10:54:490]: File will have security applied from OpCode.

MSI (s) (F0:A8) [11:10:54:579]: Executing op:

FileCopy(SourceName=Schedulxbat,SourceCabKey=Schedulxbat,DestName=Schedulx.bat,A

ttributes=512,FileSize=2146,PerTick=65536,,VerifyMedia=0,,,,CheckCRC=0,,InstallMode=41

94304,HashOptions=0,HashPart1=622101330,HashPart2=1774377681,HashPart3=-2125500

44,HashPart4=-1908636591,,)

MSI (s) (F0:A8) [11:10:54:581]: File: C:\tracsexe\Schedulx.bat; Overwrite; Won't patch;

REINSTALLMODE specifies all files to be overwritten

MSI (s) (F0:A8) [11:10:54:581]: Source for file 'Schedulxbat' is uncompressed, at

'C:\Windows\Installer\\$\PatchCache\$\UnManaged\S-1-5-21-3125272479-178404603-

3945747847-1006\1565507C992AFEA449369D4287121F36\24.0.132'.

MSI (s) (F0:A8) [11:10:54:583]: Re-applying security from existing file.

MSI (s) (F0:A8) [11:10:54:584]: Verifying accessibility of file: Schedulx.bat

MSI (s) (F0:A8) [11:10:54:587]: Note: 1: 2318 2:
MSI (s) (F0:A8) [11:10:54:589]: Note: 1: 2318 2:
MSI (s) (F0:A8) [11:10:54:590]: File will have security applied from OpCode.
MSI (s) (F0:A8) [11:10:54:592]: Executing op:
FileCopy(SourceName=schxpt,SourceCabKey=schxpt,DestName=sch.xpt,Attributes=512,File
Size=198,PerTick=65536,,VerifyMedia=0,,,,,CheckCRC=0,,,InstallMode=4194304,HashOption
s=0,HashPart1=-1338460750,HashPart2=39506307,HashPart3=1384798592,HashPart4=149
1208730,,)
MSI (s) (F0:A8) [11:10:54:593]: File: C:\tracsexex\sch.xpt; Overwrite; Won't patch;
REINSTALLMODE specifies all files to be overwritten
MSI (s) (F0:A8) [11:10:54:593]: Source for file 'schxpt' is uncompressed, at
'C:\Windows\Installer\\$\PatchCache\$\UnManaged\S-1-5-21-3125272479-178404603-
3945747847-1006\1565507C992AFEA449369D4287121F36\24.0.132'.
MSI (s) (F0:A8) [11:10:54:594]: Re-applying security from existing file.
MSI (s) (F0:A8) [11:10:54:596]: Verifying accessibility of file: sch.xpt
MSI (s) (F0:A8) [11:10:54:599]: Note: 1: 2318 2:
MSI (s) (F0:A8) [11:10:54:599]: Note: 1: 2318 2:
MSI (s) (F0:A8) [11:10:54:600]: File will have security applied from OpCode.
MSI (s) (F0:A8) [11:10:54:694]: Executing op: SetSourceFolder(Folder=1\tracsexex\)
MSI (s) (F0:A8) [11:10:54:694]: Executing op:
RegisterSharedComponentProvider(,File=setidexe,Component={D0E53C3E-79EB-4305-
A859-189C918AAD13},ComponentVersion=24.0.132.1,ProductCode={C7055651-A299-
4AEF-9463-
D9247821F163},ProductVersion=24.0.132,PatchSize=0,PatchAttributes=0,PatchSequence=0,
SharedComponent=0,IsFullFile=0)
MSI (s) (F0:A8) [11:10:54:712]: Executing op:
FileCopy(SourceName=setid.exe,SourceCabKey=setidexe,DestName=setid.exe,Attributes=51
2,FileSize=1455104,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=24.0.132.1,Lang
uage=1033,InstallMode=4194304,,,,,,)
MSI (s) (F0:A8) [11:10:54:715]: File: C:\tracsexex\setid.exe; Overwrite; Won't patch;
REINSTALLMODE specifies all files to be overwritten
MSI (s) (F0:A8) [11:10:54:715]: Source for file 'setidexe' is compressed
MSI (s) (F0:A8) [11:10:54:716]: Re-applying security from existing file.
MSI (s) (F0:A8) [11:10:54:719]: Verifying accessibility of file: setid.exe
MSI (s) (F0:A8) [11:10:54:725]: Note: 1: 2318 2:
MSI (s) (F0:A8) [11:10:54:727]: Note: 1: 2318 2:
MSI (s) (F0:A8) [11:10:54:753]: Executing op:
SetSourceFolder(Folder=C:\Windows\Installer\\$\PatchCache\$\UnManaged\S-1-5-21-
3125272479-178404603-3945747847-

1006\1565507C992AFEA449369D4287121F36\24.0.132\)

MSI (s) (F0:A8) [11:10:54:754]: Executing op:

FileCopy(SourceName=slpzipexe,SourceCabKey=slpzipexe,DestName=slpzip.exe,Attributes=512,FileSize=1122304,PerTick=65536,,VerifyMedia=0,,,,,CheckCRC=0,,,InstallMode=4194304,HashOptions=0,HashPart1=1495490279,HashPart2=-1400491350,HashPart3=1689317998,HashPart4=-93844304,,)

MSI (s) (F0:A8) [11:10:54:759]: File: C:\tracsexex\slpzip.exe; Overwrite; Won't patch; REINSTALLMODE specifies all files to be overwritten

MSI (s) (F0:A8) [11:10:54:759]: Source for file 'slpzipexe' is uncompressed, at 'C:\Windows\Installer\\$\PatchCache\$\UnManaged\S-1-5-21-3125272479-178404603-3945747847-1006\1565507C992AFEA449369D4287121F36\24.0.132'.

MSI (s) (F0:A8) [11:10:54:763]: Re-applying security from existing file.

MSI (s) (F0:A8) [11:10:54:765]: Verifying accessibility of file: slpzip.exe

MSI (s) (F0:A8) [11:10:54:768]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:10:54:769]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:10:54:770]: File will have security applied from OpCode.

MSI (s) (F0:A8) [11:10:54:836]: Executing op: SetSourceFolder(Folder=1\tracsexex\)

MSI (s) (F0:A8) [11:10:54:836]: Executing op:

RegisterSharedComponentProvider(,File=svxroutesexe,Component={1D224202-D653-4F03-B362-ABA052982B4B},ComponentVersion=24.0.132.1,ProductCode={C7055651-A299-4AEF-9463-

D9247821F163},ProductVersion=24.0.132,PatchSize=0,PatchAttributes=0,PatchSequence=0,SharedComponent=0,IsFullFile=0)

MSI (s) (F0:A8) [11:10:54:855]: Executing op:

FileCopy(SourceName=jsfvzzol.exe|svxroutes.exe,SourceCabKey=svxroutesexe,DestName=svxroutes.exe,Attributes=512,FileSize=241664,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=24.0.132.1,Language=2057,InstallMode=4194304,,,,,,)

MSI (s) (F0:A8) [11:10:54:857]: File: C:\tracsexex\svxroutes.exe; Overwrite; Won't patch; REINSTALLMODE specifies all files to be overwritten

MSI (s) (F0:A8) [11:10:54:857]: Source for file 'svxroutesexe' is compressed

MSI (s) (F0:A8) [11:10:54:860]: Re-applying security from existing file.

MSI (s) (F0:A8) [11:10:54:862]: Verifying accessibility of file: svxroutes.exe

MSI (s) (F0:A8) [11:10:54:865]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:10:54:865]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:10:54:867]: Note: 1: 1310 2: 0 3: C:\tracsexex\svxroutes.exe

MSI (s) (F0:A8) [11:10:54:867]: Note: 1: 2205 2: 3: Error

MSI (s) (F0:A8) [11:10:54:867]: Note: 1: 2228 2: 3: Error 4: SELECT `Message` FROM `Error` WHERE `Error` = 1310

MSI (s) (F0:A8) [11:10:55:670]: Note: 1: 2205 2: 3: Error

MSI (s) (F0:A8) [11:10:55:670]: Note: 1: 2228 2: 3: Error 4: SELECT `Message` FROM `Error` WHERE `Error` = 1709

MSI (s) (F0:A8) [11:10:55:670]: Product: TracsExe 24.0.132.1 -- Error 1310. Error writing to file: C:\tracsex\svxroutes.exe. System error 0. Verify that you have access to that directory.

MSI (c) (E8:F4) [11:10:54:871]: Font created. Charset: Req=0, Ret=0, Font: Req=MS Shell Dlg, Ret=MS Shell Dlg

Error 1310. Error writing to file: C:\tracsex\svxroutes.exe. System error 0. Verify that you have access to that directory.

MSI (s) (F0:A8) [11:10:55:703]: Executing op:

RegisterSharedComponentProvider(,File=testcheckexe,Component={A8387813-EAA7-4E48-8DE4-93748DA9BFED},ComponentVersion=24.0.132.1,ProductCode={C7055651-A299-4AEF-9463-

D9247821F163},ProductVersion=24.0.132,PatchSize=0,PatchAttributes=0,PatchSequence=0,SharedComponent=0,IsFullFile=0)

MSI (s) (F0:A8) [11:10:55:714]: Executing op:

FileCopy(SourceName=yyhfnqd9.exe|testcheck.exe,SourceCabKey=testcheckexe,DestName=testcheck.exe,Attributes=512,FileSize=90112,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=24.0.132.1,Language=2057,InstallMode=4194304,,,,,,)

MSI (s) (F0:A8) [11:10:55:716]: File: C:\tracsex\testcheck.exe; Overwrite; Won't patch; REINSTALLMODE specifies all files to be overwritten

MSI (s) (F0:A8) [11:10:55:716]: Source for file 'testcheckexe' is compressed

MSI (s) (F0:A8) [11:10:55:716]: Re-applying security from existing file.

MSI (s) (F0:A8) [11:10:55:719]: Verifying accessibility of file: testcheck.exe

MSI (s) (F0:A8) [11:10:55:722]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:10:55:723]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:10:55:726]: Executing op:

SetSourceFolder(Folder=C:\Windows\Installer\\$\PatchCache\$\UnManaged\S-1-5-21-3125272479-178404603-3945747847-

1006\1565507C992AFEA449369D4287121F36\24.0.132\)

MSI (s) (F0:A8) [11:10:55:727]: Executing op:

RegisterSharedComponentProvider(,File=tidyupexe,Component={82653202-E912-45F4-9760-A77CF0D3683C},ComponentVersion=1.0.0.0,ProductCode={C7055651-A299-4AEF-9463-

D9247821F163},ProductVersion=24.0.132,PatchSize=0,PatchAttributes=0,PatchSequence=0,SharedComponent=0,IsFullFile=0)

MSI (s) (F0:A8) [11:10:55:835]: Executing op:

FileCopy(SourceName=tidyupexe,SourceCabKey=tidyupexe,DestName=tidyup.exe,Attributes=512,FileSize=54272,PerTick=65536,,VerifyMedia=0,,,,,CheckCRC=0,Version=1.0.0.0,Language=1033,InstallMode=4194304,,,,,,)

MSI (s) (F0:A8) [11:10:55:837]: File: C:\tracsexex\tidyup.exe; Overwrite; Won't patch;
REINSTALLMODE specifies all files to be overwritten

MSI (s) (F0:A8) [11:10:55:837]: Source for file 'tidyupexe' is uncompressed, at
'C:\Windows\Installer\\$\PatchCache\$\UnManaged\S-1-5-21-3125272479-178404603-
3945747847-1006\1565507C992AFEA449369D4287121F36\24.0.132\'.
MSI (s) (F0:A8) [11:10:55:842]: Re-applying security from existing file.

MSI (s) (F0:A8) [11:10:55:845]: Verifying accessibility of file: tidyup.exe

MSI (s) (F0:A8) [11:10:55:849]: Note: 1: 2318 2:
MSI (s) (F0:A8) [11:10:55:849]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:10:55:850]: File will have security applied from OpCode.

MSI (s) (F0:A8) [11:10:55:854]: Executing op: SetTargetFolder(Folder=C:\tracsexex\)

MSI (s) (F0:A8) [11:10:55:854]: Executing op:

FileCopy(SourceName=TracsExeManifestxml,SourceCabKey=TracsExeManifestxml,DestName=
=TracsExe.Manifest.xml,Attributes=512,FileSize=9816,PerTick=65536,,VerifyMedia=0,,,,,
CheckCRC=0,,,InstallMode=4194304,HashOptions=0,HashPart1=1717378035,HashPart2=12822
8577,HashPart3=-1361872592,HashPart4=-552096471,,)

MSI (s) (F0:A8) [11:10:55:855]: File: C:\tracsexex\TracsExe.Manifest.xml; Overwrite; Won't
patch; REINSTALLMODE specifies all files to be overwritten

MSI (s) (F0:A8) [11:10:55:855]: Source for file 'TracsExeManifestxml' is uncompressed, at
'C:\Windows\Installer\\$\PatchCache\$\UnManaged\S-1-5-21-3125272479-178404603-
3945747847-1006\1565507C992AFEA449369D4287121F36\24.0.132\'.
MSI (s) (F0:A8) [11:10:55:857]: Re-applying security from existing file.

MSI (s) (F0:A8) [11:10:55:859]: Verifying accessibility of file: TracsExe.Manifest.xml

MSI (s) (F0:A8) [11:10:55:862]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:10:55:863]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:10:55:864]: File will have security applied from OpCode.

MSI (s) (F0:A8) [11:10:55:954]: Executing op: SetTargetFolder(Folder=C:\tracsexex\)

MSI (s) (F0:A8) [11:10:55:954]: Executing op: SetSourceFolder(Folder=1\tracsexex\)

MSI (s) (F0:A8) [11:10:55:954]: Executing op:

RegisterSharedComponentProvider(,File=travelreduceexe,Component={1066EFFB-9C3C-
4E12-8EF7-51B1D01D4875},ComponentVersion=24.0.132.1,ProductCode={C7055651-A299-
4AEF-9463-
D9247821F163},ProductVersion=24.0.132,PatchSize=0,PatchAttributes=0,PatchSequence=0,
SharedComponent=0,IsFullFile=0)

MSI (s) (F0:A8) [11:10:55:974]: Executing op:

FileCopy(SourceName=lb3kubcu.exe|travelreduce.exe,SourceCabKey=travelreduceexe,Dest
Name=travelreduce.exe,Attributes=512,FileSize=180224,PerTick=65536,,VerifyMedia=1,,,,,
CheckCRC=0,Version=24.0.132.1,Language=2057,InstallMode=4194304,,,,,,)

MSI (s) (F0:A8) [11:10:55:976]: File: C:\tracsexex\travelreduce.exe; Overwrite; Won't patch;

REINSTALLMODE specifies all files to be overwritten

MSI (s) (F0:A8) [11:10:55:976]: Source for file 'travelreduce.exe' is compressed

MSI (s) (F0:A8) [11:10:55:977]: Re-applying security from existing file.

MSI (s) (F0:A8) [11:10:55:981]: Verifying accessibility of file: travelreduce.exe

MSI (s) (F0:A8) [11:10:55:987]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:10:55:989]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:10:56:000]: Executing op:

RegisterSharedComponentProvider(,File=treadssdll,Component={CE9F739F-007A-4307-8D27-9E2110EF7CBA},ComponentVersion=24.0.132.1,ProductCode={C7055651-A299-4AEF-9463-

D9247821F163},ProductVersion=24.0.132,PatchSize=0,PatchAttributes=0,PatchSequence=0,SharedComponent=0,IsFullFile=0)

MSI (s) (F0:A8) [11:10:56:010]: Executing op:

FileCopy(SourceName=treadss.dll,SourceCabKey=treadssdll,DestName=treadss.dll,Attributes=512,FileSize=163840,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=24.0.132.1,Language=2057,InstallMode=4194304,,,,,,)

MSI (s) (F0:A8) [11:10:56:012]: File: C:\tracsexex\treadss.dll; Overwrite; Won't patch;

REINSTALLMODE specifies all files to be overwritten

MSI (s) (F0:A8) [11:10:56:012]: Source for file 'treadssdll' is compressed

MSI (s) (F0:A8) [11:10:56:013]: Re-applying security from existing file.

MSI (s) (F0:A8) [11:10:56:014]: Verifying accessibility of file: treadss.dll

MSI (s) (F0:A8) [11:10:56:018]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:10:56:019]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:10:56:024]: Executing op:

RegisterSharedComponentProvider(,File=trimexe,Component={4AFDA584-FA74-41EE-B586-FDBECE85369A},ComponentVersion=24.0.132.1,ProductCode={C7055651-A299-4AEF-9463-

D9247821F163},ProductVersion=24.0.132,PatchSize=0,PatchAttributes=0,PatchSequence=0,SharedComponent=0,IsFullFile=0)

MSI (s) (F0:A8) [11:10:56:130]: Executing op:

FileCopy(SourceName=trim.exe,SourceCabKey=trimexe,DestName=trim.exe,Attributes=512,FileSize=266240,PerTick=65536,,VerifyMedia=1,,,,,CheckCRC=0,Version=24.0.132.1,Language=2057,InstallMode=4194304,,,,,,)

MSI (s) (F0:A8) [11:10:56:133]: File: C:\tracsexex\trim.exe; Overwrite; Won't patch;

REINSTALLMODE specifies all files to be overwritten

MSI (s) (F0:A8) [11:10:56:133]: Source for file 'trimexe' is compressed

MSI (s) (F0:A8) [11:10:56:134]: Re-applying security from existing file.

MSI (s) (F0:A8) [11:10:56:137]: Verifying accessibility of file: trim.exe

MSI (s) (F0:A8) [11:10:56:143]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:10:56:144]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:10:56:155]: Executing op:

SetSourceFolder(Folder=C:\Windows\Installer\\$\PatchCache\$\UnManaged\S-1-5-21-3125272479-178404603-3945747847-1006\1565507C992AFEA449369D4287121F36\24.0.132\)

MSI (s) (F0:A8) [11:10:56:155]: Executing op:

FileCopy(SourceName=validateexe,SourceCabKey=validateexe,DestName=validate.exe,Attributes=512,FileSize=660992,PerTick=65536,,VerifyMedia=0,,,,CheckCRC=0,,InstallMode=4194304,HashOptions=0,HashPart1=-1295520990,HashPart2=712245128,HashPart3=1058722186,HashPart4=650793794,,)

MSI (s) (F0:A8) [11:10:56:158]: File: C:\tracsexex\validate.exe; Overwrite; Won't patch; REINSTALLMODE specifies all files to be overwritten

MSI (s) (F0:A8) [11:10:56:158]: Source for file 'validateexe' is uncompressed, at 'C:\Windows\Installer\\$\PatchCache\$\UnManaged\S-1-5-21-3125272479-178404603-3945747847-1006\1565507C992AFEA449369D4287121F36\24.0.132\'.
MSI (s) (F0:A8) [11:10:56:165]: Re-applying security from existing file.

MSI (s) (F0:A8) [11:10:56:165]: Re-applying security from existing file.

MSI (s) (F0:A8) [11:10:56:167]: Verifying accessibility of file: validate.exe

MSI (s) (F0:A8) [11:10:56:172]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:10:56:174]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:10:56:176]: File will have security applied from OpCode.

MSI (s) (F0:A8) [11:10:56:177]: Note: 1: 1310 2: 0 3: C:\tracsexex\validate.exe

MSI (s) (F0:A8) [11:10:56:177]: Note: 1: 2205 2: 3: Error

MSI (s) (F0:A8) [11:10:56:177]: Note: 1: 2228 2: 3: Error 4: SELECT `Message` FROM `Error` WHERE `Error` = 1310

MSI (s) (F0:A8) [11:10:56:663]: Note: 1: 2205 2: 3: Error

MSI (s) (F0:A8) [11:10:56:663]: Note: 1: 2228 2: 3: Error 4: SELECT `Message` FROM `Error` WHERE `Error` = 1709

MSI (s) (F0:A8) [11:10:56:664]: Product: TracsExe 24.0.132.1 -- Error 1310. Error writing to file: C:\tracsexex\validate.exe. System error 0. Verify that you have access to that directory.

MSI (s) (F0:A8) [11:10:56:666]: File will have security applied from OpCode.

MSI (c) (E8:F4) [11:10:56:185]: Font created. Charset: Req=0, Ret=0, Font: Req=MS Shell Dlg, Ret=MS Shell Dlg

Error 1310. Error writing to file: C:\tracsexex\validate.exe. System error 0. Verify that you have access to that directory.

MSI (s) (F0:A8) [11:10:56:672]: Executing op: CacheSizeFlush(,)

MSI (s) (F0:A8) [11:10:56:673]: Executing op:

ActionStart(Name=RegisterProduct,Description=Registering product,Template=[1])

MSI (s) (F0:A8) [11:10:56:676]: Executing op: UpdateEstimatedSize(EstimatedSize=0)

MSI (s) (F0:A8) [11:10:56:679]: Executing op: ProductCPDisplayInfoRegister()

MSI (s) (F0:A8) [11:10:56:686]: Executing op:

ActionStart(Name=PublishFeatures,Description=Publishing Product Features,Template=Feature: [1])

MSI (s) (F0:A8) [11:10:56:687]: Executing op:

FeaturePublish(Feature=TracsExe,,Absent=2,Component==[S2jE-UB9\$S_meJMhUJ]r8.qk0jz=s3bQPFeU^y,Od%(jN@G9C+Ljk9iY)D'Vw8d]uve@Px,\$[_q-ijnEn?)2o'w=_3CsB5{NO.MTE6t{=BA9o?IAcEz\$6&`UR!hxJ%-?vCEnU,Op^]F81.2WR\$T=2KqF=-a{gBeF%QI\$KVZ?i4UEUDums?1^x@QP'.]AUN_JyDEaq?^)frpJ^9_?-aM@Pc)lsOAF\$vP.oe=@@Ps3-&Z3]m.bn~zxl`H9_(Urc)d1eJieplP=7,=@rYW~]w!l2V=^[VY1IBO?N?-tNf{HNGw!Qf3pC_h=d{^fwGJ6n)hHN'r0LX*@kiE!n2\$Qj4nDs&_V=ZE?R~UnaYGBF_HjsSn1JI4A7rcBA_Frrck^I(E`ith=95\$&-Ym(e%K\$wKtJ=0[8!'8`Pg92y=vr9o())F3?-k^C*{IM&@`firu4J69,]eTfjqWFh?uo'DFp\$6@Aaicmh\$!],QZ&].H80D9Bnh@(pW{uoy0*~A[D%K=pw`W'2S3BT}Eetrvhsg8^i?t.xr_td9*@1Or3K6=yq+']k,m@Wj5z%NXEuj?v.q=3S)ts6Yu1wlzp=WA5Wu{HCmU60yL}7y)gyd8xJC1jKi`{HklV%_kjJw@FzcOWXldty?vMcrjX4c=^3(V^6qt}m_=Qe6)NGZ?B@i)k&u_yR=b98.t5wZ?T,Wz`i,[ULYHI.I&kyU90KE2ZZ1YC)QOFg'B,0191,AGI!!IDNuVnuF,O3[IA1WB_[0IX1@?%[(_Qb`1AMljOMc_%KuDd9vQ_o.Q=DHJ(P87CK71K*?(b)r*A]=4~a\$W!dMT3eJkB],V9G)Jm-`z_xdE[a+@sZ749wm_HfMtwWYr&}_uyeE^=Fu\$JPVDFM%)

MSI (s) (F0:A8) [11:10:56:693]: Executing op:

ActionStart(Name=PublishProduct,Description=Publishing product information,)

MSI (s) (F0:A8) [11:10:56:693]: Executing op: CleanupConfigData()

MSI (s) (F0:A8) [11:10:56:693]: Executing op:

RegisterPatchOrder(Continue=0,SequenceType=1,Remove=0)

MSI (s) (F0:A8) [11:10:56:699]: Executing op:

End(Checksum=0,ProgressTotalHDWord=0,ProgressTotalLDWord=17421153)

MSI (s) (F0:A8) [11:10:56:703]: User policy value 'DisableRollback' is 0

MSI (s) (F0:A8) [11:10:56:704]: Machine policy value 'DisableRollback' is 0

MSI (s) (F0:A8) [11:10:56:816]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:10:56:820]: Note: 1: 2318 2:

MSI (s) (F0:A8) [11:10:56:831]: No System Restore sequence number for this installation.

MSI (s) (F0:A8) [11:10:56:832]: Unlocking Server

MSI (s) (F0:A8) [11:10:56:837]: PROPERTY CHANGE: Deleting UpdateStarted property. Its current value is '1'.

MSI (s) (F0:A8) [11:10:56:837]: Doing action: RemoveExistingProducts

MSI (s) (F0:A8) [11:10:56:837]: Note: 1: 2205 2: 3: ActionText

Action ended 11:10:56: InstallFinalize. Return value 1.

MSI (s) (F0:A8) [11:10:56:839]: Skipping RemoveExistingProducts action: current

configuration is maintenance mode or an uninstall

Action start 11:10:56: RemoveExistingProducts.

Action ended 11:10:56: RemoveExistingProducts. Return value 0.

Action ended 11:10:56: INSTALL. Return value 1.

Property(S): UpgradeCode = {E8266493-82F0-42F6-829A-2E0527E2E2D2}

Property(S): MANIFESTDATA = C:\tracsexel\

Property(S): TRACSEXEDATA = C:\tracsexel\

Property(S): WixUIRMOption = UseRM

Property(S): WIXUI_INSTALLDIR = DATALOCATION

Property(S): ARPNOMODIFY = 1

Property(S): DATALOCATION = C:\tracsexel\

Property(S): TARGETDIR = C:\

Property(S): SourceDir = C:\Users\David2\Desktop\

Property(S): Manufacturer = Tracsis plc

Property(S): ProductCode = {C7055651-A299-4AEF-9463-D9247821F163}

Property(S): ProductLanguage = 1033

Property(S): ProductName = TracsExe 24.0.132.1

Property(S): ProductVersion = 24.0.132.1

Property(S): ARPPRODUCTICON = TrainTRACS.ico

Property(S): DefaultUIFont = WixUI_Font_Normal

Property(S): WixUI_Mode = InstallDir

Property(S): ErrorDialog = ErrorDlg

Property(S): SecureCustomProperties =

NEWERVERSIONEXISTS;OLDERVERSIONBEINGUPGRADED

Property(S): MsiLogFileLocation = C:\Users\David2\Desktop\repair.log

Property(S): PackageCode = {1DFAB752-3B7B-4E67-8D14-6545AA891B59}

Property(S): ProductState = 5

Property(S): ProductToBeRegistered = 1

Property(S): REINSTALL = ALL

Property(S): REINSTALLMODE = a

Property(S): CURRENTDIRECTORY = C:\Users\David2\Desktop

Property(S): CLIENTUILEVEL = 2

Property(S): CLIENTPROCESSID = 3816

Property(S): MsiSystemRebootPending = 1

Property(S): PRODUCTLANGUAGE = 1033

Property(S): VersionDatabase = 200

Property(S): VersionMsi = 5.00

Property(S): VersionNT = 601

Property(S): WindowsBuild = 7601

Property(S): ServicePackLevel = 1
Property(S): ServicePackLevelMinor = 0
Property(S): MsiNTProductType = 1
Property(S): WindowsFolder = C:\Windows\
Property(S): WindowsVolume = C:\
Property(S): SystemFolder = C:\Windows\system32\
Property(S): System16Folder = C:\Windows\system\
Property(S): RemoteAdminTS = 1
Property(S): TempFolder = C:\Users\David2\AppData\Local\Temp\
Property(S): ProgramFilesFolder = C:\Program Files\
Property(S): CommonFilesFolder = C:\Program Files\Common Files\
Property(S): AppDataFolder = C:\Users\David2\AppData\Roaming\
Property(S): FavoritesFolder = C:\Users\David2\Favorites\
Property(S): NetHoodFolder =
C:\Users\David2\AppData\Roaming\Microsoft\Windows\Network Shortcuts\
Property(S): PersonalFolder = C:\Users\David2\Documents\
Property(S): PrintHoodFolder = C:\Users\David2\AppData\Roaming\Microsoft\Windows\Printer
Shortcuts\
Property(S): RecentFolder = C:\Users\David2\AppData\Roaming\Microsoft\Windows\Recent\
Property(S): SendToFolder = C:\Users\David2\AppData\Roaming\Microsoft\Windows\SendTo\
Property(S): TemplateFolder =
C:\Users\David2\AppData\Roaming\Microsoft\Windows\Templates\
Property(S): CommonAppDataFolder = C:\ProgramData\
Property(S): LocalAppDataFolder = C:\Users\David2\AppData\Local\
Property(S): MyPicturesFolder = C:\Users\David2\Pictures\
Property(S): AdminToolsFolder = C:\Users\David2\AppData\Roaming\Microsoft\Windows\Start
Menu\Programs\Administrative Tools\
Property(S): StartupFolder = C:\Users\David2\AppData\Roaming\Microsoft\Windows\Start
Menu\Programs\Startup\
Property(S): ProgramMenuFolder =
C:\Users\David2\AppData\Roaming\Microsoft\Windows\Start Menu\Programs\
Property(S): StartMenuFolder = C:\Users\David2\AppData\Roaming\Microsoft\Windows\Start
Menu\
Property(S): DesktopFolder = C:\Users\David2\Desktop\
Property(S): FontsFolder = C:\Windows\Fonts\
Property(S): GPTSupport = 1
Property(S): OLEAdvtSupport = 1
Property(S): ShellAdvtSupport = 1
Property(S): Intel = 6

Property(S): PhysicalMemory = 3318
Property(S): VirtualMemory = 3368
Property(S): AdminUser = 1
Property(S): MsiTrueAdminUser = 1
Property(S): LogonUser = David2
Property(S): UserSID = S-1-5-21-3125272479-178404603-3945747847-1006
Property(S): UserLanguageID = 2057
Property(S): ComputerName = LT10-06
Property(S): SystemLanguageID = 2057
Property(S): ScreenX = 1024
Property(S): ScreenY = 768
Property(S): CaptionHeight = 22
Property(S): BorderTop = 1
Property(S): BorderSide = 1
Property(S): TextHeight = 16
Property(S): TextInternalLeading = 3
Property(S): ColorBits = 32
Property(S): TTCSupport = 1
Property(S): Time = 11:10:56
Property(S): Date = 12/06/2013
Property(S): MsiNetAssemblySupport = 4.0.30319.1
Property(S): MsiWin32AssemblySupport = 6.1.7601.17514
Property(S): RedirectedDIIISupport = 2
Property(S): MsiRunningElevated = 1
Property(S): Privileged = 1
Property(S): USERNAME = RWAAdmin
Property(S): COMPANYNAME = Microsoft
Property(S): Installed = 00:00:00
Property(S): DATABASE = C:\Windows\Installer\3916cc.msi
Property(S): OriginalDatabase = C:\Windows\Installer\3916cc.msi
Property(S): UILevel = 3
Property(S): Preselected = 1
Property(S): ACTION = INSTALL
Property(S): ROOTDRIVE = C:\
Property(S): CostingComplete = 1
Property(S): INSTALLLEVEL = 1
Property(S): OutOfDiskSpace = 0
Property(S): OutOfNoRbDiskSpace = 0
Property(S): PrimaryVolumeSpaceAvailable = 0

Property(S): PrimaryVolumeSpaceRequired = 0
Property(S): PrimaryVolumeSpaceRemaining = 0
Property(S): SOURCEDIR = C:\Users\David2\Desktop\
Property(S): SourcedirProduct = {C7055651-A299-4AEF-9463-D9247821F163}
MSI (s) (F0:A8) [11:10:56:880]: Note: 1: 1728
MSI (s) (F0:A8) [11:10:56:880]: Note: 1: 2205 2: 3: Error
MSI (s) (F0:A8) [11:10:56:880]: Note: 1: 2228 2: 3: Error 4: SELECT `Message` FROM `Error`
WHERE `Error` = 1728
MSI (s) (F0:A8) [11:10:56:880]: Note: 1: 2205 2: 3: Error
MSI (s) (F0:A8) [11:10:56:880]: Note: 1: 2228 2: 3: Error 4: SELECT `Message` FROM `Error`
WHERE `Error` = 1709
MSI (s) (F0:A8) [11:10:56:880]: Product: TracsExe 24.0.132.1 -- Configuration completed
successfully.
MSI (s) (F0:A8) [11:10:56:882]: Windows Installer reconfigured the product. Product Name:
TracsExe 24.0.132.1. Product Version: 24.0.132.1. Product Language: 1033. Manufacturer:
Tracsis plc. Reconfiguration success or error status: 0.
MSI (s) (F0:A8) [11:10:56:885]: Deferring clean up of packages/files, if any exist
MSI (s) (F0:A8) [11:10:56:885]: MainEngineThread is returning 0
MSI (s) (F0:98) [11:10:56:899]: RESTART MANAGER: Session closed.
MSI (s) (F0:98) [11:10:56:899]: No System Restore sequence number for this installation.
=== Logging stopped: 12/06/2013 11:10:56 ===
MSI (s) (F0:98) [11:10:56:901]: User policy value 'DisableRollback' is 0
MSI (s) (F0:98) [11:10:56:901]: Machine policy value 'DisableRollback' is 0
MSI (s) (F0:98) [11:10:56:901]: Incrementing counter to disable shutdown. Counter after
increment: 0
MSI (s) (F0:98) [11:10:56:902]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\Software\Microsoft\Windows\CurrentVersion\Installer\Rollback\Scri
pts 3: 2
MSI (s) (F0:98) [11:10:56:903]: Note: 1: 1402 2:
HKEY_LOCAL_MACHINE\Software\Microsoft\Windows\CurrentVersion\Installer\Rollback\Scri
pts 3: 2
MSI (s) (F0:98) [11:10:56:904]: Decrementing counter to disable shutdown. If counter >= 0,
shutdown will be denied. Counter after decrement: -1
MSI (s) (F0:98) [11:10:56:905]: Restoring environment variables
MSI (c) (E8:D4) [11:10:56:907]: Decrementing counter to disable shutdown. If counter >= 0,
shutdown will be denied. Counter after decrement: -1
MSI (c) (E8:D4) [11:10:56:908]: MainEngineThread is returning 0
=== Verbose logging stopped: 12/06/2013 11:10:56 ===