



```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE plist PUBLIC "-//Apple//DTD PLIST 1.0//EN"
"http://www.apple.com/DTDs/PropertyList-1.0.dtd">
<plist version="1.0">
<dict>
<key>#DisableDrivers</key>
<array>
<string>CsmVideoDxe</string>
<string>VBoxExt4</string>
</array>
<key>ACPI</key>
<dict>
<key>#DropMCFG</key>
<false/>
<key>#PatchAPIC</key>
<false/>
<key>#ResetAddress</key>
<string>0x64</string>
<key>#ResetValue</key>
<string>0xFE</string>
<key>#SortedOrder</key>
<array>
<string>SSDT-3.aml</string>
<string>SSDT-1.aml</string>
<string>SSDT-2.aml</string>
</array>
<key>#smartUPS</key>
<false/>
<key>DSDT</key>
<dict>
<key>#DropOEM_DSM</key>
<dict>
<key>ATI</key>
<true/>
<key>Firewire</key>
<true/>
```

```
<key>HDA</key>
<true/>
<key>HDMI</key>
<true/>
<key>IDE</key>
<true/>
<key>IntelGFX</key>
<true/>
<key>LAN</key>
<true/>
<key>LPC</key>
<false/>
<key>NVidia</key>
<true/>
<key>SATA</key>
<true/>
<key>SmBUS</key>
<false/>
<key>USB</key>
<true/>
<key>WIFI</key>
<true/>
</dict>
<key>#Patches</key>
<array>
<dict>
<key>Comment</key>
<string>Remove battery device from desktop</string>
<key>Find</key>
<data>
W4leQkFUMQhfSEIEDEHQDAoIX1VJRAEUCF9T
VEEApAA=
</data>
<key>Replace</key>
<data>
</data>
</dict>
<dict>
<key>Comment</key>
```

```
<string>Add _SUN property for GIGE</string>
<key>Find</key>
<data>
UFhTWAhfQURSAAhfUFJXEgYC
</data>
<key>Replace</key>
<data>
UFhTWAhfQURSAAhfU1VOCgQIX1BSVxIGA==
</data>
</dict>
<dict>
<key>Comment</key>
<string>Rename GFX0 to IGPU</string>
<key>Find</key>
<data>
R0ZYMA==
</data>
<key>Replace</key>
<data>
SUdQVQ==
</data>
</dict>
<dict>
<key>Comment</key>
<string>Rename HDEF to AZAL</string>
<key>Find</key>
<data>
SERFRg==
</data>
<key>Replace</key>
<data>
QVpBTA==
</data>
</dict>
</array>
<key>#Rtc8Allowed</key>
<false/>
<key>#SuspendOverride</key>
<false/>
```

<key>Debug</key>
<false/>
<key>Fixes</key>
<dict>
<key>AddDTGP_0001</key>
<true/>
<key>AddHDMI_8000000</key>
<true/>
<key>AddIMEI_80000</key>
<false/>
<key>AddMCHC_0008</key>
<false/>
<key>AddPNLF_1000000</key>
<true/>
<key>DeleteUnused_400000</key>
<true/>
<key>FIX_ACST_4000000</key>
<true/>
<key>FIX_ADP1_800000</key>
<true/>
<key>FIX_INTELGFX_100000</key>
<false/>
<key>FIX_RTC_20000</key>
<true/>
<key>FIX_S3D_2000000</key>
<true/>
<key>FIX_TMR_40000</key>
<true/>
<key>FIX_WAK_200000</key>
<true/>
<key>FakeLPC_0020</key>
<false/>
<key>FixAirport_4000</key>
<true/>
<key>FixDarwin_0002</key>
<true/>
<key>FixDisplay_0100</key>
<true/>
<key>FixFirewire_0800</key>

```
<true/>
<key>FixHDA_8000</key>
<true/>
<key>FixHPET_0010</key>
<true/>
<key>FixIDE_0200</key>
<false/>
<key>FixIPIC_0040</key>
<true/>
<key>FixLAN_2000</key>
<true/>
<key>FixRegions_10000000</key>
<true/>
<key>FixSATA_0400</key>
<false/>
<key>FixSBUS_0080</key>
<true/>
<key>FixShutdown_0004</key>
<true/>
<key>FixUSB_1000</key>
<true/>
</dict>
<key>Name</key>
<string>DSDT.aml</string>
<key>ReuseFFFF</key>
<false/>
</dict>
<key>DisableASPM</key>
<false/>
<key>DropTables</key>
<array>
<dict>
<key>Signature</key>
<string>DMAR</string>
</dict>
<dict>
<key>Signature</key>
<string>SSDT</string>
<key>TableId</key>
```

```
<string>CpuPm</string>
</dict>
<dict>
<key>#Length</key>
<integer>720</integer>
<key>Signature</key>
<string>SSDT</string>
<key>TableId</key>
<string>Cpu0Ist</string>
</dict>
</array>
<key>HaltEnabler</key>
<true/>
<key>SSDT</key>
<dict>
<key>#C3Latency</key>
<string>0x03E7</string>
<key>#DoubleFirstState</key>
<true/>
<key>#DropOem</key>
<true/>
<key>#EnableC2</key>
<false/>
<key>#EnableC4</key>
<false/>
<key>#EnableC6</key>
<true/>
<key>#EnableC7</key>
<false/>
<key>#MaxMultiplier</key>
<integer>12</integer>
<key>#MinMultiplier</key>
<integer>8</integer>
<key>#PLimitDict</key>
<integer>1</integer>
<key>#PluginType</key>
<integer>0</integer>
<key>#UnderVoltStep</key>
<integer>1</integer>
```

```
<key>#UseSystemIO</key>
<false/>
<key>Generate</key>
<dict>
<key>CStates</key>
<true/>
<key>PStates</key>
<true/>
</dict>
</dict>
</dict>
<key>Boot</key>
<dict>
<key>##Arguments</key>
<string>kext-dev-mode=1 rootless=0</string>
<key>#Arguments</key>
<string>-v arch=x86_64 slide=0 darkwake=0</string>
<key>#LegacyBiosDefaultEntry</key>
<integer>0</integer>
<key>#XMPDetection</key>
<string>-1</string>
<key>Debug</key>
<false/>
<key>DefaultLoader</key>
<string>boot.efi</string>
<key>DefaultVolume</key>
<string>LastBootedVolume</string>
<key>DisableCloverHotkeys</key>
<false/>
<key>Fast</key>
<false/>
<key>Legacy</key>
<string>PBR</string>
<key>NeverDoRecovery</key>
<true/>
<key>NeverHibernate</key>
<false/>
<key>SkipHibernateTimeout</key>
<false/>
```

```
<key>StrictHibernate</key>
<false/>
<key>Timeout</key>
<integer>5</integer>
</dict>
<key>BootGraphics</key>
<dict>
<key>#DefaultBackgroundColor</key>
<string>0xF0F0F0</string>
<key>EFILoginHiDPI</key>
<integer>1</integer>
<key>UIScale</key>
<integer>1</integer>
</dict>
<key>CPU</key>
<dict>
<key>#BusSpeedkHz</key>
<integer>133330</integer>
<key>#FrequencyMHz</key>
<integer>3140</integer>
<key>#HWPEnable</key>
<true/>
<key>#HWPValue</key>
<string>0x30002a01</string>
<key>#QPI</key>
<integer>4800</integer>
<key>#SavingMode</key>
<integer>7</integer>
<key>#TDP</key>
<integer>95</integer>
<key>#TurboDisable</key>
<true/>
<key>#Type</key>
<string>0x0201</string>
<key>#UseARTFrequency</key>
<true/>
</dict>
<key>Devices</key>
<dict>
```



```
<key>#AddProperties</key>
<array>
<dict>
<key>Device</key>
<string>NVidia</string>
<key>Key</key>
<string>AAPL,HasPanel</string>
<key>Value</key>
<data>
AQAAAA==
</data>
</dict>
<dict>
<key>Device</key>
<string>NVidia</string>
<key>Key</key>
<string>AAPL,Haslid</string>
<key>Value</key>
<data>
AQAAAA==
</data>
</dict>
</array>
<key>#FakeID</key>
<dict>
<key>#ATI</key>
<string>0x67501002</string>
<key>#IMEI</key>
<string>0x1e208086</string>
<key>#IntelGFX</key>
<string>0x01268086</string>
<key>#LAN</key>
<string>0x100E8086</string>
<key>#NVidia</key>
<string>0x11de10de</string>
<key>#SATA</key>
<string>0x25628086</string>
<key>#WIFI</key>
<string>0x431214e4</string>
```

```
<key>#XHCl</key>
<string>0x0</string>
</dict>
<key>#ForceHPET</key>
<false/>
<key>#Inject</key>
<false/>
<key>#Properties</key>
<string>7a0000001000000010000006e0000000200000002010c00d041030a000000000101
0600001b7fff040028000000500069006e0043006f006e0066006900670075007200610074006
9006f006e00730000000800000001080100180000006c00610079006f00750074002d0069006
4000000080000000c0000000</string>
<key>#SetIntelBacklight</key>
<false/>
<key>Audio</key>
<dict>
<key>#Inject</key>
<string>0x0887</string>
<key>ResetHDA</key>
<true/>
</dict>
<key>NoDefaultProperties</key>
<false/>
<key>USB</key>
<dict>
<key>AddClockID</key>
<true/>
<key>FixOwnership</key>
<true/>
<key>HighCurrent</key>
<false/>
<key>Inject</key>
<true/>
</dict>
<key>UseIntelHDMI</key>
<false/>
</dict>
<key>GUI</key>
<dict>
```

```
<key>#ConsoleMode</key>
<string>0</string>
<key>#Custom</key>
<dict>
<key>Entries</key>
<array>
<dict>
<key>AddArguments</key>
<string>-v</string>
<key>Arguments</key>
<string>Kernel=mach_kernel</string>
<key>Disabled</key>
<true/>
<key>Hidden</key>
<false/>
<key>Hotkey</key>
<string>M</string>
<key>InjectKexts</key>
<false/>
<key>NoCaches</key>
<false/>
<key>Path</key>
<string>\EFI\BOOT\BOOTX64.efi</string>
<key>Title</key>
<string>MyCustomEntry</string>
<key>Type</key>
<string>OSXRecovery</string>
<key>Volume</key>
<string>D68F1885-571C-4441-8DD5-F14803EFEF54</string>
</dict>
<dict>
<key>Hidden</key>
<false/>
<key>InjectKexts</key>
<false/>
<key>NoCaches</key>
<false/>
<key>SubEntries</key>
<array>
```

```
<dict>
<key>AddArguments</key>
<string>-v</string>
<key>Title</key>
<string>Boot OS X 10.8.5 (12F36) Mountain Lion in Verbose Mode</string>
</dict>
</array>
<key>Title</key>
<string>OS X 10.8.5 (12F36) Mountain Lion</string>
<key>Type</key>
<string>OSX</string>
<key>Volume</key>
<string>454794AC-760D-46E8-8F77-D6EB23D2FD32</string>
</dict>
</array>
<key>Legacy</key>
<array>
<dict>
<key>Disabled</key>
<true/>
<key>Hidden</key>
<false/>
<key>Hotkey</key>
<string>L</string>
<key>Title</key>
<string>MyLegacyEntry</string>
<key>Type</key>
<string>Windows</string>
<key>Volume</key>
<string>89433CD3-21F2-4D3C-95FC-722C48066D3A</string>
</dict>
</array>
<key>Tool</key>
<array>
<dict>
<key>Arguments</key>
<string>-b</string>
<key>Disabled</key>
<false/>
```

```
<key>Hidden</key>
<false/>
<key>Hotkey</key>
<string>S</string>
<key>Path</key>
<string>\EFI\CLOVER\TOOLS\Shell64-v1.efi</string>
<key>Title</key>
<string>MyCustomShell</string>
<key>Volume</key>
<string>D68F1885-571C-4441-8DD5-F14803EFEF54</string>
</dict>
</array>
</dict>
<key>#CustomIcons</key>
<false/>
<key>#Hide</key>
<array>
<string>Windows</string>
<string>BOOTX64.EFI</string>
</array>
<key>#Language</key>
<string>ru:0</string>
<key>#Mouse</key>
<dict>
<key>Enabled</key>
<true/>
<key>Mirror</key>
<false/>
<key>Speed</key>
<integer>2</integer>
</dict>
<key>#Scan</key>
<dict>
<key>Entries</key>
<true/>
<key>Legacy</key>
<false/>
<key>Tool</key>
<true/>
```

```
</dict>
<key>#TextOnly</key>
<false/>
<key>ScreenResolution</key>
<string>1280x1024</string>
<key>Theme</key>
<string>embedded</string>
</dict>
<key>Graphics</key>
<dict>
<key>#Connectors</key>
<array/>
<key>#DualLink</key>
<integer>0</integer>
<key>#FBName</key>
<string>Makakakakala</string>
<key>#Inject</key>
<dict>
<key>ATI</key>
<true/>
<key>Intel</key>
<false/>
<key>NVidia</key>
<false/>
</dict>
<key>#LoadVBios</key>
<false/>
<key>#NVCAP</key>
<string>04000000000003000C000000000000A00000000</string>
<key>#NvidiaGeneric</key>
<true/>
<key>#NvidiaNoEFI</key>
<false/>
<key>#NvidiaSingle</key>
<false/>
<key>#PatchVBios</key>
<false/>
<key>#PatchVBiosBytes</key>
<array>
```

```
<dict>
<key>Find</key>
<data>
gAeoAqAF
</data>
<key>Replace</key>
<data>
gAeoAjqE
</data>
</dict>
</array>
<key>#VRAM</key>
<integer>1024</integer>
<key>#VideoPorts</key>
<integer>2</integer>
<key>#display-cfg</key>
<string>03010300FFFF0001</string>
<key>#ig-platform-id</key>
<string>0x01620005</string>
<key>EDID</key>
<dict>
<key>#Custom</key>
<data>
AP////////wAGECGSAAAAAASAQOAIRV4CunVmVITjigmUFQAAAAB
AQEBAQEBAQEBAQEBAQEBAQE3iGgcFCEHzAgIFYAS88QAAAY3iGgcFCE
HzAgIFYAS88QAAAAAAAAA/gBXNjU3RwAxNTRXUDEKAAAAA/gAjMz1I
ZYSq/wIBCiAgAJo=
</data>
<key>#Inject</key>
<true/>
<key>#ProductID</key>
<string>0x9221</string>
<key>#VendorID</key>
<string>0x1006</string>
</dict>
</dict>
<key>KernelAndKextPatches</key>
<dict>
<key>#ATICConnectorsController</key>
```

```
<string>6000</string>
<key>#ATISConnectorsData</key>
<string>00040000040300000001000021030204040000001402000000010000000004031000
0000100000000001000000000001</string>
<key>#ATISConnectorsPatch</key>
<string>04000000140200000001000000000404000400000403000000010000110201050000
0000000000000000000000000000</string>
<key>#BootPatches</key>
<array>
<dict>
<key>Comment</key>
<string>Example</string>
<key>Disabled</key>
<true/>
<key>Find</key>
<data>
RXh0ZXJuYWw=
</data>
<key>MatchOS</key>
<string>All</string>
<key>Replace</key>
<data>
SW50ZXJuYWw=
</data>
</dict>
</array>
<key>#FakeCPUID</key>
<string>0x010676</string>
<key>#KextsToPatch</key>
<array>
<dict>
<key>Disabled</key>
<true/>
<key>Find</key>
<data>
SGVhZHBob25lcwA=
</data>
<key>Name</key>
<string>VoodooHDA</string>
```



```
<key>Replace</key>
<data>
VGVsZXBob25lcwA=
</data>
</dict>
<dict>
<key>Comment</key>
<string>Patch_to_not_load_this_driver</string>
<key>Find</key>
<string>0x04020000</string>
<key>InfoPlistPatch</key>
<true/>
<key>Name</key>
<string>AppleHDAController</string>
<key>Replace</key>
<string>0x44220000</string>
</dict>
<dict>
<key>Comment</key>
<string>Make all drives to be internal</string>
<key>Find</key>
<data>
RXh0ZXJuYWw=
</data>
<key>Name</key>
<string>AppleAHCIPort</string>
<key>Replace</key>
<data>
SW50ZXJuYWw=
</data>
</dict>
<dict>
<key>Comment</key>
<string>TRIM function for non-Apple SSDs</string>
<key>Find</key>
<data>
QVBQTEUgU1NEAA==
</data>
<key>Name</key>
```

```
<string>IOAHCIBlockStorage</string>
<key>Replace</key>
<data>
AAAAAAAAAAAAAAAA==
</data>
</dict>
<dict>
<key>Comment</key>
<string>ATI Connector patch new way</string>
<key>Disabled</key>
<false/>
<key>Find</key>
<data>
AAQAAQDAAAAQAAIQMCBAQAAAAUAgAAAAEAAAAABAMQ
AAAAEAAAAABAAAAAAB
</data>
<key>MatchOS</key>
<string>10.9,10.10,10.11</string>
<key>Name</key>
<string>AMD6000Controller</string>
<key>Replace</key>
<data>
BAAAABQCAAAAAQAAAAEBAAEAAAEAwAAAAEAABECAQUA
AAAAAAAAAAAAAAAAAAAA
</data>
</dict>
</array>
<key>AppleRTC</key>
<true/>
<key>AsusAICPUPM</key>
<false/>
<key>Debug</key>
<false/>
<key>DellSMBIOSPatch</key>
<false/>
<key>KernelCpu</key>
<false/>
<key>KernelHaswellE</key>
<false/>
```

```
<key>KernelLapic</key>
<false/>
<key>KernelPm</key>
<false/>
</dict>
<key>RtVariables</key>
<dict>
<key>BooterConfig</key>
<string>0x28</string>
<key>CsrActiveConfig</key>
<string>0x67</string>
<key>MLB</key>
<string>C02032109R5DC771H</string>
<key>ROM</key>
<string>UseMacAddr0</string>
</dict>
<key>SMBIOS</key>
<dict>
<key>#BiosReleaseDate</key>
<string>05/03/10</string>
<key>#BiosVendor</key>
<string>Apple Inc.</string>
<key>#BiosVersion</key>
<string>MB11.88Z.0061.B03.0809221748</string>
<key>#Board-ID</key>
<string>Mac-F4208CC8</string>
<key>#BoardManufacturer</key>
<string>Apple Inc.</string>
<key>#BoardSerialNumber</key>
<string>C02032101R5DC771H</string>
<key>#BoardType</key>
<integer>10</integer>
<key>#BoardVersion</key>
<string>Proto1</string>
<key>#ChassisAssetTag</key>
<string>LatitudeD420</string>
<key>#ChassisManufacturer</key>
<string>Apple Inc.</string>
<key>#ChassisType</key>
```

```
<integer>16</integer>
<key>#Family</key>
<string>MacBook</string>
<key>#FirmwareFeatures</key>
<string>0xC0001403</string>
<key>#FirmwareFeaturesMask</key>
<string>0xFFFFFFFF</string>
<key>#LocationInChassis</key>
<string>MLB</string>
<key>#Memory</key>
<dict>
<key>Channels</key>
<integer>2</integer>
<key>Modules</key>
<array>
<dict>
<key>Frequency</key>
<integer>1333</integer>
<key>Part</key>
<string>C0001403</string>
<key>Serial</key>
<string>00001001</string>
<key>Size</key>
<integer>4096</integer>
<key>Slot</key>
<integer>0</integer>
<key>Type</key>
<string>DDR3</string>
<key>Vendor</key>
<string>Kingston</string>
</dict>
<dict>
<key>Frequency</key>
<integer>1333</integer>
<key>Part</key>
<string>C0001404</string>
<key>Serial</key>
<string>00001002</string>
<key>Size</key>
```

```
<integer>4096</integer>
<key>Slot</key>
<integer>2</integer>
<key>Type</key>
<string>DDR3</string>
<key>Vendor</key>
<string>Kingston</string>
</dict>
</array>
<key>SlotCount</key>
<integer>4</integer>
</dict>
<key>#Mobile</key>
<true/>
<key>#PlatformFeature</key>
<string>0x03</string>
<key>#ProductName</key>
<string>MacBook1,1</string>
<key>#SerialNumber</key>
<string>4H629LYAU9C</string>
<key>#Slots</key>
<array>
<dict>
<key>Device</key>
<string>ATI</string>
<key>ID</key>
<integer>1</integer>
<key>Name</key>
<string>PCIe Slot 0</string>
<key>Type</key>
<integer>16</integer>
</dict>
<dict>
<key>Device</key>
<string>WIFI</string>
<key>ID</key>
<integer>0</integer>
<key>Name</key>
<string>Airport</string>
```

```
<key>Type</key>
<integer>1</integer>
</dict>
</array>
<key>#SmUUID</key>
<string>00000000-0000-1000-8000-010203040506</string>
<key>#Trust</key>
<true/>
<key>#Version</key>
<string>1.0</string>
<key>Manufacturer</key>
<string>Apple Inc.</string>
</dict>
<key>SystemParameters</key>
<dict>
<key>#BacklightLevel</key>
<string>0x0501</string>
<key>#CustomUUID</key>
<string>511CE201-1000-4000-9999-010203040506</string>
<key>#NvidiaWeb</key>
<false/>
<key>InjectKexts</key>
<string>Detect</string>
<key>InjectSystemID</key>
<true/>
</dict>
</dict>
</plist>
```