



OpKillingBay Japan

Target List 2017 /18

Ports may close servers may change

=====

<http://www.sangiin.go.jp/>

IP 202.229.39.226

Server: Apache

25/tcp open smtp

53/tcp closed domain

80/tcp open http

110/tcp open pop3

119/tcp open nntp

143/tcp open imap

465/tcp open smtps

563/tcp open snews

587/tcp open submission

993/tcp open imaps

995/tcp open pop3s

8008/tcp open http

<http://www.shugiin.go.jp>

_Server Lotus-Domino

_IP 210.136.96.36

25/tcp open smtp

53/tcp closed domain

80/tcp open http

110/tcp open pop3

119/tcp open nntp

143/tcp open imap

563/tcp open snews

587/tcp open submission

993/tcp open imaps

995/tcp open pop3s

<http://www.mhlw.go.jp>

Server: IBM_HTTP_Server

IP: 104.86.110.82

25/tcp open smtp
53/tcp closed domain
80/tcp open http
110/tcp open pop3
143/tcp open imap
443/tcp open https
587/tcp open submission
993/tcp open imaps
995/tcp open pop3s

<http://www.soumu.go.jp/>

Server: Apache

IP: 203.180.216.224

25/tcp open smtp
53/tcp closed domain
80/tcp open http
110/tcp open pop3
119/tcp open nntp
143/tcp open imap
443/tcp open https
465/tcp open smtps
563/tcp open snews
587/tcp open submission
993/tcp open imaps
995/tcp open pop3s

<https://www.jimin.jp/>

Server: Apache

IP: 101.110.15.201

25/tcp open smtp
53/tcp closed domain
80/tcp open http
110/tcp open pop3
119/tcp open nntp
143/tcp open imap
443/tcp open https
465/tcp open smtps
563/tcp open snews

587/tcp open submission

993/tcp open imaps

995/tcp open pop3s

<http://www.jnto.go.jp/>

Server: Apache

IP: 202.79.244.228

25/tcp open smtp

53/tcp closed domain

80/tcp open http

110/tcp open pop3

113/tcp closed ident

119/tcp open nntp

143/tcp open imap

443/tcp open https

465/tcp open smtps

563/tcp open snews

587/tcp open submission

993/tcp open imaps

995/tcp open pop3s

<http://www.pt.emb-japan.go.jp/>

Server: Apache

IP: 104.86.110.57

25/tcp open smtp

53/tcp closed domain

80/tcp open http

110/tcp open pop3

119/tcp open nntp

143/tcp open imap

443/tcp open https

465/tcp open smtps

563/tcp open snews

587/tcp open submission

993/tcp open imaps

995/tcp open pop3s

<http://www.kantei.go.jp/>

IP: 202.32.211.139

25/tcp open smtp
53/tcp closed domain
110/tcp open pop3
143/tcp open imap
563/tcp open snews
587/tcp open submission
993/tcp open imaps
995/tcp open pop3s

<http://www.jpfi.go.jp/>

Server: Apache

IP: 149.126.74.46

25/tcp open smtp
53/tcp closed domain
80/tcp open http
82/tcp open xfer
83/tcp open mit-ml-dev
85/tcp open mit-ml-dev
88/tcp open kerberos-sec
110/tcp open pop3
119/tcp open nntp
143/tcp open imap
389/tcp open ldap
443/tcp open https
444/tcp open snpp
465/tcp open smtps
555/tcp open dsf
563/tcp open snews
587/tcp open submission
636/tcp open ldaps
800/tcp open mdbs_daemon
801/tcp open device
843/tcp open unknown
993/tcp open imaps
995/tcp open pop3s
1000/tcp open cadlock
1002/tcp open windows-icfw
1024/tcp open kdm
1025/tcp open NFS-or-IIS

1028/tcp open unknown
1111/tcp open lmsocialserver
1443/tcp open ies-lm
1494/tcp open citrix-ica
1935/tcp open rtmp
2000/tcp open cisco-sccp
2001/tcp open dc
2006/tcp open invokator
2020/tcp open xinupageserver
2048/tcp open dls-monitor
2049/tcp open nfs
2065/tcp open dlsrpn
2068/tcp open avocentkvm
2200/tcp open ici
2222/tcp open EtherNetIP-1
2557/tcp open nicetec-mgmt
3000/tcp open ppp
3001/tcp open nessus
3030/tcp open arepa-cas
3052/tcp open powerchute
3071/tcp open csd-mgmt-port
3077/tcp open orbix-loc-ssl
3333/tcp open dec-notes
3389/tcp open ms-wbt-server
3404/tcp open unknown
3551/tcp open apcupsd
4000/tcp open remotesanything
4001/tcp open newoak
4443/tcp open pharos
4445/tcp open upnotifyp
5000/tcp open upnp
5001/tcp open complex-link
5003/tcp open filemaker
5004/tcp open avt-profile-1
5080/tcp open onscreen
5222/tcp open xmpp-client
5225/tcp open hp-server
5226/tcp open hp-status
5280/tcp open xmpp-bosh

5555/tcp open freeciv
5900/tcp open vnc
5987/tcp open wbem-rmi
5988/tcp open wbem-http
5998/tcp open ncd-diag
5999/tcp open ncd-conf
6000/tcp open X11
6001/tcp open X11:1
6002/tcp open X11:2
6003/tcp open X11:3
6004/tcp open X11:4
6005/tcp open X11:5
6006/tcp open X11:6
6007/tcp open X11:7
6009/tcp open X11:9
6100/tcp open synchronet-db
6510/tcp open mcer-port
6543/tcp open mythtv
6565/tcp open unknown
6580/tcp open parsec-master
6666/tcp open irc
6789/tcp open ibm-db2-admin
7000/tcp open afs3-fileserver
7001/tcp open afs3-callback
7004/tcp open afs3-kaserver
7443/tcp open oracleas-https
7777/tcp open cbt
7778/tcp open interwise
7999/tcp open irdmi2
8000/tcp open http-alt
8001/tcp open vcom-tunnel
8002/tcp open teradataordbms
8007/tcp open ajp12
8008/tcp open http
8011/tcp open unknown
8021/tcp open ftp-proxy
8022/tcp open oa-system
8031/tcp open unknown
8042/tcp open fs-agent

8080/tcp open http-proxy
8081/tcp open blackice-icecap
8082/tcp open blackice-alerts
8083/tcp open us-srv
8085/tcp open unknown
8086/tcp open d-s-n
8087/tcp open simplifymedia
8088/tcp open radan-http
8089/tcp open unknown
8090/tcp open unknown
8093/tcp open unknown
8099/tcp open unknown
8100/tcp open xprint-server
8181/tcp open intermapper
8200/tcp open trivnet1
8222/tcp open unknown
8402/tcp open abarsd
8443/tcp open https-alt
8873/tcp open dxspider
8888/tcp open sun-answerbook
8899/tcp open ospf-lite
9000/tcp open cslistener
9001/tcp open tor-orport
9002/tcp open dynamid
9003/tcp open unknown
9009/tcp open pichat
9010/tcp open sdr
9040/tcp open tor-trans
9080/tcp open glrpc
9081/tcp open unknown
9090/tcp open zeus-admin
9091/tcp open xmltec-xmlmail
9099/tcp open unknown
9100/tcp open jetdirect
9101/tcp open jetdirect
9102/tcp open jetdirect
9103/tcp open jetdirect
9110/tcp open unknown
9111/tcp open DragonIDSConsole

9200/tcp open wap-wsp
9207/tcp open wap-vcal-s
9220/tcp open unknown
9500/tcp open ismserver
9999/tcp open abyss
10000/tcp open snet-sensor-mgmt
10001/tcp open scp-config
10002/tcp open documentum
10003/tcp open documentum_s
10004/tcp open emcirmirccd
10009/tcp open swdtp-sv
10010/tcp open rxapi
10012/tcp open unknown
10024/tcp open unknown
10025/tcp open unknown
10082/tcp open amandaidx
12174/tcp open unknown
12265/tcp open unknown
12345/tcp open netbus
15002/tcp open onep-tls
16000/tcp open fmsas
16001/tcp open fmsascon
18040/tcp open unknown
20000/tcp open dnp
50000/tcp open ibm-db2
55055/tcp open unknown
60443/tcp open unknown

<http://www.mofa.go.jp/>

Server: Apache

IP: 104.86.110.32

25/tcp open smtp

53/tcp closed domain

80/tcp open http

110/tcp open pop3

119/tcp open nntp

143/tcp open imap

443/tcp open https

465/tcp open smtps

563/tcp open snews
587/tcp open submission
993/tcp open imaps
995/tcp open pop3s

<http://www.env.go.jp/>

Server: Apache
IP: 151.101.18.2
25/tcp open smtp
53/tcp closed domain
80/tcp open http
110/tcp open pop3
143/tcp open imap
443/tcp open https
465/tcp open smtps
563/tcp open snews
587/tcp open submission
993/tcp open imaps
995/tcp open pop3s

<http://www.stat.go.jp/>

Server: Apache
IP: 210.232.13.117
25/tcp open smtp
53/tcp closed domain
80/tcp open http
110/tcp open pop3
143/tcp open imap
465/tcp open smtps
563/tcp open snews
587/tcp open submission
993/tcp open imaps
995/tcp open pop3s

<http://www.cao.go.jp/>

Server: nginx
IP: 160.13.185.53
25/tcp open smtp
53/tcp closed domain

80/tcp open http
110/tcp open pop3
119/tcp open nntp
143/tcp open imap
443/tcp closed https
465/tcp open smtps
554/tcp closed rtsp
563/tcp open snews
587/tcp open submission
993/tcp open imaps
995/tcp open pop3s
1755/tcp closed wms
1935/tcp closed rtmp

<http://www.fsa.go.jp/>

Server: nginx

IP: 151.101.61.14

25/tcp open smtp
53/tcp closed domain
80/tcp open http
110/tcp open pop3
119/tcp open nntp
143/tcp open imap
443/tcp open https
465/tcp open smtps
587/tcp open submission
993/tcp open imaps
995/tcp open pop3s

<http://www.npa.go.jp/>

Server: nginx

203.180.216.227

25/tcp open smtp
53/tcp closed domain
80/tcp open http
110/tcp open pop3
119/tcp open nntp
143/tcp open imap
443/tcp open https

465/tcp open smtps
563/tcp open snews
587/tcp open submission
993/tcp open imaps
995/tcp open pop3s

<http://www.moj.go.jp/>

Server: Apache

IP: 101.110.15.201

25/tcp open smtp
53/tcp closed domain
80/tcp open http
110/tcp open pop3
143/tcp open imap
443/tcp open https
465/tcp open smtps
563/tcp open snews
587/tcp open submission
993/tcp open imaps
995/tcp open pop3s

<http://www.mext.go.jp/>

Server: Apache

IP: 202.232.190.211

25/tcp open smtp
53/tcp closed domain
80/tcp open http
110/tcp open pop3
119/tcp open nntp
143/tcp open imap
465/tcp open smtps
563/tcp open snews
587/tcp open submission
993/tcp open imaps
995/tcp open pop3s

<http://www.courts.go.jp/>

Server: Apache

IP: 210.144.14.11

25/tcp open smtp

53/tcp closed domain

80/tcp open http

110/tcp open pop3

143/tcp open imap

563/tcp open snews

587/tcp open submission

993/tcp open imaps

995/tcp open pop3s

<https://en.visitwakayama.jp/>

Server: nginx

IP: 54.254.148.79

25/tcp open smtp

53/tcp closed domain

80/tcp open http

110/tcp open pop3

119/tcp open nntp

143/tcp open imap

465/tcp open smtps

563/tcp open snews

587/tcp open submission

993/tcp open imaps

995/tcp open pop3s

<http://www.police.pref.wakayama.lg.jp/>

Server: nginx

IP: 202.13.225.6

25/tcp open smtp

53/tcp closed domain

80/tcp open http

110/tcp open pop3

143/tcp open imap

465/tcp open smtps

563/tcp open snews

587/tcp open submission

993/tcp open imaps

995/tcp open pop3s

<http://www.nankai-ferry.co.jp/>

Server: Apache

IP: 60.43.229.52

21/tcp open ftp

25/tcp open smtp

53/tcp closed domain

80/tcp open http

110/tcp open pop3

119/tcp open nntp

143/tcp open imap

443/tcp open https

465/tcp open smtps

563/tcp open snews

587/tcp open submission

993/tcp open imaps

995/tcp open pop3s

3306/tcp closed mysql

<http://www.wakayamabus.co.jp/>

Server: Apache

IP: 160.16.79.143

20/tcp closed ftp-data

21/tcp open ftp

25/tcp open smtp

53/tcp closed domain

80/tcp open http

110/tcp open pop3

119/tcp open nntp

143/tcp open imap

443/tcp open https

465/tcp open smtps

563/tcp open snews

587/tcp open submission

993/tcp open imaps

995/tcp open pop3s

50001/tcp closed unknown

50002/tcp closed iiimfs

50003/tcp closed unknown

50006/tcp closed unknown

<http://www.nankai.co.jp/>

IP: 115.127.226.208

25/tcp open smtp

80/tcp open http

110/tcp open pop3

119/tcp open nntp

139/tcp filtered netbios-ssn

143/tcp open imap

443/tcp open https

444/tcp open snpp

445/tcp filtered microsoft-ds

465/tcp open smtps

514/tcp filtered shell

563/tcp open snews

587/tcp open submission

993/tcp open imaps

995/tcp open pop3s

2103/tcp open zephyr-clt

2105/tcp open eklogin

5100/tcp open admd

7777/tcp open cbt

8000/tcp open http-alt

8080/tcp open http-proxy

8081/tcp open blackice-icecap

8090/tcp open unknown

8443/tcp open https-alt

10010/tcp open rxapi

14000/tcp open scotty-ft

<http://www.nhk.or.jp/>

IP: 23.40.97.61

25/tcp open smtp

53/tcp closed domain

80/tcp open http

110/tcp open pop3

119/tcp open nntp

143/tcp open imap
443/tcp open https
563/tcp open snews
587/tcp open submission
993/tcp open imaps
995/tcp open pop3s

<http://www.kyokuyo.co.jp/>

Server: Apache

IP: 54.65.20.156

25/tcp open smtp
53/tcp closed domain
80/tcp open http
110/tcp open pop3
143/tcp open imap
443/tcp open https
563/tcp open snews
587/tcp open submission
993/tcp open imaps
995/tcp open pop3s

<http://www.maff.go.jp/>

Server: Apache

IP: 104.86.110.32

25/tcp open smtp
53/tcp closed domain
80/tcp open http
110/tcp open pop3
119/tcp open nntp
143/tcp open imap
443/tcp open https
465/tcp open smtps
563/tcp open snews
587/tcp open submission
993/tcp open imaps
995/tcp open pop3s

<http://www.tsukiji-market.or.jp/>

Server: Apache
IP: 122.28.37.61
21/tcp open ftp
25/tcp open smtp
53/tcp closed domain
80/tcp open http
110/tcp open pop3
119/tcp open nntp
143/tcp open imap
443/tcp open https
465/tcp open smtps
587/tcp open submission
993/tcp open imaps
995/tcp open pop3s
3306/tcp closed mysql

<http://www.town.koya.wakayama.jp/>

Server: Apache
IP: 218.45.5.97
25/tcp open smtp
53/tcp closed domain
80/tcp open http
110/tcp open pop3
113/tcp closed ident
119/tcp open nntp
143/tcp open imap
443/tcp open https
465/tcp open smtps
563/tcp open snews
587/tcp open submission
993/tcp open imaps
995/tcp open pop3s

<http://www.town.kudoyama.wakayama.jp/>

Server: Apache/2.4.6 (CentOS) OpenSSL/1.0.1e-fips
IP: 218.45.5.91
25/tcp open smtp
53/tcp closed domain
80/tcp open http

110/tcp open pop3
113/tcp closed ident
119/tcp open nntp
143/tcp open imap
443/tcp open https
465/tcp open smtps
587/tcp open submission
993/tcp open imaps
995/tcp open pop3s

<http://www.town.katsuragi.wakayama.jp/>

Server: Microsoft-IIS/8.0

IP: 59.190.128.68

25/tcp open smtp
53/tcp closed domain
80/tcp open http
110/tcp open pop3
119/tcp open nntp
143/tcp open imap
465/tcp open smtps
587/tcp open submission
993/tcp open imaps
995/tcp open pop3s

<http://www.city.hashimoto.wakayama.jp/>

Server: Apache

IP: 210.189.168.50

25/tcp open smtp
53/tcp closed domain
80/tcp open http
110/tcp open pop3
113/tcp closed ident
119/tcp open nntp
143/tcp open imap
443/tcp open https
563/tcp open snews
587/tcp open submission

993/tcp open imaps

995/tcp open pop3s

<http://www.city.kinokawa.lg.jp/>

Server: Apache

IP: 119.10.161.142

25/tcp open smtp

53/tcp closed domain

80/tcp open http

110/tcp open pop3

119/tcp open nntp

143/tcp open imap

443/tcp closed https

563/tcp open snews

587/tcp open submission

993/tcp open imaps

995/tcp open pop3s

<http://www.city.iwade.lg.jp/>

Server: Apache/2.4.6 (CentOS) OpenSSL/1.0.1e-fips

IP: 27.116.29.153

25/tcp open smtp

53/tcp closed domain

80/tcp open http

110/tcp open pop3

119/tcp open nntp

143/tcp open imap

443/tcp open https

587/tcp open submission

993/tcp open imaps

995/tcp open pop3s

<http://www.town.kimino.wakayama.jp/>

Server: nginx

IP: 210.189.174.78

21/tcp open ftp

25/tcp open smtp

53/tcp closed domain

80/tcp open http
110/tcp open pop3
113/tcp closed ident
119/tcp open nntp
143/tcp open imap
443/tcp open https
465/tcp open smtps
563/tcp open snews
587/tcp open submission
993/tcp open imaps
995/tcp open pop3s
8008/tcp open http

<http://www.westjr.co.jp/>

Server: Apache

IP: 104.105.59.192

25/tcp open smtp
53/tcp closed domain
80/tcp open http
110/tcp open pop3
119/tcp open nntp
143/tcp open imap
443/tcp open https
563/tcp open snews
587/tcp open submission
993/tcp open imaps
995/tcp open pop3s

<http://www.kazuho.jp/>

Server: Apache/2.2.6 (Turbolinux)

IP: 210.188.229.9

21/tcp open ftp
22/tcp open ssh
23/tcp filtered telnet
25/tcp open smtp
80/tcp open http
81/tcp open hosts2-ns
110/tcp open pop3

119/tcp open nntp
139/tcp filtered netbios-ssn
143/tcp open imap
444/tcp open snpp
445/tcp filtered microsoft-ds
465/tcp open smtps
514/tcp filtered shell
563/tcp open snews
587/tcp open submission
993/tcp open imaps
995/tcp open pop3s
1433/tcp filtered ms-sql-s
3306/tcp open mysql
3389/tcp filtered ms-wbt-server
8009/tcp open ajp13

<http://www.hakugei-taiji.com/>

Server: Apache/2.4.29

IP: 59.106.13.170

<https://tokyo2020.jp/en/>

IP: 23.214.64.120

25/tcp open smtp
53/tcp closed domain
80/tcp open http
110/tcp open pop3
119/tcp open nntp
143/tcp open imap
443/tcp open https
465/tcp open smtps
587/tcp open submission
993/tcp open imaps
995/tcp open pop3s

<https://www.dolphinresort2.net/>

Server: nginx

IP: 54.72.127.66

25/tcp open smtp

80/tcp open http

110/tcp open pop3
119/tcp open nntp
139/tcp filtered netbios-ssn
143/tcp open imap
443/tcp open https
445/tcp filtered microsoft-ds
465/tcp open smtps
514/tcp filtered shell
563/tcp open snews
587/tcp open submission
993/tcp open imaps
995/tcp open pop3s

<http://www.kaiyukan.com/>

Server: Apache

IP: 210.252.69.98

6/tcp filtered unknown
17/tcp filtered qotd
21/tcp open ftp
23/tcp filtered telnet
25/tcp open smtp
70/tcp filtered gopher
80/tcp open http
83/tcp filtered mit-ml-dev
88/tcp filtered kerberos-sec
110/tcp open pop3
111/tcp filtered rpcbind
113/tcp filtered ident
119/tcp open nntp
135/tcp filtered msrpc
139/tcp filtered netbios-ssn
143/tcp open imap
161/tcp filtered snmp
199/tcp filtered smux
222/tcp filtered rsh-spx
256/tcp filtered fw1-secureremote
280/tcp filtered http-mgmt
443/tcp open https
445/tcp filtered microsoft-ds

465/tcp open smtps

481/tcp filtered dvs

512/tcp filtered exec

514/tcp filtered shell

543/tcp filtered klogin

554/tcp filtered rtsp

563/tcp open snews

587/tcp open submission

993/tcp open imaps

995/tcp open pop3s

<http://worldranch.co.jp/>

Server: Apache/2.2.15 (CentOS)

IP: 60.43.151.164

21/tcp open ftp

25/tcp open smtp

80/tcp open http

110/tcp open pop3

119/tcp open nntp

143/tcp open imap

443/tcp open https

465/tcp open smtps

563/tcp open snews

587/tcp open submission

993/tcp open imaps

995/tcp open pop3s

8400/tcp open cvd

8402/tcp open abarsd