



```
==29474== Memcheck, a memory error detector
==29474== Copyright (C) 2002-2012, and GNU GPL'd, by Julian Seward et al.
==29474== Using Valgrind-3.8.1 and LibVEX; rerun with -h for copyright info
==29474== Command: texlua luaotfload-tool.lua
==29474==
--29474-- Valgrind options:
--29474--   -v
--29474--   --leak-check=full
--29474-- Contents of /proc/version:
--29474--   Linux version 3.7.9-1-ARCH (nobody@foutrelis) (gcc version 4.7.2 (GCC) ) #1
SMP PREEMPT Mon Feb 18 02:13:30 EET 2013
--29474-- Arch and hwcaps: AMD64, amd64-sse3-cx16
--29474-- Page sizes: currently 4096, max supported 4096
--29474-- Valgrind library directory: /usr/lib/valgrind
--29474-- Reading syms from /home/texlive2013/bin/x86_64-linux/luatex
--29474-- Reading syms from /usr/lib/ld-2.17.so
--29474-- Reading syms from /usr/lib/valgrind/memcheck-amd64-linux
--29474--   object doesn't have a symbol table
--29474--   object doesn't have a dynamic symbol table
--29474-- Scheduler: using generic scheduler lock implementation.
--29474-- Reading suppressions file: /usr/lib/valgrind/default.supp
==29474== embedded gdbserver: reading from /tmp/vgdb-pipe-from-vgdb-to-29474-by-arno-
on-???
==29474== embedded gdbserver: writing to   /tmp/vgdb-pipe-to-vgdb-from-29474-by-arno-
on-???
==29474== embedded gdbserver: shared mem   /tmp/vgdb-pipe-shared-mem-vgdb-29474-by-
arno-on-???
==29474==
==29474== TO CONTROL THIS PROCESS USING vgdb (which you probably
==29474== don't want to do, unless you know exactly what you're doing,
==29474== or are doing some strange experiment):
==29474==   /usr/lib/valgrind/../../bin/vgdb --pid=29474 ...command...
==29474==
==29474== TO DEBUG THIS PROCESS USING GDB: start GDB like this
==29474==   /path/to/gdb texlua
==29474== and then give GDB the following command
```

```
==29474== target remote | /usr/lib/valgrind/../../bin/vgdb --pid=29474
==29474== --pid is optional if only one valgrind process is running
==29474==
--29474-- REDIR: 0x4017810 (strlen) redirected to 0x3806c651 (???)
--29474-- Reading syms from /usr/lib/valgrind/vgpreload_core-amd64-linux.so
--29474-- object doesn't have a symbol table
--29474-- Reading syms from /usr/lib/valgrind/vgpreload_memcheck-amd64-linux.so
--29474-- object doesn't have a symbol table
--29474-- REDIR: 0x4017680 (index) redirected to 0x4c2c710 (index)
--29474-- REDIR: 0x4017700 (strcmp) redirected to 0x4c2d720 (strcmp)
--29474-- Reading syms from /usr/lib/libdl-2.17.so
--29474-- object doesn't have a symbol table
--29474-- Reading syms from /usr/lib/libm-2.17.so
--29474-- object doesn't have a symbol table
--29474-- Reading syms from /usr/lib/libc-2.17.so
--29474-- REDIR: 0x53bce80 (strcasecmp) redirected to 0x4a24720 (_vgnU_ifunc_wrapper)
--29474-- REDIR: 0x53b9240 (strnlen) redirected to 0x4a24720 (_vgnU_ifunc_wrapper)
--29474-- REDIR: 0x53bf150 (strncasecmp) redirected to 0x4a24720 (_vgnU_ifunc_wrapper)
--29474-- REDIR: 0x53bbc90 (memset) redirected to 0x4a24720 (_vgnU_ifunc_wrapper)
--29474-- REDIR: 0x53bbc40 (memcpy@GLIBC_2.2.5) redirected to 0x4a24720
(_vgnU_ifunc_wrapper)
--29474-- REDIR: 0x53bac30 (__GI_strchr) redirected to 0x4c2c530 (__GI_strchr)
--29474-- REDIR: 0x53c2e60 (strchrnul) redirected to 0x4c2f0a0 (strchrnul)
--29474-- REDIR: 0x53b3530 (free) redirected to 0x4c2acd0 (free)
--29474-- REDIR: 0x53b9110 (strlen) redirected to 0x4a24720 (_vgnU_ifunc_wrapper)
--29474-- REDIR: 0x5484a90 (__strlen_sse2_pminub) redirected to 0x4c2ca70 (strlen)
--29474-- REDIR: 0x53b3110 (malloc) redirected to 0x4c2bfe0 (malloc)
--29474-- REDIR: 0x53b8ab0 (strcpy) redirected to 0x4a24720 (_vgnU_ifunc_wrapper)
--29474-- REDIR: 0x53c6b30 (__strcpy_sse2_unaligned) redirected to 0x4c2cab0 (strcpy)
--29474-- REDIR: 0x53b7560 (index) redirected to 0x4a24720 (_vgnU_ifunc_wrapper)
--29474-- REDIR: 0x54551a0 (__strchr_sse42) redirected to 0x4c2c5d0 (index)
--29474-- REDIR: 0x53b7620 (strcmp) redirected to 0x4a24720 (_vgnU_ifunc_wrapper)
--29474-- REDIR: 0x5455250 (__strcmp_sse42) redirected to 0x4c2d680 (strcmp)
--29474-- REDIR: 0x53d0530 (strstr) redirected to 0x4a24720 (_vgnU_ifunc_wrapper)
--29474-- REDIR: 0x5457180 (__strstr_sse42) redirected to 0x4c2f4a0 (strstr)
--29474-- REDIR: 0x53b9160 (__GI_strlen) redirected to 0x4c2ca90 (__GI_strlen)
--29474-- REDIR: 0x536c530 (putenv) redirected to 0x4c2f760 (putenv)
--29474-- REDIR: 0x53b75a0 (__GI_strchr) redirected to 0x4c2c610 (__GI_strchr)
--29474-- REDIR: 0x53b9270 (__GI_strnlen) redirected to 0x4c2ca40 (__GI_strnlen)
```

--29474-- REDIR: 0x53b9360 (__GI_strncmp) redirected to 0x4c2cf60 (__GI_strncmp)
--29474-- REDIR: 0x53b35c0 (realloc) redirected to 0x4c2c1e0 (realloc)
--29474-- REDIR: 0xffffffff600400 (???) redirected to 0x3806c63d (???)
--29474-- REDIR: 0x53c1830 (memcpy@@GLIBC_2.14) redirected to 0x4a24720
(_vgnU_ifunc_wrapper)
--29474-- REDIR: 0x5469e50 (__memcpy_ssse3_back) redirected to 0x4c2da50
(memcpy@@GLIBC_2.14)
--29474-- REDIR: 0x53bb670 (bcmp) redirected to 0x4a24720 (_vgnU_ifunc_wrapper)
--29474-- REDIR: 0x547f3c0 (__memcmp_sse4_1) redirected to 0x4c2e770 (bcmp)
--29474-- REDIR: 0x53bacd0 (strpbrk) redirected to 0x4a24720 (_vgnU_ifunc_wrapper)
--29474-- REDIR: 0x545c300 (__strpbrk_sse42) redirected to 0x4c2f520 (strpbrk)
--29474-- REDIR: 0x53babf0 (rindex) redirected to 0x4a24720 (_vgnU_ifunc_wrapper)
--29474-- REDIR: 0x5456fe0 (__strchr_sse42) redirected to 0x4c2c500 (rindex)
--29474-- REDIR: 0x53b9320 (strncmp) redirected to 0x4a24720 (_vgnU_ifunc_wrapper)
--29474-- REDIR: 0x5456000 (__strncmp_sse42) redirected to 0x4c2cef0 (strncmp)
--29474-- REDIR: 0xffffffff600000 (???) redirected to 0x3806c633 (???)
--29474-- REDIR: 0x53b3a70 (calloc) redirected to 0x4c29e00 (calloc)
--29474-- REDIR: 0x53b7660 (__GI_strcmp) redirected to 0x4c2d6d0 (__GI_strcmp)
--29474-- REDIR: 0x53bcd20 (__GI_stpcpy) redirected to 0x4c2e8e0 (__GI_stpcpy)
--29474-- REDIR: 0x53bbcd0 (__GI_memset) redirected to 0x4c2eb50 (memset)
--29474-- REDIR: 0x5459370 (__strncasecmp_sse42) redirected to 0x4c2d0b0 (strncasecmp)
--29474-- REDIR: 0x54577c0 (__strcasecmp_sse42) redirected to 0x4c2cfd0 (strcasecmp)
--29474-- REDIR: 0x53babb0 (strncpy) redirected to 0x4a24720 (_vgnU_ifunc_wrapper)
--29474-- REDIR: 0x53c7160 (__strncpy_sse2_unaligned) redirected to 0x4c2cc50 (strncpy)
--29474-- REDIR: 0x53b7360 (strcat) redirected to 0x4a24720 (_vgnU_ifunc_wrapper)
--29474-- REDIR: 0x53c9950 (__strcat_sse2_unaligned) redirected to 0x4c2c750 (strcat)
--29474-- REDIR: 0x53bb320 (memchr) redirected to 0x4c2d7c0 (memchr)
--29474-- REDIR: 0x53b8af0 (__GI_strcpy) redirected to 0x4c2cb80 (__GI_strcpy)
--29474-- REDIR: 0x53bf1b0 (__GI__strncasecmp_l) redirected to 0x4c2d590
(__GI__strncasecmp_l)
==29474==
==29474== HEAP SUMMARY:
==29474== in use at exit: 5,539,196 bytes in 258,030 blocks
==29474== total heap usage: 433,313 allocs, 175,283 frees, 21,183,693 bytes allocated
==29474==
==29474== Searching for pointers to 258,030 not-freed blocks
==29474== Checked 8,871,056 bytes
==29474==
==29474== 7 bytes in 1 blocks are definitely lost in loss record 10 of 116

```
==29474== at 0x4C2C04B: malloc (in /usr/lib/valgrind/vgpreload_memcheck-amd64-
linux.so)
==29474== by 0xB1C7C1: xmalloc (xmalloc.c:25)
==29474== by 0xB1CB6B: xstrdup (xstrdup.c:27)
==29474== by 0x47F1CA: cleaned_invocation_name (luainit.w:484)
==29474== by 0x47FB87: lua_initialize (luainit.w:789)
==29474== by 0x473CEF: main (luatex.c:469)
==29474==
==29474== 9 (8 direct, 1 indirect) bytes in 1 blocks are definitely lost in loss record 15 of 116
==29474== at 0x4C2C04B: malloc (in /usr/lib/valgrind/vgpreload_memcheck-amd64-
linux.so)
==29474== by 0xB1C7C1: xmalloc (xmalloc.c:25)
==29474== by 0xB1CAE6: xrealloc (xrealloc.c:29)
==29474== by 0xB19A2D: str_list_add (str-list.c:31)
==29474== by 0xB15E21: expand_append (expand.c:309)
==29474== by 0xB15F49: brace_expand (expand.c:330)
==29474== by 0xB158EB: kpathsea_brace_expand_element (expand.c:126)
==29474== by 0xB15ACE: kpathsea_brace_expand (expand.c:177)
==29474== by 0xB0E376: init_path (tex-file.c:324)
==29474== by 0xB0F2AA: kpathsea_init_format (tex-file.c:556)
==29474== by 0xB13781: read_all_cnf (cnf.c:172)
==29474== by 0xB13B02: kpathsea_cnf_get (cnf.c:245)
==29474==
==29474== 9 (8 direct, 1 indirect) bytes in 1 blocks are definitely lost in loss record 16 of 116
==29474== at 0x4C2C04B: malloc (in /usr/lib/valgrind/vgpreload_memcheck-amd64-
linux.so)
==29474== by 0xB1C7C1: xmalloc (xmalloc.c:25)
==29474== by 0xB1CAE6: xrealloc (xrealloc.c:29)
==29474== by 0xB19A2D: str_list_add (str-list.c:31)
==29474== by 0xB15E21: expand_append (expand.c:309)
==29474== by 0xB160AB: brace_expand (expand.c:350)
==29474== by 0xB158EB: kpathsea_brace_expand_element (expand.c:126)
==29474== by 0xB15ACE: kpathsea_brace_expand (expand.c:177)
==29474== by 0xB0E376: init_path (tex-file.c:324)
==29474== by 0xB0F2AA: kpathsea_init_format (tex-file.c:556)
==29474== by 0xB13781: read_all_cnf (cnf.c:172)
==29474== by 0xB13B02: kpathsea_cnf_get (cnf.c:245)
==29474==
==29474== 9 bytes in 1 blocks are definitely lost in loss record 17 of 116
```

```
==29474== at 0x4C2C04B: malloc (in /usr/lib/valgrind/vgpreload_memcheck-amd64-
linux.so)
==29474== by 0xB1C7C1: xmalloc (xmalloc.c:25)
==29474== by 0xB1CB6B: xstrdup (xstrdup.c:27)
==29474== by 0xB0E9FD: concatn_with_spaces (tex-file.c:480)
==29474== by 0xB0F2BE: kpathsea_init_format (tex-file.c:556)
==29474== by 0xB13781: read_all_cnf (cnf.c:172)
==29474== by 0xB13B02: kpathsea_cnf_get (cnf.c:245)
==29474== by 0xB0DFF5: init_path (tex-file.c:286)
==29474== by 0xB111B4: kpathsea_init_format (tex-file.c:777)
==29474== by 0xB12499: kpathsea_find_file_generic (tex-file.c:1018)
==29474== by 0xB12374: kpathsea_find_file (tex-file.c:976)
==29474== by 0xB123C0: kpse_find_file (tex-file.c:988)
==29474==
==29474== 9 (8 direct, 1 indirect) bytes in 1 blocks are definitely lost in loss record 18 of 116
==29474== at 0x4C2C04B: malloc (in /usr/lib/valgrind/vgpreload_memcheck-amd64-
linux.so)
==29474== by 0xB1C7C1: xmalloc (xmalloc.c:25)
==29474== by 0xB1CAE6: xrealloc (xrealloc.c:29)
==29474== by 0xB19A2D: str_list_add (str-list.c:31)
==29474== by 0xB15E21: expand_append (expand.c:309)
==29474== by 0xB15F49: brace_expand (expand.c:330)
==29474== by 0xB158EB: kpathsea_brace_expand_element (expand.c:126)
==29474== by 0xB15ACE: kpathsea_brace_expand (expand.c:177)
==29474== by 0xB0E376: init_path (tex-file.c:324)
==29474== by 0xB0F342: kpathsea_init_format (tex-file.c:560)
==29474== by 0xB148AA: kpathsea_init_db (db.c:390)
==29474== by 0xB13B19: kpathsea_cnf_get (cnf.c:251)
==29474==
==29474== 9 (8 direct, 1 indirect) bytes in 1 blocks are definitely lost in loss record 19 of 116
==29474== at 0x4C2C04B: malloc (in /usr/lib/valgrind/vgpreload_memcheck-amd64-
linux.so)
==29474== by 0xB1C7C1: xmalloc (xmalloc.c:25)
==29474== by 0xB1CAE6: xrealloc (xrealloc.c:29)
==29474== by 0xB19A2D: str_list_add (str-list.c:31)
==29474== by 0xB15E21: expand_append (expand.c:309)
==29474== by 0xB160AB: brace_expand (expand.c:350)
==29474== by 0xB158EB: kpathsea_brace_expand_element (expand.c:126)
==29474== by 0xB15ACE: kpathsea_brace_expand (expand.c:177)
```

==29474== by 0xB0E376: init_path (tex-file.c:324)
==29474== by 0xB0F342: kpathsea_init_format (tex-file.c:560)
==29474== by 0xB148AA: kpathsea_init_db (db.c:390)
==29474== by 0xB13B19: kpathsea_cnf_get (cnf.c:251)
==29474==
==29474== 9 bytes in 1 blocks are definitely lost in loss record 20 of 116
==29474== at 0x4C2C04B: malloc (in /usr/lib/valgrind/vgpreload_memcheck-amd64-linux.so)
==29474== by 0xB1C7C1: xmalloc (xmalloc.c:25)
==29474== by 0xB1CB6B: xstrdup (xstrdup.c:27)
==29474== by 0xB0E9FD: concatn_with_spaces (tex-file.c:480)
==29474== by 0xB0F356: kpathsea_init_format (tex-file.c:560)
==29474== by 0xB148AA: kpathsea_init_db (db.c:390)
==29474== by 0xB13B19: kpathsea_cnf_get (cnf.c:251)
==29474== by 0xB0DFF5: init_path (tex-file.c:286)
==29474== by 0xB111B4: kpathsea_init_format (tex-file.c:777)
==29474== by 0xB12499: kpathsea_find_file_generic (tex-file.c:1018)
==29474== by 0xB12374: kpathsea_find_file (tex-file.c:976)
==29474== by 0xB123C0: kpse_find_file (tex-file.c:988)
==29474==
==29474== 10 bytes in 1 blocks are definitely lost in loss record 23 of 116
==29474== at 0x4C2C04B: malloc (in /usr/lib/valgrind/vgpreload_memcheck-amd64-linux.so)
==29474== by 0xB1C7C1: xmalloc (xmalloc.c:25)
==29474== by 0xB1CB6B: xstrdup (xstrdup.c:27)
==29474== by 0xB0E9FD: concatn_with_spaces (tex-file.c:480)
==29474== by 0xB111C8: kpathsea_init_format (tex-file.c:777)
==29474== by 0xB12499: kpathsea_find_file_generic (tex-file.c:1018)
==29474== by 0xB12374: kpathsea_find_file (tex-file.c:976)
==29474== by 0xB123C0: kpse_find_file (tex-file.c:988)
==29474== by 0x4F062B: find_file (lkpselib.c:201)
==29474== by 0x6CE188: luaD_precall (ldo.c:317)
==29474== by 0x6E562A: luaV_execute (lvm.c:710)
==29474== by 0x6CE5C0: luaD_call (ldo.c:393)
==29474==
==29474== 16 bytes in 1 blocks are definitely lost in loss record 27 of 116
==29474== at 0x4C2C04B: malloc (in /usr/lib/valgrind/vgpreload_memcheck-amd64-linux.so)
==29474== by 0xB1C7C1: xmalloc (xmalloc.c:25)

```
==29474== by 0xB1832E: kpathsea_path_search_list_generic (pathsearch.c:508)
==29474== by 0xB128A0: kpathsea_find_file_generic (tex-file.c:1083)
==29474== by 0xB12374: kpathsea_find_file (tex-file.c:976)
==29474== by 0xB123C0: kpse_find_file (tex-file.c:988)
==29474== by 0x4F062B: find_file (lkpselib.c:201)
==29474== by 0x6CE188: luaD_precall (ldo.c:317)
==29474== by 0x6E562A: luaV_execute (lvm.c:710)
==29474== by 0x6CE5C0: luaD_call (ldo.c:393)
==29474== by 0x6C5B67: f_call (lapi.c:920)
==29474== by 0x6CD7D0: luaD_rawrunprotected (ldo.c:131)
==29474==
==29474== 30 bytes in 1 blocks are definitely lost in loss record 37 of 116
==29474== at 0x4C2C04B: malloc (in /usr/lib/valgrind/vgpreload_memcheck-amd64-
linux.so)
==29474== by 0xB1C7C1: xmalloc (xmalloc.c:25)
==29474== by 0xB1CB6B: xstrdup (xstrdup.c:27)
==29474== by 0xB19BEB: str_list_concat_elements (str-list.c:76)
==29474== by 0xB15E36: expand_append (expand.c:310)
==29474== by 0xB160AB: brace_expand (expand.c:350)
==29474== by 0xB15F68: brace_expand (expand.c:332)
==29474== by 0xB158EB: kpathsea_brace_expand_element (expand.c:126)
==29474== by 0xB15ACE: kpathsea_brace_expand (expand.c:177)
==29474== by 0xB0E376: init_path (tex-file.c:324)
==29474== by 0xB0F2AA: kpathsea_init_format (tex-file.c:556)
==29474== by 0xB13781: read_all_cnf (cnf.c:172)
==29474==
==29474== 31 bytes in 1 blocks are definitely lost in loss record 40 of 116
==29474== at 0x4C2C04B: malloc (in /usr/lib/valgrind/vgpreload_memcheck-amd64-
linux.so)
==29474== by 0xB1C7C1: xmalloc (xmalloc.c:25)
==29474== by 0xB1CB6B: xstrdup (xstrdup.c:27)
==29474== by 0xB19BEB: str_list_concat_elements (str-list.c:76)
==29474== by 0xB15E36: expand_append (expand.c:310)
==29474== by 0xB160AB: brace_expand (expand.c:350)
==29474== by 0xB15F68: brace_expand (expand.c:332)
==29474== by 0xB158EB: kpathsea_brace_expand_element (expand.c:126)
==29474== by 0xB15ACE: kpathsea_brace_expand (expand.c:177)
==29474== by 0xB0E376: init_path (tex-file.c:324)
==29474== by 0xB0F342: kpathsea_init_format (tex-file.c:560)
```

==29474== by 0xB148AA: kpathsea_init_db (db.c:390)

==29474==

==29474== 32 bytes in 1 blocks are definitely lost in loss record 45 of 116

==29474== at 0x4C2C25E: realloc (in /usr/lib/valgrind/vgpreload_memcheck-amd64-linux.so)

==29474== by 0xB1CB0D: xrealloc (xrealloc.c:31)

==29474== by 0xB19B1A: str_list_concat (str-list.c:54)

==29474== by 0xB1839A: kpathsea_path_search_list_generic (pathsearch.c:516)

==29474== by 0xB148CE: kpathsea_init_db (db.c:391)

==29474== by 0xB13B19: kpathsea_cnf_get (cnf.c:251)

==29474== by 0xB0DFF5: init_path (tex-file.c:286)

==29474== by 0xB111B4: kpathsea_init_format (tex-file.c:777)

==29474== by 0xB12499: kpathsea_find_file_generic (tex-file.c:1018)

==29474== by 0xB12374: kpathsea_find_file (tex-file.c:976)

==29474== by 0xB123C0: kpse_find_file (tex-file.c:988)

==29474== by 0x4F062B: find_file (lkpselib.c:201)

==29474==

==29474== 32 (24 direct, 8 indirect) bytes in 3 blocks are definitely lost in loss record 46 of 116

==29474== at 0x4C2C04B: malloc (in /usr/lib/valgrind/vgpreload_memcheck-amd64-linux.so)

==29474== by 0xB1C7C1: xmalloc (xmalloc.c:25)

==29474== by 0xB1CAE6: xrealloc (xrealloc.c:29)

==29474== by 0xB19A2D: str_list_add (str-list.c:31)

==29474== by 0xB15E21: expand_append (expand.c:309)

==29474== by 0xB160AB: brace_expand (expand.c:350)

==29474== by 0xB158EB: kpathsea_brace_expand_element (expand.c:126)

==29474== by 0xB15ACE: kpathsea_brace_expand (expand.c:177)

==29474== by 0xB0E376: init_path (tex-file.c:324)

==29474== by 0xB111B4: kpathsea_init_format (tex-file.c:777)

==29474== by 0xB12499: kpathsea_find_file_generic (tex-file.c:1018)

==29474== by 0xB12374: kpathsea_find_file (tex-file.c:976)

==29474==

==29474== 38 (8 direct, 30 indirect) bytes in 1 blocks are definitely lost in loss record 51 of 116

==29474== at 0x4C2C04B: malloc (in /usr/lib/valgrind/vgpreload_memcheck-amd64-linux.so)

==29474== by 0xB1C7C1: xmalloc (xmalloc.c:25)

==29474== by 0xB1CAE6: xrealloc (xrealloc.c:29)


```
==29474== by 0xB19A2D: str_list_add (str-list.c:31)
==29474== by 0xB15E21: expand_append (expand.c:309)
==29474== by 0xB160AB: brace_expand (expand.c:350)
==29474== by 0xB15F68: brace_expand (expand.c:332)
==29474== by 0xB158EB: kpathsea_brace_expand_element (expand.c:126)
==29474== by 0xB15ACE: kpathsea_brace_expand (expand.c:177)
==29474== by 0xB0E376: init_path (tex-file.c:324)
==29474== by 0xB0F2AA: kpathsea_init_format (tex-file.c:556)
==29474== by 0xB13781: read_all_cnf (cnf.c:172)
==29474==
==29474== 39 (8 direct, 31 indirect) bytes in 1 blocks are definitely lost in loss record 53 of
116
==29474== at 0x4C2C04B: malloc (in /usr/lib/valgrind/vgpreload_memcheck-amd64-
linux.so)
==29474== by 0xB1C7C1: xmalloc (xmalloc.c:25)
==29474== by 0xB1CAE6: xrealloc (xrealloc.c:29)
==29474== by 0xB19A2D: str_list_add (str-list.c:31)
==29474== by 0xB15E21: expand_append (expand.c:309)
==29474== by 0xB160AB: brace_expand (expand.c:350)
==29474== by 0xB15F68: brace_expand (expand.c:332)
==29474== by 0xB158EB: kpathsea_brace_expand_element (expand.c:126)
==29474== by 0xB15ACE: kpathsea_brace_expand (expand.c:177)
==29474== by 0xB0E376: init_path (tex-file.c:324)
==29474== by 0xB0F342: kpathsea_init_format (tex-file.c:560)
==29474== by 0xB148AA: kpathsea_init_db (db.c:390)
==29474==
==29474== 48 bytes in 3 blocks are definitely lost in loss record 56 of 116
==29474== at 0x4C2C04B: malloc (in /usr/lib/valgrind/vgpreload_memcheck-amd64-
linux.so)
==29474== by 0xB1C7C1: xmalloc (xmalloc.c:25)
==29474== by 0xB1832E: kpathsea_path_search_list_generic (pathsearch.c:508)
==29474== by 0xB128A0: kpathsea_find_file_generic (tex-file.c:1083)
==29474== by 0xB12374: kpathsea_find_file (tex-file.c:976)
==29474== by 0xB123C0: kpse_find_file (tex-file.c:988)
==29474== by 0x4F062B: find_file (lkpselib.c:201)
==29474== by 0x6CE188: luaD_precall (ldo.c:317)
==29474== by 0x6E562A: luaV_execute (lvm.c:710)
==29474== by 0x6CE5C0: luaD_call (ldo.c:393)
==29474== by 0x6C5AFB: lua_callk (lapi.c:902)
```

==29474== by 0x6D4AE0: ll_require (loadlib.c:520)

==29474==

==29474== 48 bytes in 3 blocks are definitely lost in loss record 57 of 116

==29474== at 0x4C2C04B: malloc (in /usr/lib/valgrind/vgpreload_memcheck-amd64-linux.so)

==29474== by 0xB1C7C1: xmalloc (xmalloc.c:25)

==29474== by 0xB1832E: kpathsea_path_search_list_generic (pathsearch.c:508)

==29474== by 0xB128A0: kpathsea_find_file_generic (tex-file.c:1083)

==29474== by 0xB12374: kpathsea_find_file (tex-file.c:976)

==29474== by 0xB123C0: kpse_find_file (tex-file.c:988)

==29474== by 0x4F062B: find_file (lkpselib.c:201)

==29474== by 0x6CE188: luaD_precall (ldo.c:317)

==29474== by 0x6E562A: luaV_execute (lvm.c:710)

==29474== by 0x6CE5C0: luaD_call (ldo.c:393)

==29474== by 0x6C5AFB: lua_callk (lapi.c:902)

==29474== by 0x4807BF: luatex_dofile (luastuff.w:171)

==29474==

==29474== 60 (40 direct, 20 indirect) bytes in 5 blocks are definitely lost in loss record 58 of 116

==29474== at 0x4C2C04B: malloc (in /usr/lib/valgrind/vgpreload_memcheck-amd64-linux.so)

==29474== by 0xB1C7C1: xmalloc (xmalloc.c:25)

==29474== by 0xB1CAE6: xrealloc (xrealloc.c:29)

==29474== by 0xB19A2D: str_list_add (str-list.c:31)

==29474== by 0xB15E21: expand_append (expand.c:309)

==29474== by 0xB15F49: brace_expand (expand.c:330)

==29474== by 0xB158EB: kpathsea_brace_expand_element (expand.c:126)

==29474== by 0xB15ACE: kpathsea_brace_expand (expand.c:177)

==29474== by 0xB0E376: init_path (tex-file.c:324)

==29474== by 0xB111B4: kpathsea_init_format (tex-file.c:777)

==29474== by 0xB12499: kpathsea_find_file_generic (tex-file.c:1018)

==29474== by 0xB12374: kpathsea_find_file (tex-file.c:976)

==29474==

==29474== 63 bytes in 1 blocks are definitely lost in loss record 60 of 116

==29474== at 0x4C2C04B: malloc (in /usr/lib/valgrind/vgpreload_memcheck-amd64-linux.so)

==29474== by 0xB1C7C1: xmalloc (xmalloc.c:25)

==29474== by 0xB13D0E: concat3 (concat3.c:26)

==29474== by 0xB15AEA: kpathsea_brace_expand (expand.c:178)

```
==29474== by 0xB15BF3: kpathsea_path_expand (expand.c:238)
==29474== by 0xB15D8C: kpse_path_expand (expand.c:293)
==29474== by 0x4F09C0: expand_path (lkpselib.c:276)
==29474== by 0x6CE188: luaD_precall (ldo.c:317)
==29474== by 0x6E562A: luaV_execute (lvm.c:710)
==29474== by 0x6CE5C0: luaD_call (ldo.c:393)
==29474== by 0x6C5AFB: lua_callk (lapi.c:902)
==29474== by 0x6D4AE0: ll_require (loadlib.c:520)
==29474==
==29474== 63 bytes in 1 blocks are definitely lost in loss record 61 of 116
==29474== at 0x4C2C04B: malloc (in /usr/lib/valgrind/vgpreload_memcheck-amd64-
linux.so)
==29474== by 0xB1C7C1: xmalloc (xmalloc.c:25)
==29474== by 0xB13C5E: concat (concat.c:30)
==29474== by 0xB15CED: kpathsea_path_expand (expand.c:275)
==29474== by 0xB15D8C: kpse_path_expand (expand.c:293)
==29474== by 0x4F09C0: expand_path (lkpselib.c:276)
==29474== by 0x6CE188: luaD_precall (ldo.c:317)
==29474== by 0x6E562A: luaV_execute (lvm.c:710)
==29474== by 0x6CE5C0: luaD_call (ldo.c:393)
==29474== by 0x6C5AFB: lua_callk (lapi.c:902)
==29474== by 0x6D4AE0: ll_require (loadlib.c:520)
==29474== by 0x6CE188: luaD_precall (ldo.c:317)
==29474==
==29474== 65 bytes in 5 blocks are definitely lost in loss record 64 of 116
==29474== at 0x4C2C04B: malloc (in /usr/lib/valgrind/vgpreload_memcheck-amd64-
linux.so)
==29474== by 0xB1C7C1: xmalloc (xmalloc.c:25)
==29474== by 0xB1CB6B: xstrdup (xstrdup.c:27)
==29474== by 0xB19BEB: str_list_concat_elements (str-list.c:76)
==29474== by 0xB15E36: expand_append (expand.c:310)
==29474== by 0xB160AB: brace_expand (expand.c:350)
==29474== by 0xB15F68: brace_expand (expand.c:332)
==29474== by 0xB158EB: kpathsea_brace_expand_element (expand.c:126)
==29474== by 0xB15ACE: kpathsea_brace_expand (expand.c:177)
==29474== by 0xB0E376: init_path (tex-file.c:324)
==29474== by 0xB111B4: kpathsea_init_format (tex-file.c:777)
==29474== by 0xB12499: kpathsea_find_file_generic (tex-file.c:1018)
==29474==
```

==29474== 78 (16 direct, 62 indirect) bytes in 2 blocks are definitely lost in loss record 66 of 116

==29474== at 0x4C2C04B: malloc (in /usr/lib/valgrind/vgpreload_memcheck-amd64-linux.so)

==29474== by 0xB1C7C1: xmalloc (xmalloc.c:25)

==29474== by 0xB1CAE6: xrealloc (xrealloc.c:29)

==29474== by 0xB19A2D: str_list_add (str-list.c:31)

==29474== by 0xB15E21: expand_append (expand.c:309)

==29474== by 0xB160AB: brace_expand (expand.c:350)

==29474== by 0xB158EB: kpathsea_brace_expand_element (expand.c:126)

==29474== by 0xB15ACE: kpathsea_brace_expand (expand.c:177)

==29474== by 0xB15BF3: kpathsea_path_expand (expand.c:238)

==29474== by 0xB15D8C: kpse_path_expand (expand.c:293)

==29474== by 0x4F09C0: expand_path (lkpselib.c:276)

==29474== by 0x6CE188: luaD_precall (ldo.c:317)

==29474==

==29474== 80 bytes in 5 blocks are definitely lost in loss record 67 of 116

==29474== at 0x4C2C04B: malloc (in /usr/lib/valgrind/vgpreload_memcheck-amd64-linux.so)

==29474== by 0xB1C7C1: xmalloc (xmalloc.c:25)

==29474== by 0xB1832E: kpathsea_path_search_list_generic (pathsearch.c:508)

==29474== by 0xB128A0: kpathsea_find_file_generic (tex-file.c:1083)

==29474== by 0xB12374: kpathsea_find_file (tex-file.c:976)

==29474== by 0xB123C0: kpse_find_file (tex-file.c:988)

==29474== by 0x4F062B: find_file (lkpselib.c:201)

==29474== by 0x6CE188: luaD_precall (ldo.c:317)

==29474== by 0x6E562A: luaV_execute (lvm.c:710)

==29474== by 0x6CE5C0: luaD_call (ldo.c:393)

==29474== by 0x6C5AFB: lua_callk (lapi.c:902)

==29474== by 0x6D4981: findloader (loadlib.c:495)

==29474==

==29474== 81 (8 direct, 73 indirect) bytes in 1 blocks are definitely lost in loss record 68 of 116

==29474== at 0x4C2C04B: malloc (in /usr/lib/valgrind/vgpreload_memcheck-amd64-linux.so)

==29474== by 0xB1C7C1: xmalloc (xmalloc.c:25)

==29474== by 0xB1CAE6: xrealloc (xrealloc.c:29)

==29474== by 0xB19A2D: str_list_add (str-list.c:31)

==29474== by 0xB18212: kpathsea_path_search_list_generic (pathsearch.c:464)

```
==29474== by 0xB128A0: kpathsea_find_file_generic (tex-file.c:1083)
==29474== by 0xB12374: kpathsea_find_file (tex-file.c:976)
==29474== by 0xB123C0: kpse_find_file (tex-file.c:988)
==29474== by 0x47F464: luatex_kpse_find_aux (luainit.w:564)
==29474== by 0x47F531: luatex_kpse_lua_find (luainit.w:596)
==29474== by 0x6CE188: luaD_precall (ldo.c:317)
==29474== by 0x6CE5B0: luaD_call (ldo.c:392)
==29474==
==29474== 95 bytes in 3 blocks are definitely lost in loss record 71 of 116
==29474== at 0x4C2C04B: malloc (in /usr/lib/valgrind/vgpreload_memcheck-amd64-
linux.so)
==29474== by 0xB1C7C1: xmalloc (xmalloc.c:25)
==29474== by 0xB1CB6B: xstrdup (xstrdup.c:27)
==29474== by 0xB19BEB: str_list_concat_elements (str-list.c:76)
==29474== by 0xB15E36: expand_append (expand.c:310)
==29474== by 0xB15ECA: brace_expand (expand.c:324)
==29474== by 0xB15F68: brace_expand (expand.c:332)
==29474== by 0xB158EB: kpathsea_brace_expand_element (expand.c:126)
==29474== by 0xB15ACE: kpathsea_brace_expand (expand.c:177)
==29474== by 0xB0E376: init_path (tex-file.c:324)
==29474== by 0xB0F342: kpathsea_init_format (tex-file.c:560)
==29474== by 0xB148AA: kpathsea_init_db (db.c:390)
==29474==
==29474== 96 (64 direct, 32 indirect) bytes in 4 blocks are definitely lost in loss record 74 of
116
==29474== at 0x4C2C04B: malloc (in /usr/lib/valgrind/vgpreload_memcheck-amd64-
linux.so)
==29474== by 0xB1C7C1: xmalloc (xmalloc.c:25)
==29474== by 0xB1832E: kpathsea_path_search_list_generic (pathsearch.c:508)
==29474== by 0xB148CE: kpathsea_init_db (db.c:391)
==29474== by 0xB13B19: kpathsea_cnf_get (cnf.c:251)
==29474== by 0xB0DFF5: init_path (tex-file.c:286)
==29474== by 0xB111B4: kpathsea_init_format (tex-file.c:777)
==29474== by 0xB12499: kpathsea_find_file_generic (tex-file.c:1018)
==29474== by 0xB12374: kpathsea_find_file (tex-file.c:976)
==29474== by 0xB123C0: kpse_find_file (tex-file.c:988)
==29474== by 0x4F062B: find_file (lkpselib.c:201)
==29474== by 0x6CE188: luaD_precall (ldo.c:317)
==29474==
```

==29474== 96 bytes in 12 blocks are definitely lost in loss record 75 of 116

==29474== at 0x4C2C04B: malloc (in /usr/lib/valgrind/vgpreload_memcheck-amd64-linux.so)

==29474== by 0xB1C7C1: xmalloc (xmalloc.c:25)

==29474== by 0xB1CAE6: xrealloc (xrealloc.c:29)

==29474== by 0xB19A2D: str_list_add (str-list.c:31)

==29474== by 0xB183B6: kpathsea_path_search_list_generic (pathsearch.c:518)

==29474== by 0xB128A0: kpathsea_find_file_generic (tex-file.c:1083)

==29474== by 0xB12374: kpathsea_find_file (tex-file.c:976)

==29474== by 0xB123C0: kpse_find_file (tex-file.c:988)

==29474== by 0x4F062B: find_file (lkpselib.c:201)

==29474== by 0x6CE188: luaD_precall (ldo.c:317)

==29474== by 0x6E562A: luaV_execute (lvm.c:710)

==29474== by 0x6CE5C0: luaD_call (ldo.c:393)

==29474==

==29474== 105 (40 direct, 65 indirect) bytes in 5 blocks are definitely lost in loss record 76 of 116

==29474== at 0x4C2C04B: malloc (in /usr/lib/valgrind/vgpreload_memcheck-amd64-linux.so)

==29474== by 0xB1C7C1: xmalloc (xmalloc.c:25)

==29474== by 0xB1CAE6: xrealloc (xrealloc.c:29)

==29474== by 0xB19A2D: str_list_add (str-list.c:31)

==29474== by 0xB15E21: expand_append (expand.c:309)

==29474== by 0xB160AB: brace_expand (expand.c:350)

==29474== by 0xB15F68: brace_expand (expand.c:332)

==29474== by 0xB158EB: kpathsea_brace_expand_element (expand.c:126)

==29474== by 0xB15ACE: kpathsea_brace_expand (expand.c:177)

==29474== by 0xB0E376: init_path (tex-file.c:324)

==29474== by 0xB111B4: kpathsea_init_format (tex-file.c:777)

==29474== by 0xB12499: kpathsea_find_file_generic (tex-file.c:1018)

==29474==

==29474== 119 (24 direct, 95 indirect) bytes in 3 blocks are definitely lost in loss record 79 of 116

==29474== at 0x4C2C04B: malloc (in /usr/lib/valgrind/vgpreload_memcheck-amd64-linux.so)

==29474== by 0xB1C7C1: xmalloc (xmalloc.c:25)

==29474== by 0xB1CAE6: xrealloc (xrealloc.c:29)

==29474== by 0xB19A2D: str_list_add (str-list.c:31)

==29474== by 0xB15E21: expand_append (expand.c:309)

```
==29474== by 0xB15ECA: brace_expand (expand.c:324)
==29474== by 0xB15F68: brace_expand (expand.c:332)
==29474== by 0xB158EB: kpathsea_brace_expand_element (expand.c:126)
==29474== by 0xB15ACE: kpathsea_brace_expand (expand.c:177)
==29474== by 0xB0E376: init_path (tex-file.c:324)
==29474== by 0xB0F342: kpathsea_init_format (tex-file.c:560)
==29474== by 0xB148AA: kpathsea_init_db (db.c:390)
==29474==
==29474== 127 bytes in 1 blocks are definitely lost in loss record 84 of 116
==29474== at 0x4C2C04B: malloc (in /usr/lib/valgrind/vgpreload_memcheck-amd64-
linux.so)
==29474== by 0xB1C7C1: xmalloc (xmalloc.c:25)
==29474== by 0xB13D0E: concat3 (concat3.c:26)
==29474== by 0xB15AEA: kpathsea_brace_expand (expand.c:178)
==29474== by 0xB0E376: init_path (tex-file.c:324)
==29474== by 0xB0F342: kpathsea_init_format (tex-file.c:560)
==29474== by 0xB148AA: kpathsea_init_db (db.c:390)
==29474== by 0xB13B19: kpathsea_cnf_get (cnf.c:251)
==29474== by 0xB0DFF5: init_path (tex-file.c:286)
==29474== by 0xB111B4: kpathsea_init_format (tex-file.c:777)
==29474== by 0xB12499: kpathsea_find_file_generic (tex-file.c:1018)
==29474== by 0xB12374: kpathsea_find_file (tex-file.c:976)
==29474==
==29474== 405 bytes in 18 blocks are definitely lost in loss record 90 of 116
==29474== at 0x4C2C04B: malloc (in /usr/lib/valgrind/vgpreload_memcheck-amd64-
linux.so)
==29474== by 0xB1C7C1: xmalloc (xmalloc.c:25)
==29474== by 0xB1CB6B: xstrdup (xstrdup.c:27)
==29474== by 0xB19BEB: str_list_concat_elements (str-list.c:76)
==29474== by 0xB15E36: expand_append (expand.c:310)
==29474== by 0xB15ECA: brace_expand (expand.c:324)
==29474== by 0xB15F68: brace_expand (expand.c:332)
==29474== by 0xB158EB: kpathsea_brace_expand_element (expand.c:126)
==29474== by 0xB15ACE: kpathsea_brace_expand (expand.c:177)
==29474== by 0xB0E376: init_path (tex-file.c:324)
==29474== by 0xB111B4: kpathsea_init_format (tex-file.c:777)
==29474== by 0xB12499: kpathsea_find_file_generic (tex-file.c:1018)
==29474==
==29474== 529 (448 direct, 81 indirect) bytes in 28 blocks are definitely lost in loss record 91
```

of 116

==29474== at 0x4C2C04B: malloc (in /usr/lib/valgrind/vgpreload_memcheck-amd64-linux.so)

==29474== by 0xB1C7C1: xmalloc (xmalloc.c:25)

==29474== by 0xB1504B: kpathsea_db_search_list (db.c:621)

==29474== by 0xB182C0: kpathsea_path_search_list_generic (pathsearch.c:495)

==29474== by 0xB128A0: kpathsea_find_file_generic (tex-file.c:1083)

==29474== by 0xB12374: kpathsea_find_file (tex-file.c:976)

==29474== by 0xB123C0: kpse_find_file (tex-file.c:988)

==29474== by 0x4F062B: find_file (lkpselib.c:201)

==29474== by 0x6CE188: luaD_precall (ldo.c:317)

==29474== by 0x6E562A: luaV_execute (lvm.c:710)

==29474== by 0x6CE5C0: luaD_call (ldo.c:393)

==29474== by 0x6C5B67: f_call (lapi.c:920)

==29474==

==29474== 549 (144 direct, 405 indirect) bytes in 18 blocks are definitely lost in loss record 92 of 116

==29474== at 0x4C2C04B: malloc (in /usr/lib/valgrind/vgpreload_memcheck-amd64-linux.so)

==29474== by 0xB1C7C1: xmalloc (xmalloc.c:25)

==29474== by 0xB1CAE6: xrealloc (xrealloc.c:29)

==29474== by 0xB19A2D: str_list_add (str-list.c:31)

==29474== by 0xB15E21: expand_append (expand.c:309)

==29474== by 0xB15ECA: brace_expand (expand.c:324)

==29474== by 0xB15F68: brace_expand (expand.c:332)

==29474== by 0xB158EB: kpathsea_brace_expand_element (expand.c:126)

==29474== by 0xB15ACE: kpathsea_brace_expand (expand.c:177)

==29474== by 0xB0E376: init_path (tex-file.c:324)

==29474== by 0xB111B4: kpathsea_init_format (tex-file.c:777)

==29474== by 0xB12499: kpathsea_find_file_generic (tex-file.c:1018)

==29474==

==29474== 870 bytes in 21 blocks are definitely lost in loss record 97 of 116

==29474== at 0x4C2C04B: malloc (in /usr/lib/valgrind/vgpreload_memcheck-amd64-linux.so)

==29474== by 0xB1C7C1: xmalloc (xmalloc.c:25)

==29474== by 0xB1CB6B: xstrdup (xstrdup.c:27)

==29474== by 0xB19BEB: str_list_concat_elements (str-list.c:76)

==29474== by 0xB15E36: expand_append (expand.c:310)

==29474== by 0xB15ECA: brace_expand (expand.c:324)

==29474== by 0xB15F68: brace_expand (expand.c:332)
==29474== by 0xB158EB: kpathsea_brace_expand_element (expand.c:126)
==29474== by 0xB15ACE: kpathsea_brace_expand (expand.c:177)
==29474== by 0xB0E376: init_path (tex-file.c:324)
==29474== by 0xB0F2AA: kpathsea_init_format (tex-file.c:556)
==29474== by 0xB13781: read_all_cnf (cnf.c:172)
==29474==
==29474== 1,038 (168 direct, 870 indirect) bytes in 21 blocks are definitely lost in loss record 101 of 116
==29474== at 0x4C2C04B: malloc (in /usr/lib/valgrind/vgpreload_memcheck-amd64-linux.so)
==29474== by 0xB1C7C1: xmalloc (xmalloc.c:25)
==29474== by 0xB1CAE6: xrealloc (xrealloc.c:29)
==29474== by 0xB19A2D: str_list_add (str-list.c:31)
==29474== by 0xB15E21: expand_append (expand.c:309)
==29474== by 0xB15ECA: brace_expand (expand.c:324)
==29474== by 0xB15F68: brace_expand (expand.c:332)
==29474== by 0xB158EB: kpathsea_brace_expand_element (expand.c:126)
==29474== by 0xB15ACE: kpathsea_brace_expand (expand.c:177)
==29474== by 0xB0E376: init_path (tex-file.c:324)
==29474== by 0xB0F2AA: kpathsea_init_format (tex-file.c:556)
==29474== by 0xB13781: read_all_cnf (cnf.c:172)
==29474==
==29474== 1,200 bytes in 25 blocks are definitely lost in loss record 102 of 116
==29474== at 0x4C2C04B: malloc (in /usr/lib/valgrind/vgpreload_memcheck-amd64-linux.so)
==29474== by 0xB1C7C1: xmalloc (xmalloc.c:25)
==29474== by 0xB13C5E: concat (concat.c:30)
==29474== by 0xB14082: db_build (db.c:131)
==29474== by 0xB14914: kpathsea_init_db (db.c:399)
==29474== by 0xB13B19: kpathsea_cnf_get (cnf.c:251)
==29474== by 0xB0DFF5: init_path (tex-file.c:286)
==29474== by 0xB111B4: kpathsea_init_format (tex-file.c:777)
==29474== by 0xB12499: kpathsea_find_file_generic (tex-file.c:1018)
==29474== by 0xB12374: kpathsea_find_file (tex-file.c:976)
==29474== by 0xB123C0: kpse_find_file (tex-file.c:988)
==29474== by 0x4F062B: find_file (lkpselib.c:201)
==29474==
==29474== 2,475 bytes in 33 blocks are definitely lost in loss record 105 of 116

```
==29474== at 0x4C2C04B: malloc (in /usr/lib/valgrind/vgpreload_memcheck-amd64-
linux.so)
==29474== by 0xB1C7C1: xmalloc (xmalloc.c:25)
==29474== by 0xB171A4: read_line (line.c:31)
==29474== by 0xB138B2: read_all_cnf (cnf.c:193)
==29474== by 0xB13B02: kpathsea_cnf_get (cnf.c:245)
==29474== by 0xB0DFF5: init_path (tex-file.c:286)
==29474== by 0xB111B4: kpathsea_init_format (tex-file.c:777)
==29474== by 0xB12499: kpathsea_find_file_generic (tex-file.c:1018)
==29474== by 0xB12374: kpathsea_find_file (tex-file.c:976)
==29474== by 0xB123C0: kpse_find_file (tex-file.c:988)
==29474== by 0x4F062B: find_file (lkpselib.c:201)
==29474== by 0x6CE188: luaD_precall (ldo.c:317)
==29474==
==29474== 5,726 (4,864 direct, 862 indirect) bytes in 304 blocks are definitely lost in loss
record 108 of 116
==29474== at 0x4C2C04B: malloc (in /usr/lib/valgrind/vgpreload_memcheck-amd64-
linux.so)
==29474== by 0xB1C7C1: xmalloc (xmalloc.c:25)
==29474== by 0xB1504B: kpathsea_db_search_list (db.c:621)
==29474== by 0xB182C0: kpathsea_path_search_list_generic (pathsearch.c:495)
==29474== by 0xB128A0: kpathsea_find_file_generic (tex-file.c:1083)
==29474== by 0xB12374: kpathsea_find_file (tex-file.c:976)
==29474== by 0xB123C0: kpse_find_file (tex-file.c:988)
==29474== by 0x4F062B: find_file (lkpselib.c:201)
==29474== by 0x6CE188: luaD_precall (ldo.c:317)
==29474== by 0x6E562A: luaV_execute (lvm.c:710)
==29474== by 0x6CE5C0: luaD_call (ldo.c:393)
==29474== by 0x6C5AFB: lua_callk (lapi.c:902)
==29474==
==29474== LEAK SUMMARY:
==29474== definitely lost: 11,667 bytes in 539 blocks
==29474== indirectly lost: 2,638 bytes in 92 blocks
==29474== possibly lost: 0 bytes in 0 blocks
==29474== still reachable: 5,524,891 bytes in 257,399 blocks
==29474== suppressed: 0 bytes in 0 blocks
==29474== Reachable blocks (those to which a pointer was found) are not shown.
==29474== To see them, rerun with: --leak-check=full --show-reachable=yes
==29474==
```

==29474== ERROR SUMMARY: 38 errors from 38 contexts (suppressed: 2 from 2)

--29474--

--29474-- used_suppression: 2 dl-hack3-cond-1

==29474==

==29474== ERROR SUMMARY: 38 errors from 38 contexts (suppressed: 2 from 2)