Downloaded from: justpaste.it/2tsb9

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE plist PUBLIC "-//Apple//DTD PLIST 1.0//EN"
"http://www.apple.com/DTDs/PropertyList-1.0.dtd">
<plist version="1.0">
<dict>
    <key>ACPI</key>
    <dict>
        <key>Add</key>
        <array>
            <dict>
                <key>Comment</key>
                <string></string>
                <key>Enabled</key>
                <true/>
                <key>Path</key>
                <string>SSDT-OC-XOSI.aml</string>
            </dict>
            <dict>
                <key>Comment</key>
                <string></string>
                <key>Enabled</key>
                <true/>
                <key>Path</key>
                <string>SSDT-EC.aml</string>
            </dict>
            <dict>
                <key>Comment</key>
                <string></string>
                <key>Enabled</key>
                <true/>
                <key>Path</key>
                <string>SSDT-MCHC.aml</string>
            </dict>
            <dict>
                <key>Comment</key>
                <string></string>
```

```
    <key>Enabled</key>
    <true/>
    <key>Path</key>
    <string>SSDT-MEM2.aml</string>
</dict>
<dict>
    <key>Comment</key>
    <string></string>
    <key>Enabled</key>
    <true/>
    <key>Path</key>
    <string>SSDT-ALS0.aml</string>
</dict>
<dict>
    <key>Comment</key>
    <string></string>
    <key>Enabled</key>
    <true/>
    <key>Path</key>
    <string>SSDT-PS2N.aml</string>
</dict>
<dict>
    <key>Comment</key>
    <string></string>
    <key>Enabled</key>
    <true/>
    <key>Path</key>
    <string>SSDT-HPET_RTC_TIMR-fix.aml</string>
</dict>
<dict>
    <key>Comment</key>
    <string></string>
    <key>Enabled</key>
    <true/>
    <key>Path</key>
    <string>SSDT-BATT.aml</string>
</dict>
<dict>
    <key>Comment</key>
```

```
        <string></string>
        <key>Enabled</key>
        <true/>
        <key>Path</key>
        <string>SSDT-PLUG.aml</string>
    </dict>
    <dict>
        <key>Comment</key>
        <string></string>
        <key>Enabled</key>
        <true/>
        <key>Path</key>
        <string>SSDT-SBUS.aml</string>
    </dict>
    <dict>
        <key>Comment</key>
        <string></string>
        <key>Enabled</key>
        <true/>
        <key>Path</key>
        <string>SSDT-PNLF.aml</string>
    </dict>
    <dict>
        <key>Comment</key>
        <string></string>
        <key>Enabled</key>
        <true/>
        <key>Path</key>
        <string>SSDT-GPRW.aml</string>
    </dict>
    <dict>
        <key>Comment</key>
        <string></string>
        <key>Enabled</key>
        <true/>
        <key>Path</key>
        <string>SSDT-BKeyQ11Q12-LenovoAir.aml</string>
    </dict>
</array>
```

<key>Delete</key>
<array/>
<key>Patch</key>
<array>
<dict>
<key>Comment</key>
<string>EHC1 to EH01</string>
<key>Count</key>
<integer>0</integer>
<key>Enabled</key>
<false/>
<key>Find</key>
<data>RUhDMQ==</data>
<key>Limit</key>
<integer>0</integer>
<key>Mask</key>
<data></data>
<key>OemTableId</key>
<data></data>
<key>Replace</key>
<data>RUgwMQ==</data>
<key>ReplaceMask</key>
<data></data>
<key>Skip</key>
<integer>0</integer>
<key>TableLength</key>
<integer>0</integer>
<key>TableSignature</key>
<data></data>
</dict>
<dict>
<key>Comment</key>
<string>EHC2 to EH02</string>
<key>Count</key>
<integer>0</integer>
<key>Enabled</key>
<false/>
<key>Find</key>
<data>RUhDMg==</data>

<key>Limit</key>
<integer>0</integer>
<key>Mask</key>
<data></data>
<key>OemTableId</key>
<data></data>
<key>Replace</key>
<data>RUgwMg==</data>
<key>ReplaceMask</key>
<data></data>
<key>Skip</key>
<integer>0</integer>
<key>TableLength</key>
<integer>0</integer>
<key>TableSignature</key>
<data></data>
</dict>
<dict>
<key>Comment</key>
<string>EUSB to EH01</string>
<key>Count</key>
<integer>0</integer>
<key>Enabled</key>
<false/>
<key>Find</key>
<data>RVVTQg==</data>
<key>Limit</key>
<integer>0</integer>
<key>Mask</key>
<data></data>
<key>OemTableId</key>
<data></data>
<key>Replace</key>
<data>RUgwMQ==</data>
<key>ReplaceMask</key>
<data></data>
<key>Skip</key>
<integer>0</integer>
<key>TableLength</key>

```
    <integer>0</integer>
    <key>TableSignature</key>
    <data></data>
</dict>
<dict>
    <key>Comment</key>
    <string>USBE to EH02</string>
    <key>Count</key>
    <integer>0</integer>
    <key>Enabled</key>
    <false/>
    <key>Find</key>
    <data>VVNCRQ==</data>
    <key>Limit</key>
    <integer>0</integer>
    <key>Mask</key>
    <data></data>
    <key>OemTableId</key>
    <data></data>
    <key>Replace</key>
    <data>RUgwMg==</data>
    <key>ReplaceMask</key>
    <data></data>
    <key>Skip</key>
    <integer>0</integer>
    <key>TableLength</key>
    <integer>0</integer>
    <key>TableSignature</key>
    <data></data>
</dict>
<dict>
    <key>Comment</key>
    <string>GFX0 to IGPU</string>
    <key>Count</key>
    <integer>0</integer>
    <key>Enabled</key>
    <false/>
    <key>Find</key>
    <data>R0ZYMA==</data>
```

<key>Limit</key>
<integer>0</integer>
<key>Mask</key>
<data></data>
<key>OemTableId</key>
<data></data>
<key>Replace</key>
<data>SUdQVQ==</data>
<key>ReplaceMask</key>
<data></data>
<key>Skip</key>
<integer>0</integer>
<key>TableLength</key>
<integer>0</integer>
<key>TableSignature</key>
<data></data>
</dict>
<dict>
<key>Comment</key>
<string>HECI to IMEI</string>
<key>Count</key>
<integer>0</integer>
<key>Enabled</key>
<false/>
<key>Find</key>
<data>SEVDSQ==</data>
<key>Limit</key>
<integer>0</integer>
<key>Mask</key>
<data></data>
<key>OemTableId</key>
<data></data>
<key>Replace</key>
<data>SU1FSQ==</data>
<key>ReplaceMask</key>
<data></data>
<key>Skip</key>
<integer>0</integer>
<key>TableLength</key>

```
    <integer>0</integer>
    <key>TableSignature</key>
    <data></data>
</dict>
<dict>
    <key>Comment</key>
    <string>SAT0 to SATA</string>
    <key>Count</key>
    <integer>0</integer>
    <key>Enabled</key>
    <false/>
    <key>Find</key>
    <data>U0FUMA==</data>
    <key>Limit</key>
    <integer>0</integer>
    <key>Mask</key>
    <data></data>
    <key>OemTableId</key>
    <data></data>
    <key>Replace</key>
    <data>U0FUQQ==</data>
    <key>ReplaceMask</key>
    <data></data>
    <key>Skip</key>
    <integer>0</integer>
    <key>TableLength</key>
    <integer>0</integer>
    <key>TableSignature</key>
    <data></data>
</dict>
<dict>
    <key>Comment</key>
    <string>HDAS to HDEF</string>
    <key>Count</key>
    <integer>0</integer>
    <key>Enabled</key>
    <false/>
    <key>Find</key>
    <data>SERBUw==</data>
```

<key>Limit</key>
<integer>0</integer>
<key>Mask</key>
<data></data>
<key>OemTableId</key>
<data></data>
<key>Replace</key>
<data>SERFRg==</data>
<key>ReplaceMask</key>
<data></data>
<key>Skip</key>
<integer>0</integer>
<key>TableLength</key>
<integer>0</integer>
<key>TableSignature</key>
<data></data>
</dict>
<dict>
<key>Comment</key>
<string>EC0 to EC</string>
<key>Count</key>
<integer>0</integer>
<key>Enabled</key>
<false/>
<key>Find</key>
<data>RUMwXw==</data>
<key>Limit</key>
<integer>0</integer>
<key>Mask</key>
<data></data>
<key>OemTableId</key>
<data></data>
<key>Replace</key>
<data>RUNfXw==</data>
<key>ReplaceMask</key>
<data></data>
<key>Skip</key>
<integer>0</integer>
<key>TableLength</key>

<integer>0</integer>
<key>TableSignature</key>
<data></data>
</dict>
<dict>
<key>Comment</key>
<string>H_EC to EC</string>
<key>Count</key>
<integer>0</integer>
<key>Enabled</key>
<false/>
<key>Find</key>
<data>SF9FQw==</data>
<key>Limit</key>
<integer>0</integer>
<key>Mask</key>
<data></data>
<key>OemTableId</key>
<data></data>
<key>Replace</key>
<data>RUNfXw==</data>
<key>ReplaceMask</key>
<data></data>
<key>Skip</key>
<integer>0</integer>
<key>TableLength</key>
<integer>0</integer>
<key>TableSignature</key>
<data></data>
</dict>
<dict>
<key>Comment</key>
<string>ECDV to EC</string>
<key>Count</key>
<integer>0</integer>
<key>Enabled</key>
<false/>
<key>Find</key>
<data>RUNEVg==</data>

<key>Limit</key>
<integer>0</integer>
<key>Mask</key>
<data></data>
<key>OemTableId</key>
<data></data>
<key>Replace</key>
<data>RUNfXw==</data>
<key>ReplaceMask</key>
<data></data>
<key>Skip</key>
<integer>0</integer>
<key>TableLength</key>
<integer>0</integer>
<key>TableSignature</key>
<data></data>
</dict>
<dict>
<key>Comment</key>
<string>change HDAS to HDEF</string>
<key>Count</key>
<integer>0</integer>
<key>Enabled</key>
<false/>
<key>Find</key>
<data>SERBUw==</data>
<key>Limit</key>
<integer>0</integer>
<key>Mask</key>
<data></data>
<key>OemTableId</key>
<data></data>
<key>Replace</key>
<data>SERFRg==</data>
<key>ReplaceMask</key>
<data></data>
<key>Skip</key>
<integer>0</integer>
<key>TableLength</key>

```
            <integer>0</integer>
            <key>TableSignature</key>
            <data></data>
        </dict>
    </array>
    <key>Quirks</key>
    <dict>
        <key>FadtEnableReset</key>
        <false/>
        <key>NormalizeHeaders</key>
        <false/>
        <key>RebaseRegions</key>
        <false/>
        <key>ResetHwSig</key>
        <false/>
        <key>ResetLogoStatus</key>
        <false/>
    </dict>
</dict>
<key>Booter</key>
<dict>
    <key>MmioWhitelist</key>
    <array/>
    <key>Quirks</key>
    <dict>
        <key>AvoidRuntimeDefrag</key>
        <true/>
        <key>DevirtualiseMmio</key>
        <false/>
        <key>DisableSingleUser</key>
        <true/>
        <key>DisableVariableWrite</key>
        <false/>
        <key>DiscardHibernateMap</key>
        <false/>
        <key>EnableSafeModeSlide</key>
        <true/>
        <key>EnableWriteUnprotector</key>
        <true/>
```

```
        <key>ForceExitBootServices</key>
        <false/>
        <key>ProtectMemoryRegions</key>
        <false/>
        <key>ProtectSecureBoot</key>
        <false/>
        <key>ProtectUefiServices</key>
        <false/>
        <key>ProvideCustomSlide</key>
        <true/>
        <key>ProvideMaxSlide</key>
        <integer>0</integer>
        <key>RebuildAppleMemoryMap</key>
        <false/>
        <key>SetupVirtualMap</key>
        <true/>
        <key>SignalAppleOS</key>
        <false/>
        <key>SyncRuntimePermissions</key>
        <false/>
    </dict>
</dict>
<key>DeviceProperties</key>
<dict>
    <key>Add</key>
    <dict>
        <key>PciRoot(0x0)/Pci(0x1b,0x0)</key>
        <dict>
            <key>layout-id</key>
            <data>HAAAAA==</data>
        </dict>
        <key>PciRoot(0)/Pci(0x02,0)</key>
        <dict>
            <key>AAPL,ig-platform-id</key>
            <data>BgAmCg==</data>
            <key>device-id</key>
            <data>EgQAAA==</data>
            <key>framebuffer-cursormem</key>
            <data>AACQAA==</data>
```

```
    <key>framebuffer-patch-enable</key>
    <integer>1</integer>
    <key>hda-gfx</key>
    <string>onboard-1</string>
</dict>
<key>PciRoot(0x0)/Pci(0x0,0x0)</key>
<dict>
    <key>AAPL,slot-name</key>
    <string>Internal@0,0,0</string>
    <key>device_type</key>
    <string>Host bridge</string>
    <key>model</key>
    <string>Xeon E3-1200 v3/4th Gen Core Processor DRAM Controller</string>
</dict>
<key>PciRoot(0x0)/Pci(0x16,0x0)</key>
<dict>
    <key>AAPL,slot-name</key>
    <string>Internal@0,22,0</string>
    <key>device_type</key>
    <string>Communication controller</string>
    <key>model</key>
    <string>8 Series/C220 Series Chipset Family MEI Controller #1</string>
</dict>
<key>PciRoot(0x0)/Pci(0x19,0x0)</key>
<dict>
    <key>AAPL,slot-name</key>
    <string>Internal@0,25,0</string>
    <key>device_type</key>
    <string>Ethernet controller</string>
    <key>model</key>
    <string>Ethernet Connection I217-LM</string>
</dict>
<key>PciRoot(0x0)/Pci(0x1A,0x0)</key>
<dict>
    <key>AAPL,slot-name</key>
    <string>Internal@0,26,0</string>
    <key>device_type</key>
    <string>USB controller</string>
    <key>model</key>
```

```
    <string>8 Series/C220 Series Chipset Family USB EHCI #2</string>
</dict>
<key>PciRoot(0x0)/Pci(0x1B,0x0)</key>
<dict>
    <key>AAPL,slot-name</key>
    <string>Internal@0,27,0</string>
    <key>device_type</key>
    <string>Audio device</string>
    <key>model</key>
    <string>8 Series/C220 Series Chipset High Definition Audio Controller</string>
</dict>
<key>PciRoot(0x0)/Pci(0x1C,0x0)</key>
<dict>
    <key>AAPL,slot-name</key>
    <string>Internal@0,28,0</string>
    <key>device_type</key>
    <string>PCI bridge</string>
    <key>model</key>
    <string>8 Series/C220 Series Chipset Family PCI Express Root Port #1</string>
</dict>
<key>PciRoot(0x0)/Pci(0x1C,0x1)</key>
<dict>
    <key>AAPL,slot-name</key>
    <string>Internal@0,28,1</string>
    <key>device_type</key>
    <string>PCI bridge</string>
    <key>model</key>
    <string>8 Series/C220 Series Chipset Family PCI Express Root Port #2</string>
</dict>
<key>PciRoot(0x0)/Pci(0x1C,0x1)/Pci(0x0,0x0)</key>
<dict>
    <key>AAPL,slot-name</key>
    <string>Internal@0,28,1/0,0</string>
    <key>device_type</key>
    <string>Network controller</string>
    <key>model</key>
    <string>Wireless 7260</string>
</dict>
<key>PciRoot(0x0)/Pci(0x1D,0x0)</key>
```

```
        <dict>
            <key>AAPL,slot-name</key>
            <string>Internal@0,29,0</string>
            <key>device_type</key>
            <string>USB controller</string>
            <key>model</key>
            <string>8 Series/C220 Series Chipset Family USB EHCI #1</string>
        </dict>
        <key>PciRoot(0x0)/Pci(0x1F,0x0)</key>
        <dict>
            <key>AAPL,slot-name</key>
            <string>Internal@0,31,0</string>
            <key>device_type</key>
            <string>ISA bridge</string>
            <key>model</key>
            <string>QM87 Express LPC Controller</string>
        </dict>
        <key>PciRoot(0x0)/Pci(0x1F,0x2)</key>
        <dict>
            <key>AAPL,slot-name</key>
            <string>Internal@0,31,2</string>
            <key>device_type</key>
            <string>SATA controller</string>
            <key>model</key>
            <string>8 Series/C220 Series Chipset Family 6-port SATA Controller 1 [AHCI mode]
</string>
        </dict>
        <key>PciRoot(0x0)/Pci(0x1F,0x3)</key>
        <dict>
            <key>AAPL,slot-name</key>
            <string>Internal@0,31,3</string>
            <key>device_type</key>
            <string>SMBus</string>
            <key>model</key>
            <string>8 Series/C220 Series Chipset Family SMBus Controller</string>
        </dict>
        <key>PciRoot(0x0)/Pci(0x2,0x0)</key>
        <dict>
            <key>AAPL,slot-name</key>
```

```
            <string>Internal@0,2,0</string>
            <key>device_type</key>
            <string>VGA compatible controller</string>
            <key>model</key>
            <string>Intel Xeon E3-1200 v3/4th Gen Core Processor Integrated Graphics Controller</string>
        </dict>
        <key>PciRoot(0x0)/Pci(0x3,0x0)</key>
        <dict>
            <key>AAPL,slot-name</key>
            <string>Internal@0,3,0</string>
            <key>device_type</key>
            <string>Audio device</string>
            <key>model</key>
            <string>Xeon E3-1200 v3/4th Gen Core Processor HD Audio Controller</string>
        </dict>
    </dict>
    <key>Delete</key>
    <dict>
        <key>PciRoot(0x0)/Pci(0x1b,0x0)</key>
        <array>
            <string>MaximumBootBeepVolume</string>
        </array>
    </dict>
</dict>
<key>Kernel</key>
<dict>
    <key>Add</key>
    <array>
        <dict>
            <key>Arch</key>
            <string>Any</string>
            <key>BundlePath</key>
            <string>itlwm.kext</string>
            <key>Comment</key>
            <string></string>
            <key>Enabled</key>
            <true/>
            <key>ExecutablePath</key>
```

```
    <string>Contents/MacOS/itlwm</string>
    <key>MaxKernel</key>
    <string></string>
    <key>MinKernel</key>
    <string></string>
    <key>PlistPath</key>
    <string>Contents/Info.plist</string>
</dict>
<dict>
    <key>Arch</key>
    <string>Any</string>
    <key>BundlePath</key>
    <string>RealtekRTL8111.kext</string>
    <key>Comment</key>
    <string>Network</string>
    <key>Enabled</key>
    <true/>
    <key>ExecutablePath</key>
    <string>Contents/MacOS/RealtekRTL8111</string>
    <key>MaxKernel</key>
    <string></string>
    <key>MinKernel</key>
    <string></string>
    <key>PlistPath</key>
    <string>Contents/Info.plist</string>
</dict>
<dict>
    <key>Arch</key>
    <string>Any</string>
    <key>BundlePath</key>
    <string>Lilu.kext</string>
    <key>Comment</key>
    <string></string>
    <key>Enabled</key>
    <true/>
    <key>ExecutablePath</key>
    <string>Contents/MacOS/Lilu</string>
    <key>MaxKernel</key>
    <string></string>
```

```
    <key>MinKernel</key>
    <string></string>
    <key>PlistPath</key>
    <string>Contents/Info.plist</string>
  </dict>
  <dict>
    <key>Arch</key>
    <string>Any</string>
    <key>BundlePath</key>
    <string>VirtualSMC.kext</string>
    <key>Comment</key>
    <string></string>
    <key>Enabled</key>
    <true/>
    <key>ExecutablePath</key>
    <string>Contents/MacOS/VirtualSMC</string>
    <key>MaxKernel</key>
    <string></string>
    <key>MinKernel</key>
    <string></string>
    <key>PlistPath</key>
    <string>Contents/Info.plist</string>
  </dict>
  <dict>
    <key>Arch</key>
    <string>Any</string>
    <key>BundlePath</key>
    <string>WhateverGreen.kext</string>
    <key>Comment</key>
    <string></string>
    <key>Enabled</key>
    <true/>
    <key>ExecutablePath</key>
    <string>Contents/MacOS/WhateverGreen</string>
    <key>MaxKernel</key>
    <string></string>
    <key>MinKernel</key>
    <string></string>
    <key>PlistPath</key>
```

```
            <string>Contents/Info.plist</string>
        </dict>
        <dict>
            <key>Arch</key>
            <string>Any</string>
            <key>BundlePath</key>
            <string>AppleALC.kext</string>
            <key>Comment</key>
            <string></string>
            <key>Enabled</key>
            <true/>
            <key>ExecutablePath</key>
            <string>Contents/MacOS/AppleALC</string>
            <key>MaxKernel</key>
            <string></string>
            <key>MinKernel</key>
            <string></string>
            <key>PlistPath</key>
            <string>Contents/Info.plist</string>
        </dict>
        <dict>
            <key>Arch</key>
            <string>Any</string>
            <key>BundlePath</key>

<string>ApplePS2SmartTouchPad.kext/Contents/PlugIns/ApplePS2Controller.kext</string>
            <key>Comment</key>
            <string></string>
            <key>Enabled</key>
            <true/>
            <key>ExecutablePath</key>
            <string>Contents/MacOS/ApplePS2Controller</string>
            <key>MaxKernel</key>
            <string></string>
            <key>MinKernel</key>
            <string></string>
            <key>PlistPath</key>
            <string>Contents/Info.plist</string>
        </dict>
```

```
        <dict>
            <key>Arch</key>
            <string>Any</string>
            <key>BundlePath</key>

<string>ApplePS2SmartTouchPad.kext/Contents/PlugIns/ApplePS2Keyboard.kext</string>
            <key>Comment</key>
            <string></string>
            <key>Enabled</key>
            <true/>
            <key>ExecutablePath</key>
            <string>Contents/MacOS/ApplePS2Keyboard</string>
            <key>MaxKernel</key>
            <string></string>
            <key>MinKernel</key>
            <string></string>
            <key>PlistPath</key>
            <string>Contents/Info.plist</string>
        </dict>
        <dict>
            <key>Arch</key>
            <string>Any</string>
            <key>BundlePath</key>
            <string>ApplePS2SmartTouchPad.kext</string>
            <key>Comment</key>
            <string></string>
            <key>Enabled</key>
            <true/>
            <key>ExecutablePath</key>
            <string>Contents/MacOS/ApplePS2SmartTouchPad</string>
            <key>MaxKernel</key>
            <string></string>
            <key>MinKernel</key>
            <string></string>
            <key>PlistPath</key>
            <string>Contents/Info.plist</string>
        </dict>
        <dict>
            <key>Arch</key>
```

```
    <string>Any</string>
    <key>BundlePath</key>
    <string>USBPorts.kext</string>
    <key>Comment</key>
    <string></string>
    <key>Enabled</key>
    <true/>
    <key>ExecutablePath</key>
    <string></string>
    <key>MaxKernel</key>
    <string></string>
    <key>MinKernel</key>
    <string></string>
    <key>PlistPath</key>
    <string>Contents/Info.plist</string>
</dict>
<dict>
    <key>Arch</key>
    <string>x86_64</string>
    <key>BundlePath</key>
    <string>ACPIBatteryManager.kext</string>
    <key>Comment</key>
    <string></string>
    <key>Enabled</key>
    <true/>
    <key>ExecutablePath</key>
    <string>Contents/MacOS/ACPIBatteryManager</string>
    <key>MaxKernel</key>
    <string></string>
    <key>MinKernel</key>
    <string></string>
    <key>PlistPath</key>
    <string>Contents/Info.plist</string>
</dict>
<dict>
    <key>Arch</key>
    <string>x86_64</string>
    <key>BundlePath</key>
    <string>IntelMausi.kext</string>
```

```
        <key>Comment</key>
        <string></string>
        <key>Enabled</key>
        <true/>
        <key>ExecutablePath</key>
        <string>Contents/MacOS/IntelMausi</string>
        <key>MaxKernel</key>
        <string></string>
        <key>MinKernel</key>
        <string></string>
        <key>PlistPath</key>
        <string>Contents/Info.plist</string>
    </dict>
</array>
<key>Block</key>
<array/>
<key>Emulate</key>
<dict>
    <key>Cpuid1Data</key>
    <data></data>
    <key>Cpuid1Mask</key>
    <data></data>
    <key>DummyPowerManagement</key>
    <false/>
    <key>MaxKernel</key>
    <string></string>
    <key>MinKernel</key>
    <string></string>
</dict>
<key>Force</key>
<array/>
<key>Patch</key>
<array>
    <dict>
        <key>Arch</key>
        <string>Any</string>
        <key>Base</key>
        <string>__ZN8AppleRTC18setupDateTimeAlarmEPK11RTCDateTime</string>
        <key>Comment</key>
```

```
        <string>Disable RTC wake scheduling</string>
        <key>Count</key>
        <integer>1</integer>
        <key>Enabled</key>
        <true/>
        <key>Find</key>
        <data></data>
        <key>Identifier</key>
        <string>com.apple.driver.AppleRTC</string>
        <key>Limit</key>
        <integer>0</integer>
        <key>Mask</key>
        <data></data>
        <key>MaxKernel</key>
        <string></string>
        <key>MinKernel</key>
        <string></string>
        <key>Replace</key>
        <data>ww==</data>
        <key>ReplaceMask</key>
        <data></data>
        <key>Skip</key>
        <integer>0</integer>
    </dict>
    <dict>
        <key>Arch</key>
        <string>Any</string>
        <key>Base</key>
        <string>__ZN8AppleRTC14updateChecksumEv</string>
        <key>Comment</key>
        <string>Disable RTC checksum update on poweroff</string>
        <key>Count</key>
        <integer>1</integer>
        <key>Enabled</key>
        <false/>
        <key>Find</key>
        <data></data>
        <key>Identifier</key>
        <string>com.apple.driver.AppleRTC</string>
```

```
        <key>Limit</key>
        <integer>0</integer>
        <key>Mask</key>
        <data></data>
        <key>MaxKernel</key>
        <string></string>
        <key>MinKernel</key>
        <string></string>
        <key>Replace</key>
        <data>ww==</data>
        <key>ReplaceMask</key>
        <data></data>
        <key>Skip</key>
        <integer>0</integer>
    </dict>
</array>
<key>Quirks</key>
<dict>
    <key>AppleCpuPmCfgLock</key>
    <true/>
    <key>AppleXcpmCfgLock</key>
    <true/>
    <key>AppleXcpmExtraMsrs</key>
    <false/>
    <key>AppleXcpmForceBoost</key>
    <false/>
    <key>CustomSMBIOSGuid</key>
    <false/>
    <key>DisableIoMapper</key>
    <true/>
    <key>DisableLinkeditJettison</key>
    <false/>
    <key>DisableRtcChecksum</key>
    <false/>
    <key>ExtendBTFeatureFlags</key>
    <false/>
    <key>ExternalDiskIcons</key>
    <false/>
    <key>IncreasePciBarSize</key>
```

```
        <false/>
        <key>LapicKernelPanic</key>
        <false/>
        <key>LegacyCommpage</key>
        <false/>
        <key>PanicNoKextDump</key>
        <true/>
        <key>PowerTimeoutKernelPanic</key>
        <true/>
        <key>ThirdPartyDrives</key>
        <true/>
        <key>XhciPortLimit</key>
        <true/>
    </dict>
    <key>Scheme</key>
    <dict>
        <key>FuzzyMatch</key>
        <false/>
        <key>KernelArch</key>
        <string>Auto</string>
        <key>KernelCache</key>
        <string>Auto</string>
    </dict>
</dict>
<key>Misc</key>
<dict>
    <key>BlessOverride</key>
    <array/>
    <key>Boot</key>
    <dict>
        <key>ConsoleAttributes</key>
        <integer>0</integer>
        <key>HibernateMode</key>
        <string>None</string>
        <key>HideAuxiliary</key>
        <false/>
        <key>PickerAttributes</key>
        <integer>1</integer>
        <key>PickerAudioAssist</key>
```

```
    <false/>
    <key>PickerMode</key>
    <string>External</string>
    <key>PollAppleHotKeys</key>
    <false/>
    <key>ShowPicker</key>
    <true/>
    <key>TakeoffDelay</key>
    <integer>0</integer>
    <key>Timeout</key>
    <integer>0</integer>
</dict>
<key>Debug</key>
<dict>
    <key>AppleDebug</key>
    <false/>
    <key>ApplePanic</key>
    <true/>
    <key>DisableWatchDog</key>
    <false/>
    <key>DisplayDelay</key>
    <integer>0</integer>
    <key>DisplayLevel</key>
    <integer>2147483650</integer>
    <key>SerialInit</key>
    <false/>
    <key>SysReport</key>
    <false/>
    <key>Target</key>
    <integer>67</integer>
</dict>
<key>Entries</key>
<array/>
<key>Security</key>
<dict>
    <key>AllowNvramReset</key>
    <true/>
    <key>AllowSetDefault</key>
    <true/>
```

```
    <key>ApECID</key>
    <integer>0</integer>
    <key>AuthRestart</key>
    <false/>
    <key>BootProtect</key>
    <string>Bootstrap</string>
    <key>DmgLoading</key>
    <string>Signed</string>
    <key>EnablePassword</key>
    <false/>
    <key>ExposeSensitiveData</key>
    <integer>6</integer>
    <key>HaltLevel</key>
    <integer>2147483648</integer>
    <key>PasswordHash</key>
    <data></data>
    <key>PasswordSalt</key>
    <data></data>
    <key>SecureBootModel</key>
    <string>Default</string>
    <key>ScanPolicy</key>
    <integer>0</integer>
    <key>Vault</key>
    <string>Optional</string>
</dict>
<key>Tools</key>
<array>
    <dict>
        <key>Arguments</key>
        <string></string>
        <key>Auxiliary</key>
        <false/>
        <key>Comment</key>
        <string></string>
        <key>Enabled</key>
        <true/>
        <key>Name</key>
        <string>OpenShell</string>
        <key>Path</key>
```

```
            <string>OpenShell.efi</string>
        </dict>
    </array>
</dict>
<key>NVRAM</key>
<dict>
    <key>Add</key>
    <dict>
        <key>4D1EDE05-38C7-4A6A-9CC6-4BCCA8B38C14</key>
        <dict>
            <key>DefaultBackgroundColor</key>
            <data>AAAAAA==</data>
            <key>UIScale</key>
            <data>AQ==</data>
        </dict>
        <key>7C436110-AB2A-4BBB-A880-FE41995C9F82</key>
        <dict>
            <key>SystemAudioVolume</key>
            <data>Rg==</data>
            <key>boot-args</key>
            <string>nv_disable=1 -no_compat_check</string>
            <key>run-efi-updater</key>
            <string>No</string>
            <key>csr-active-config</key>
            <data>5wMAAA==</data>
            <key>prev-lang:kbd</key>
            <data>dHItVFI6LTM2</data>
            <key>nvda_drv</key>
            <string>30</string>
        </dict>
    </dict>
    <key>Delete</key>
    <dict>
        <key>4D1EDE05-38C7-4A6A-9CC6-4BCCA8B38C14</key>
        <array>
            <string>UIScale</string>
            <string>DefaultBackgroundColor</string>
        </array>
        <key>7C436110-AB2A-4BBB-A880-FE41995C9F82</key>
```

```
        <array>
            <string>boot-args</string>
        </array>
    </dict>
    <key>LegacyEnable</key>
    <false/>
    <key>LegacyOverwrite</key>
    <false/>
    <key>LegacySchema</key>
    <dict>
        <key>7C436110-AB2A-4BBB-A880-FE41995C9F82</key>
        <array>
            <string>EFILoginHiDPI</string>
            <string>EFIBluetoothDelay</string>
            <string>LocationServicesEnabled</string>
            <string>SystemAudioVolume</string>
            <string>SystemAudioVolumeDB</string>
            <string>SystemAudioVolumeSaved</string>
            <string>bluetoothActiveControllerInfo</string>
            <string>bluetoothInternalControllerInfo</string>
            <string>flagstate</string>
            <string>fmm-computer-name</string>
            <string>nvda_drv</string>
            <string>prev-lang:kbd</string>
        </array>
        <key>8BE4DF61-93CA-11D2-AA0D-00E098032B8C</key>
        <array>
            <string>Boot0080</string>
            <string>Boot0081</string>
            <string>Boot0082</string>
            <string>BootNext</string>
            <string>BootOrder</string>
        </array>
    </dict>
    <key>WriteFlash</key>
    <true/>
</dict>
<key>PlatformInfo</key>
<dict>
```

```
    <key>Automatic</key>
    <true/>
    <key>Generic</key>
    <dict>
        <key>AdviseWindows</key>
        <false/>
        <key>MLB</key>
        <string>C02515300OPGDQPUE</string>
        <key>ProcessorType</key>
        <integer>0</integer>
        <key>SystemMemoryStatus</key>
        <string>Auto</string>
        <key>ROM</key>
        <data>ESIzAAAA</data>
        <key>SpoofVendor</key>
        <true/>
        <key>SystemProductName</key>
        <string>MacBookPro11,4</string>
        <key>SystemSerialNumber</key>
        <string>C02PL0UEG8WL</string>
        <key>SystemUUID</key>
        <string>5974C411-2DB8-409C-934F-9DBB2629748E</string>
    </dict>
    <key>UpdateDataHub</key>
    <true/>
    <key>UpdateNVRAM</key>
    <true/>
    <key>UpdateSMBIOS</key>
    <true/>
    <key>UpdateSMBIOSMode</key>
    <string>Create</string>
</dict>
<key>UEFI</key>
<dict>
    <key>APFS</key>
    <dict>
        <key>EnableJumpstart</key>
        <true/>
        <key>GlobalConnect</key>
```

```
    <false/>
    <key>HideVerbose</key>
    <true/>
    <key>JumpstartHotPlug</key>
    <false/>
    <key>MinDate</key>
    <integer>0</integer>
    <key>MinVersion</key>
    <integer>0</integer>
</dict>
<key>Audio</key>
<dict>
    <key>AudioCodec</key>
    <integer>0</integer>
    <key>AudioDevice</key>
    <string>PciRoot(0x0)/Pci(0x1b,0x0)</string>
    <key>AudioOut</key>
    <integer>0</integer>
    <key>AudioSupport</key>
    <true/>
    <key>MinimumVolume</key>
    <integer>20</integer>
    <key>PlayChime</key>
    <true/>
    <key>VolumeAmplifier</key>
    <integer>0</integer>
</dict>
<key>ConnectDrivers</key>
<true/>
<key>Drivers</key>
<array>
    <string>HfsPlus.efi</string>
    <string>OpenCanopy.efi</string>
    <string>OpenRuntime.efi</string>
    <string>VBoxHfs.efi</string>
    <string>ApfsDriverLoader.efi</string>
    <string>AppleUsbKbDxe.efi</string>
</array>
<key>Input</key>
```

```
<dict>
    <key>KeyFiltering</key>
    <false/>
    <key>KeyForgetThreshold</key>
    <integer>5</integer>
    <key>KeyMergeThreshold</key>
    <integer>2</integer>
    <key>KeySupport</key>
    <true/>
    <key>KeySupportMode</key>
    <string>Auto</string>
    <key>KeySwap</key>
    <false/>
    <key>PointerSupport</key>
    <false/>
    <key>PointerSupportMode</key>
    <string>ASUS</string>
    <key>TimerResolution</key>
    <integer>50000</integer>
</dict>
<key>Output</key>
<dict>
    <key>ClearScreenOnModeSwitch</key>
    <false/>
    <key>ConsoleMode</key>
    <string></string>
    <key>DirectGopRendering</key>
    <false/>
    <key>IgnoreTextInGraphics</key>
    <false/>
    <key>ProvideConsoleGop</key>
    <true/>
    <key>ReconnectOnResChange</key>
    <false/>
    <key>ReplaceTabWithSpace</key>
    <false/>
    <key>Resolution</key>
    <string>Max</string>
    <key>SanitiseClearScreen</key>
```

```
    <false/>
    <key>TextRenderer</key>
    <string>BuiltinGraphics</string>
    <key>UgaPassThrough</key>
    <false/>
</dict>
<key>ProtocolOverrides</key>
<dict>
    <key>AppleAudio</key>
    <false/>
    <key>AppleBootPolicy</key>
    <false/>
    <key>AppleDebugLog</key>
    <false/>
    <key>AppleEvent</key>
    <false/>
    <key>AppleFramebufferInfo</key>
    <false/>
    <key>AppleImageConversion</key>
    <false/>
    <key>AppleImg4Verification</key>
    <false/>
    <key>AppleKeyMap</key>
    <false/>
    <key>AppleRtcRam</key>
    <false/>
    <key>AppleSecureBoot</key>
    <false/>
    <key>AppleSmcIo</key>
    <false/>
    <key>AppleUserInterfaceTheme</key>
    <false/>
    <key>DataHub</key>
    <false/>
    <key>DeviceProperties</key>
    <false/>
    <key>FirmwareVolume</key>
    <false/>
    <key>HashServices</key>
```

```
        <false/>
        <key>OSInfo</key>
        <false/>
        <key>UnicodeCollation</key>
        <false/>
    </dict>
    <key>Quirks</key>
    <dict>
        <key>DeduplicateBootOrder</key>
        <true/>
        <key>ExitBootServicesDelay</key>
        <integer>0</integer>
        <key>IgnoreInvalidFlexRatio</key>
        <true/>
        <key>ReleaseUsbOwnership</key>
        <true/>
        <key>RequestBootVarRouting</key>
        <true/>
        <key>TscSyncTimeout</key>
        <integer>0</integer>
        <key>UnblockFsConnect</key>
        <false/>
    </dict>
    <key>ReservedMemory</key>
    <array>
        <dict>
            <key>Address</key>
            <integer>268435456</integer>
            <key>Comment</key>
            <string>HD3000: IGPU memory corruption errata</string>
            <key>Enabled</key>
            <false/>
            <key>Size</key>
            <integer>268435456</integer>
            <key>Type</key>
            <string>Reserved</string>
        </dict>
    </array>
</dict>
```

</dict>
</plist>