



A Detailed Guide to Understanding the Benefits and Side Effects of HCG Injections

How are HCG Injections administered?

Human chorionic gonadotropin (HCG) is a hormone that supports the [HCG Injections](#) normal development of an egg in a woman's ovary, and stimulates the release of the egg during ovulation.

HCG is used to cause ovulation and to treat infertility in women. It is also used in certain young boys when their testicles have not dropped down into the scrotum normally. This can be caused by a pituitary gland disorder.

HCG is available in several forms:

- injections that are given under the skin or into a muscle
- pellets that are placed under the skin
- nasal spray

HCG injections are usually given as an intramuscular (IM) injection. The needle is injected into the muscle of the upper arm, buttocks, or hip. HCG is also available as a subcutaneous (SC) injection, which is injected just under the skin.

The most common side effects of HCG are pain at the injection site, nausea, vomiting, headache, and restlessness.



How often should HCG Injections be taken?

Human chorionic gonadotropin (hCG) is a hormone that supports the normal development of an egg in a woman's ovary, and stimulates the release of the egg during ovulation.

hCG is used to cause ovulation and to treat infertility in women. It is also used in certain men to stimulate sperm production.

hCG is available only with a doctor's prescription.

The recommended dose of hCG depends on several factors such as the woman's age, weight, and the cause of her infertility.

Injections of hCG are usually given 1-3 times per week.

What is the dosage for HCG Injections?

Human chorionic gonadotropin (hCG) is a hormone that supports the normal development of an egg in a woman's ovary, and stimulates the release of the egg during ovulation.

hCG is used to cause ovulation and to treat infertility in women. It is also used in certain boys to help them produce more testosterone and to cause puberty.

hCG is available in two forms:

- A shot that is given under the skin
- A pill that is placed under the tongue

The usual dose of hCG is 5000 units given as an injection under the skin or subcutaneously, once a day for 3 days. This is usually done in a doctor's office or clinic.

Some doctors may recommend a higher dose of 10,000 units of hCG given as an injection under the skin or subcutaneously once a day for 3 days.

hCG is also available in a pill form that is placed under the tongue. The usual dose of hCG is 200 units, 3 times a day for 84 days.



HCG injections are typically given 1-3 times per week. The number of injections and the length of treatment will depend on the reason for taking HCG, as well as the response to treatment.

Injections are usually given intramuscularly (into the muscle), but can also be given subcutaneously (under the skin).

The usual dose of HCG for weight loss is 5000 units given as an [injection](#) under the skin or subcutaneously, once a day. This is typically done in a doctor's office or clinic.

Some doctors may recommend a higher dose of 10,000 units of HCG given as an injection under the skin or subcutaneously once a day.

HCG injections are typically given 1-3 times per week. The number of injections and the length of treatment will depend on the response to treatment.