



Hubspot create response

```
res {
  response: IncomingMessage {
    _readableState: ReadableState {
      objectMode: false,
      highWaterMark: 16384,
      buffer: BufferList { head: null, tail: null, length: 0 },
      length: 0,
      pipes: null,
      pipesCount: 0,
      flowing: true,
      ended: true,
      endEmitted: true,
      reading: false,
      sync: false,
      needReadable: false,
      emittedReadable: false,
      readableListening: false,
      resumeScheduled: false,
      emitClose: true,
      autoDestroy: false,
      destroyed: false,
      defaultEncoding: 'utf8',
      awaitDrainWriters: null,
      multiAwaitDrain: false,
      readingMore: false,
      decoder: null,
      encoding: null,
      [Symbol(kPaused)]: false
    },
    readable: false,
    _events: [Object: null prototype] {
      end: [Array],
      close: [Array],
```

```
  data: [Function],
  error: [Function]
},
_eventsCount: 4,
_maxListeners: undefined,
socket: TLSSocket {
  _tlsOptions: [Object],
  _secureEstablished: true,
  _securePending: false,
  _newSessionPending: false,
  _controlReleased: true,
  secureConnecting: false,
  _SNICallback: null,
  servername: 'api.hubapi.com',
  alpnProtocol: false,
  authorized: true,
  authorizationError: null,
  encrypted: true,
  _events: [Object: null prototype],
  _eventsCount: 9,
  connecting: false,
  _hadError: false,
  _parent: null,
  _host: 'api.hubapi.com',
  _readableState: [ReadableState],
  readable: false,
  _maxListeners: undefined,
  _writableState: [WritableState],
  writable: false,
  allowHalfOpen: false,
  _sockname: null,
  _pendingData: null,
  _pendingEncoding: "",
  server: undefined,
  _server: null,
  ssl: null,
  _requestCert: true,
  _rejectUnauthorized: true,
  parser: null,
```

```
_httpMessage: [ClientRequest],
[Symbol(res)]: null,
[Symbol(verified)]: true,
[Symbol(pendingSession)]: null,
[Symbol(asyncId)]: 604,
[Symbol(kHandle)]: null,
[Symbol(kSetNoDelay)]: false,
[Symbol(lastWriteQueueSize)]: 0,
[Symbol(timeout)]: null,
[Symbol(kBuffer)]: null,
[Symbol(kBufferCb)]: null,
[Symbol(kBufferGen)]: null,
[Symbol(kCapture)]: false,
[Symbol(kBytesRead)]: 1711,
[Symbol(kBytesWritten)]: 395,
[Symbol(connect-options)]: [Object]
},
connection: TLSSocket {
  _tlsOptions: [Object],
  _secureEstablished: true,
  _securePending: false,
  _newSessionPending: false,
  _controlReleased: true,
  secureConnecting: false,
  _SNICallback: null,
  servername: 'api.hubapi.com',
  alpnProtocol: false,
  authorized: true,
  authorizationError: null,
  encrypted: true,
  _events: [Object: null prototype],
  _eventsCount: 9,
  connecting: false,
  _hadError: false,
  _parent: null,
  _host: 'api.hubapi.com',
  _readableState: [ReadableState],
  readable: false,
  _maxListeners: undefined,
```

```
_writableState: [WritableState],
writable: false,
allowHalfOpen: false,
_sockname: null,
_pendingData: null,
_pendingEncoding: "",
server: undefined,
_server: null,
ssl: null,
_requestCert: true,
_rejectUnauthorized: true,
parser: null,
_httpMessage: [ClientRequest],
[Symbol(res)]: null,
[Symbol(verified)]: true,
[Symbol(pendingSession)]: null,
[Symbol(asyncId)]: 604,
[Symbol(kHandle)]: null,
[Symbol(kSetNoDelay)]: false,
[Symbol(lastWriteQueueSize)]: 0,
[Symbol(timeout)]: null,
[Symbol(kBuffer)]: null,
[Symbol(kBufferCb)]: null,
[Symbol(kBufferGen)]: null,
[Symbol(kCapture)]: false,
[Symbol(kBytesRead)]: 1711,
[Symbol(kBytesWritten)]: 395,
[Symbol(connect-options)]: [Object]
},
httpVersionMajor: 1,
httpVersionMinor: 1,
httpVersion: '1.1',
complete: true,
headers: {
  date: 'Mon, 19 Apr 2021 09:55:54 GMT',
  'content-type': 'application/json;charset=utf-8',
  'transfer-encoding': 'chunked',
  connection: 'close',
  'set-cookie': [Array],
```

```
'cf-ray': '64254285db443752-MXP',
'strict-transport-security': 'max-age=31536000; includeSubDomains; preload',
vary: 'Accept-Encoding',
'cf-cache-status': 'DYNAMIC',
'access-control-allow-credentials': 'false',
'cf-request-id': '098b27e7a40000375273a280000000001',
'expect-ct': 'max-age=604800, report-uri="https://report-uri.cloudflare.com/cdn-cgi/beacon/expect-ct"',
'x-hubspot-ratelimit-daily': '250000',
'x-hubspot-ratelimit-daily-remaining': '247522',
'x-hubspot-ratelimit-interval-milliseconds': '10000',
'x-hubspot-ratelimit-max': '100',
'x-hubspot-ratelimit-remaining': '98',
'x-hubspot-ratelimit-secondly': '10',
'x-hubspot-ratelimit-secondly-remaining': '9',
'x-trace':
'2BA1258F3B1335C611D96FF1ABD5A1E64D37DFDBA800000000000000000000',
  'report-to': '{"endpoints":[{"url":"https://a.nel.cloudflare.com/vreport?s=YI9%2By11kB1N%2B3m0LDPneVXgXcHt69jDjgot5g%2BuouYG0xzGT5YIJS%2F8sblbNh70B1lx8txCw4%2BXLs1Hrg1aCbWPqRLI78wlGHBgNhNt6cg%3D%3D"}],"max_age":604800,"group":"cf-nel"}',
  nel: '{"report_to":"cf-nel","max_age":604800}',
  server: 'cloudflare',
  'alt-svc': 'h3-27=":443"; ma=86400, h3-28=":443"; ma=86400, h3-29=":443"; ma=86400'
},
rawHeaders: [
  'Date',
  'Mon, 19 Apr 2021 09:55:54 GMT',
  'Content-Type',
  'application/json; charset=utf-8',
  'Transfer-Encoding',
  'chunked',
  'Connection',
  'close',
  'Set-Cookie',
  '__cfduid=d7dc28dab7917e5128d490f35f9b49df71618826153; expires=Wed, 19-May-21 09:55:53 GMT; path=/; domain=.hubapi.com; HttpOnly; SameSite=Lax; Secure',
  'CF-Ray',
  '64254285db443752-MXP'.
```

'Strict-Transport-Security',
'max-age=31536000; includeSubDomains; preload',
'Vary',
'Accept-Encoding',
'CF-Cache-Status',
'DYNAMIC',
'Access-Control-Allow-Credentials',
'false',
'cf-request-id',
'098b27e7a40000375273a280000000001',
'Expect-CT',
'max-age=604800, report-uri="https://report-uri.cloudflare.com/cdn-cgi/beacon/expect-ct"',
'X-HubSpot-RateLimit-Daily',
'250000',
'X-HubSpot-RateLimit-Daily-Remaining',
'247522',
'X-HubSpot-RateLimit-Interval-Milliseconds',
'10000',
'X-HubSpot-RateLimit-Max',
'100',
'X-HubSpot-RateLimit-Remaining',
'98',
'X-HubSpot-RateLimit-Secondly',
'10',
'X-HubSpot-RateLimit-Secondly-Remaining',
'9',
'X-Trace',
'2BA1258F3B1335C611D96FF1ABD5A1E64D37DFDBA80000000000000000000',
'Report-To',
'{"endpoints":[{"url":"https://a.nel.cloudflare.com/report?s=YI9%2By11kB1N%2B3m0LDPneVXgXcHt69jDjgot5g%2BuouYG0xzGT5YIJS%2F8sblbNh70B1lx8txCw4%2BXLs1Hrg1aCbWPqRLI78wIGHBgNhNt6cg%3D%3D"}],"max_age":604800,"group":"cf-nel"}',
'NEL',
'{"report_to":"cf-nel","max_age":604800}',
'Server',
'cloudflare',
'alt-svc',
'h3-27=":443"; ma=86400, h3-28=":443"; ma=86400, h3-29=":443"; ma=86400'

```
],
trailers: {},
rawTrailers: [],
aborted: false,
upgrade: false,
url: "",
method: null,
statusCode: 207,
statusMessage: "",
client: TLSSocket {
  _tlsOptions: [Object],
  _secureEstablished: true,
  _securePending: false,
  _newSessionPending: false,
  _controlReleased: true,
  secureConnecting: false,
  _SNICallback: null,
  servername: 'api.hubapi.com',
  alpnProtocol: false,
  authorized: true,
  authorizationError: null,
  encrypted: true,
  _events: [Object: null prototype],
  _eventsCount: 9,
  connecting: false,
  _hadError: false,
  _parent: null,
  _host: 'api.hubapi.com',
  _readableState: [ReadableState],
  readable: false,
  _maxListeners: undefined,
  _writableState: [WritableState],
  writable: false,
  allowHalfOpen: false,
  _sockname: null,
  _pendingData: null,
  _pendingEncoding: "",
  server: undefined,
  _server: null,
```

```
ssl: null,
_requestCert: true,
_rejectUnauthorized: true,
parser: null,
_httpMessage: [ClientRequest],
[Symbol(res)]: null,
[Symbol(verified)]: true,
[Symbol(pendingSession)]: null,
[Symbol(asyncId)]: 604,
[Symbol(kHandle)]: null,
[Symbol(kSetNoDelay)]: false,
[Symbol(lastWriteQueueSize)]: 0,
[Symbol(timeout)]: null,
[Symbol(kBuffer)]: null,
[Symbol(kBufferCb)]: null,
[Symbol(kBufferGen)]: null,
[Symbol(kCapture)]: false,
[Symbol(kBytesRead)]: 1711,
[Symbol(kBytesWritten)]: 395,
[Symbol(connect-options)]: [Object]
},
_consuming: true,
_dumped: false,
req: ClientRequest {
  _events: [Object: null prototype],
  _eventsCount: 5,
  _maxListeners: undefined,
  outputData: [],
  outputSize: 0,
  writable: true,
  _last: true,
  chunkedEncoding: false,
  shouldKeepAlive: false,
  _defaultKeepAlive: true,
  useChunkedEncodingByDefault: true,
  sendDate: false,
  _removedConnection: false,
  _removedContLen: false,
  _removedTE: false,
```



```
_contentType: null,
_hasBody: true,
_trailer: "",
finished: true,
_headerSent: true,
socket: [TLSSocket],
connection: [TLSSocket],
_header: 'POST /crm/v3/objects/deals/batch/update?hapikey=b1aec92-8d94-47b5-95b1-34f4c72b4bc1 HTTP/1.1\r\n' +
  'User-Agent: hubspot-api-client-nodejs; 3.4.1\r\n' +
  'Accept: application/json\r\n' +
  'host: api.hubapi.com\r\n' +
  'content-type: application/json\r\n' +
  'content-length: 132\r\n' +
  'Connection: close\r\n' +
  '\r\n',
_keepAliveTimeout: 0,
_onPendingData: [Function: noopPendingOutput],
agent: [Agent],
socketPath: undefined,
method: 'POST',
insecureHTTPParser: undefined,
path: '/crm/v3/objects/deals/batch/update?hapikey=b1aec92-8d94-47b5-95b1-34f4c72b4bc1',
_ended: true,
res: [Circular],
aborted: false,
timeoutCb: null,
upgradeOrConnect: false,
parser: null,
maxHeadersCount: null,
reusedSocket: false,
host: 'api.hubapi.com',
protocol: 'https:',
[Symbol(kCapture)]: false,
[Symbol(kNeedDrain)]: false,
[Symbol(corked)]: 0,
[Symbol(kOutHeaders)]: [Object: null prototype]
},
```

```
request: Request {
  _events: [Object: null prototype],
  _eventsCount: 5,
  _maxListeners: undefined,
  method: 'POST',
  headers: [Object],
  uri: [Url],
  useQuerystring: true,
  body: '{"inputs":{"properties":
{"email":"mbenettelli1@springer.com","firstname":"Margeaux_EDITED","lastname":"Benettelli"
},"id":"16401"}}',
  callback: [Function],
  readable: true,
  writable: true,
  explicitMethod: true,
  _qs: [Querystring],
  _auth: [Auth],
  _oauth: [OAuth],
  _multipart: [Multipart],
  _redirect: [Redirect],
  _tunnel: [Tunnel],
  setHeader: [Function],
  hasHeader: [Function],
  getHeader: [Function],
  removeHeader: [Function],
  localAddress: undefined,
  pool: {},
  dests: [],
  __isRequestRequest: true,
  _callback: [Function],
  proxy: null,
  tunnel: true,
  setHost: true,
  originalCookieHeader: undefined,
  _disableCookies: true,
  _jar: undefined,
  port: 443,
  host: 'api.hubapi.com',
  url: [Url],
```

```
path: '/crm/v3/objects/deals/batch/update?hapikey=b1aec92-8d94-47b5-95b1-34f4c72b4bc1',
  _json: true,
  httpModule: [Object],
  agentClass: [Function: Agent],
  agent: [Agent],
  _started: true,
  href: 'https://api.hubapi.com/crm/v3/objects/deals/batch/update?hapikey=b1aec92-8d94-47b5-95b1-34f4c72b4bc1',
  req: [ClientRequest],
  ntick: true,
  response: [Circular],
  originalHost: 'api.hubapi.com',
  originalHostHeaderName: 'host',
  responseContent: [Circular],
  _destdata: true,
  _ended: true,
  _callbackCalled: true,
  [Symbol(kCapture)]: false
},
toJSON: [Function: responseToJSON],
caseless: Caseless { dict: [Object] },
body: {
  status: 'COMPLETE',
  results: [],
  numErrors: 1,
  errors: [Array],
  startedAt: '2021-04-19T09:55:53.974Z',
  completedAt: '2021-04-19T09:55:53.984Z'
},
[Symbol(kCapture)]: false
},
body: BatchResponseSimplePublicObject {
  status: 'COMPLETE',
  results: [],
  requestedAt: undefined,
  startedAt: 2021-04-19T09:55:53.974Z,
  completedAt: 2021-04-19T09:55:53.984Z,
  links: undefined
}
```

}

}