



About Tadacip 20 Tablet 4's

USA FAST DELIVERY



[Tadacip](#) 20 Tablet 4's belongs to the group of medicines called phosphodiesterase type 5 (PDE 5) inhibitors, primarily used to treat erectile dysfunction (impotence) and benign prostatic hyperplasia (BPH). Sometimes, Tadacip 20 Tablet 4's is also used to treat pulmonary arterial hypertension (high blood pressure in the lungs). Erectile dysfunction is the inability to keep a hard and erect penis suitable for sexual activity. Benign prostatic hyperplasia, also called as prostate enlargement, is the non-cancerous growth of the prostate gland.

Tadacip 20 Tablet 4's contains 'Tadalafil', which works by relaxing the blood vessels in the penis; this allows the blood to flow into the penis when the person is sexually excited. Thereby, it helps to treat erectile dysfunction. Tadacip 20 Tablet 4's relaxes the bladder and prostate

muscles, thereby reducing enlarged prostate symptoms such as difficulty in urination and urgent need to urinate. Tadacip 20 Tablet 4's used to treat pulmonary hypertension (high blood pressure in the lungs) by relaxing the blood vessels in the chest. Thereby increasing the blood supply to the lungs and decreasing the workload of the heart.

You are advised to take [Tadacip](#) 20 Tablet 4's for as long as your doctor has prescribed it for you, depending on your medical condition. In some cases, you may experience certain common side-effects such as headache, back pain, muscle pain, pain in the legs and arms, nasal congestion, indigestion, and facial flushing. Most of these side-effects do not require medical attention and will resolve gradually over time. However, you are advised to talk to your doctor if you experience these side-effects persistently.

Uses of Tadacip 20 Tablet 4's

Erectile dysfunction (impotence), benign prostatic hyperplasia (BPH), Pulmonary arterial hypertension (PAH)

Medicinal Benefits

[Tadacip](#) 20 Tablet 4's belongs to the group of medicines called phosphodiesterase type 5 (PDE 5) inhibitors. Tadacip 20 Tablet 4's is used to treat erectile dysfunction (impotence) and benign prostatic hyperplasia (BPH). Sometimes, Tadacip 20 Tablet 4's is also used to treat pulmonary arterial hypertension (high blood pressure in the lungs). Tadacip 20 Tablet 4's works by relaxing the blood vessels in the penis; this allows the blood to flow into the penis when the person is sexually excited. Thereby, it helps to treat erectile dysfunction.

Directions for Use

[Tadacip](#) Tablet/Capsule: Swallow it as a whole with a glass of water as a whole. Do not crush, break or chew the tablet/capsule. Orally disintegrating tablet/strip: Keep the tablet/strip in the mouth and allow it to disintegrate. Do not swallow as a whole. Avoid handling the tablet/strip with wet hands. Jelly:

Side Effects of Tadacip 20 Tablet 4's

Headache, Back pain, Muscle pain, Pain in legs and arms, Nasal congestion, Indigestion, Facial flushing.