



Crypto Minotaur PDU FUSED



3 x 150 amp input fuses protect critical loads by adding an additional over-correction mitigation layer between your panel and the [PDU's output breakers](#). The Minotaur is rated at 200kAIC when fuses are installed.

RAPTORPOWERSYSTEMS.COM

CRYPTO MINOTAUR

PDU FUSED

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
A	INITIAL RELEASE	6/28/2021	EE



NO. OF WIRING	DESCRIPTION
1	1/2" DIA. OUTPUTS
2	1/2" DIA. INPUTS
3	1/2" DIA. INPUTS

Information herein is
proprietary to
Raptor Power
Systems and cannot
be reproduced in
any manner without
prior written
approval

1/2" DIA.	1/2" DIA.	1/2" DIA.
16 GAUGE 5052	16 GAUGE 5052	16 GAUGE 5052
ALUMINUM	ALUMINUM	ALUMINUM
FINISH	FINISH	FINISH
FLAT BLACK	FLAT BLACK	FLAT BLACK
POWDER COAT	POWDER COAT	POWDER COAT
TOLERANCES UNLESS	TOLERANCES UNLESS	TOLERANCES UNLESS
OTHERWISE SPECIFIED	OTHERWISE SPECIFIED	OTHERWISE SPECIFIED
DIMENSIONS	DIMENSIONS	DIMENSIONS
IN INCHES	IN INCHES	IN INCHES
UNLESS	UNLESS	UNLESS
NOTED	NOTED	NOTED

DATE	6/28/2021
DESIGN	DESIGN
CHECKED	CHECKED
SA	SA
APPROVED	APPROVED
AA/PM	AA/PM

POWER SPEC	POWER SPEC
MINOTAUR	MINOTAUR
200 KAIC	200 KAIC
SCALE	SCALE
DWG NO	DWG NO
FB-2017	FB-2017
REV	REV
A	A
SHEET 1 OF 2	SHEET 1 OF 2

RAPTOR
POWER SYSTEMS



