



```
<?xml version="1.0" encoding="UTF-8" ?>
<!DOCTYPE html>
<html b:version='2' class='v2' expr:dir='data:blog.languageDirection'
xmlns='http://www.w3.org/1999/xhtml' xmlns:b='http://www.google.com/2005/gml/b'
xmlns:data='http://www.google.com/2005/gml/data'
xmlns:expr='http://www.google.com/2005/gml/expr'>
  <head>
    <meta content='IE=EmulateIE7' http-equiv='X-UA-Compatible'/>
    <b:if cond='data:blog.isMobile'>
      <meta content='width=device-width,initial-scale=0.0,minimum-scale=1.0,maximum-
scale=1.0' name='viewport'/>
    <b:else/>
      <meta content='width=1100' name='viewport'/>
    </b:if>
    <b:include data='blog' name='all-head-content'/>
    <title><data:blog.pageTitle/></title>
    <b:skin><![CDATA[/*
```

Blogger Template Style

Name: Cosmic Mission

Author: Klodian

URL: www.deluxetemplates.net

Date: September 2010

License: This free Blogger template is licensed under the Creative Commons Attribution 3.0 License, which permits both personal and commercial use. However, to satisfy the 'attribution' clause of the license, you are required to keep the footer links intact which provides due credit to its authors. For more specific details about the license, you may visit the URL below:

<http://creativecommons.org/licenses/by/3.0>

----- */

```
#navbar-iframe {
display: none !important;
}
body .navbar {
height:0px;
}
.content-outer {
```

```

-moz-box-shadow: 0 0 40px rgba(0, 0, 0, .15);
-webkit-box-shadow: 0 0 5px rgba(0, 0, 0, .15);
-goog-ms-box-shadow: 0 0 10px #333333;
box-shadow: 0 0 40px rgba(0, 0, 0, .15);
1px;
}
/* Variable definitions
=====
<Variable name="textcolor" description="Text Color"
type="color" default="#333" value="#333333">
<Variable name="pagetitlecolor" description="Page Header Color"
type="color" default="#FFF" value="#FFFFFF">
<Variable name="datecolor" description="Date Header Color"
type="color" default="#f93" value="#ff9933">
<Variable name="titlecolor" description="Post Title Color"
type="color" default="#f63" value="#ff6633">
<Variable name="footercolor" description="Post Footer Color"
type="color" default="#999" value="#999999">
<Variable name="sidebartextcolor" description="Sidebar Text Color"
type="color" default="#999" value="#999999">
<Variable name="sidebarcolor" description="Sidebar Title Color"
type="color" default="#666" value="#666666">
<Variable name="linkcolor" description="Link Color"
type="color" default="#69c" value="#6699cc">
<Variable name="visitedlinkcolor" description="Visited Link Color"
type="color" default="#666699" value="#666699">
<Variable name="bodyfont" description="Text Font"
type="font"
default="normal normal 100% arial, sans-serif" value="normal normal 100% arial, sans-serif">
<Variable name="pagetitlefont" description="Page Header Font"
type="font" default="normal normal 100% 'Lucida Grande','Trebuchet MS'" value="normal
normal 100% 'Lucida Grande','Trebuchet MS'">
<Variable name="titlefont" description="Post Title Font"
type="font" default="normal bold 130% 'Lucida Grande','Trebuchet MS'" value="normal bold
130% 'Lucida Grande','Trebuchet MS'">
<Variable name="sidebarheaderfont" description="Sidebar Title Font"
type="font" default="normal bold 130% arial,'Trebuchet MS'" value="normal bold 130%
arial,'Trebuchet MS'">
<Variable name="startSide" description="Start side in blog language"

```

```
type="automatic" default="left" value="left">
<Variable name="endSide" description="End side in blog language"
type="automatic" default="right" value="right">
*/
/* ---( page defaults )--- */
body, .body-fauxcolumn-outer {
0;
padding: 0;
small;
text-align: center;
color: #757575;
background: #edf3fc url(http://www.chobots.pro/images/body_bg.gif) repeat-x 0 0;
font: 15px arial, sans-serif;
}
blockquote {
0;
0;
0;
30px;
padding-top: 0;
padding-right: 0;
padding-bottom: 0;
padding-left: 20px;
88%;
1.5em;
color: #666;
background: url(http://www.blogblog.com/tictac/quotes.gif) no-repeat top left;
}
blockquote p {
0;
}
abbr, acronym {
cursor: help;
font-style: normal;
border-bottom: 1px dotted;
}
code {
color: #f63;
}
```

```
hr {
display: none;
}
img {
border: none;
}
/* unordered list style */
ul {
list-style: none;
10px;
padding: 0;
}
li {
list-style: none;
padding-left: 14px;
3px;
background: u rl(http://www.blogblog.com/tictac/tictac_orange.gif) no-repeat left 6px;
}
/* links */
a:link {
color: #6699cc;
}
a:visited {
color: #666699;
}
a:hover {
color: #555;
}
a:active {
color: #cc3333;
text-decoration: none;
}
/* ---( layout structure )---*/
#outer-wrapper {
width: 900px;
0 auto 0;
text-align: left;
font: normal normal 100% Arial, sans-serif;
}
```

```
#content-wrapper {
/* 42px;*/ /* to avoid the border image */
/*width: 763px;*/
background: #fff;
}
#main {
float: left;
width: 580px;
0;
0;
0;
0;
padding-top: 0;
padding-right: 0;
padding-bottom: 0;
padding-left: 1em;
1.5em;
word-wrap: break-word; /* fix for long text breaking sidebar float in IE */
overflow: hidden; /* fix for long non-text content breaking IE sidebar float */
}
#sidebar {
float: right;
width: 275px;
padding-right: 0px;
padding-bottom: 0;
padding-left: 0;
85%;
1.4em;
color: #999999;
/*background: url(http://www.blogblog.com/tictac/sidebar_bg.gif) no-repeat left top;*/
word-wrap: break-word; /* fix for long text breaking sidebar float in IE */
overflow: hidden; /* fix for long non-text content breaking IE sidebar float */
}
/* ---( header and site name )--- */
#header-wrapper {
0;
padding: 0;
font: normal normal 100% arial,'Trebuchet MS';
background: #fff;
```

```
width: 100%;
overflow: hidden;
visable
}
#header {
0;
color: #006699;
background: #fff;
}
#header-inner a {
20px 12px 0 0;
width: 277px;
float: right;
}
div.menu ul {
background: url(http://i.imgur.com/GgVTxN2.png) no-repeat;
background-position: center;
width: 900px;
height: 174px;
list-style-type:none;
0pt 0pt 0 00px;
overflow:hidden;
padding:0pt;
}
div.menu li {
float:left;
5px;
background: none;
padding: 0;
font-weight: normal !important;
}
div.menu li a {
color:#1684DC;
display:block;
17px;
font-weight: normal;
text-decoration:none;
}
div.menu li.current a, div.menu li.current a:hover {
```

```
background:#91C5EE url(http://www.chobots.pro/images/menu/menu_bg.gif) repeat-x scroll
left bottom;
color:#FFFFFF;
}
div.menu li.current a, div.menu li.current a span span {
cursor: pointer;
}
div.menu li.current a span, div.menu li.current a:hover span {
background:transparent url(http://www.chobots.pro/images/menu/corner_lb.gif) no-repeat
scroll left bottom;
}
div.menu li.current a span span, div.menu li.current a:hover span span {
background:transparent url(http://www.chobots.pro/images/menu/corner_rb.gif) no-repeat
scroll right bottom;
}
div.menu li a span {
display:block;
}
div.menu li a span span {
cursor:pointer;
padding:16px;
}
div.menu li a:hover {
background:#DDEDFA url(http://www.chobots.pro/images/menu/menu_hover_bg.gif) repeat-x
scroll left bottom;
}
div.menu li a:hover span {
background:transparent url(http://www.chobots.pro/images/menu/corner_h_lb.gif) no-repeat
scroll left bottom;
}
div.menu li a:hover span span {
background:transparent url(http://www.chobots.pro/images/menu/corner_h_rb.gif) no-repeat
scroll right bottom;
}
div.menu li.play a, div.menu li.play a:hover {
background:transparent url(http://www.chobots.pro/images/menu/play.gif) no-repeat scroll
right bottom;
repeat scroll right bottom;
height:33px;
```

```
10px;
width:99px;
}
li.logo_new{
10px;
18px;
height:102px;
}
#header h1 {
0%;
text-shadow: #81A75B 2px 2px 2px;
}
#header h1 a {
text-decoration: none;
color: #006699;
}
#header h1 a:hover {
color: #eee;
}
/* ---( main column )--- */
h2.date-header {
0;
padding-left: 14px;
90%;
color: #999999;
background: url(http://www.blogblog.com/tictac/date_icon.gif) no-repeat left 50%;
}
.post h3 {
0;
font: normal bold 130% arial,'Trebuchet MS';
letter-spacing: -1px;
color: #66B5FF;
}
.post {
0;
0;
1.5em;
0;
padding-top: 0;
```

```
padding-right: 0;
padding-bottom: 1.5em;
padding-left: 14px;
border-bottom: 1px solid #ddd;
}
.post h3 a,
.post h3 a:visited {
color: #66B5FF;
text-decoration: none;
}
.post-footer {
0;
padding-top: 0;
padding-right: 0;
padding-bottom: 0;
padding-left: 14px;
88%;
color: #999999;
background: url(http://www.chobots.pro/images/list-bg.gif) no-repeat left 8px;
}
.post img {
padding: 6px;
border-top: 0px solid #ddd;
border-left: 0px solid #ddd;
border-bottom: 0px solid #c0c0c0;
border-right: 0px solid #c0c0c0;
}
.feed-links {
clear: both;
2.5em;
}
#blog-pager-newer-link {
float: left;
}
#blog-pager-older-link {
float: right;
}
#blog-pager {
text-align: center;
```

```
}
/* comment styles */
#comments {
padding: 10px;
95%;
1.5em;
color: #666;
}
#comments h4 {
20px;
0;
15px;
0;
padding-top: 8px;
padding-right: 0;
padding-bottom: 0;
padding-left: 10px;
arial, "Trebuchet MS";
130%;
color: #666;
height: 29px !important; /* for most browsers */
height /**/:37px; /* for IE5/Win */
}
#comments ul {
0;
}
#comments li {
background: none;
padding-left: 0;
}
.comment-body {
padding-top: 0;
padding-right: 10px;
padding-bottom: 0;
padding-left: 0;
}
.comment-body p {
0;
}
```

```
.comment-author {
4px;
0;
0;
0;
padding-top: 0;
padding-right: 10px;
padding-bottom: 0;
padding-left: 60px;
color: #777;
}
.comment-footer {
border-bottom: 1px solid #ddd;
padding-bottom: 1em;
}
.deleted-comment {
font-style:italic;
color:gray;
}
/* ---( sidebar )--- */
.sidebar h2 {
0;
0;
0;
0;
padding-top: 25px;
padding-right: 0;
padding-bottom: 5px;
/*padding-left: 40px;*/
font: normal bold 130% arial,'Trebuchet MS';
color: #666666;
}
.sidebar .widget {
0;
padding-top: 0;
padding-right: 20px;
padding-bottom: 10px;
padding-left: 20px;
border-bottom: 1px solid #ddd;
```

```
}
.sidebar li {
background: u rl(http://www.blogblog.com/tictac/tictac_green.gif) no-repeat left 5px;
}
.profile-textblock {
clear: both;
0;
}
.profile-img {
float: left;
0;
5px;
5px;
0;
border: 1px solid #ddd;
padding: 4px;
}
/* ---( footer )--- */
.clear { /* to fix IE6 padding-top issue */
clear: both;
}
#footer-wrapper {
0;
padding-top: 0;
padding-right: 0;
padding-bottom: 9px;
padding-left: 0;
85%;
color: #666666;
padding:35px 20px;
}
#footer {
0;
clear:both;
12px;
position:relative;
}
#footer-wrapper a {
color:#666666;
```

```

10px;
10px;
}
/** Page structure tweaks for layout editor wireframe */
body#layout #outer-wrapper,
body#layout #main,
body#layout #sidebar {
padding-top: 0;
0;
}
body#layout #outer-wrapper,
body#layout #content-wrapper {
width: 740px;
}
body#layout #sidebar {
0;
1em;
}
body#layout #header,
body#layout #footer,
body#layout #main {
padding: 0;
}
body#layout #content-wrapper {
0px;
}
--></style>
<script type="text/javascript">
if (window.jstiming) window.jstiming.load.tick('headEnd');
</script></head>
<body class='loading'>
<div class='navbar section' id='navbar'><div class='widget Navbar' id='
bar1'><script type="text/javascript">
function setAttributeOnload(object, attribute, val) {
if(window.addEventListener) {
window.addEventListener("load",
function(){ object[attribute] = val; }, false);
} else {
window.attachEvent('onload', function(){ object[attribute] = val; });

```

```

}
<!--<div id='header-wrapper'>
<b:section class='header' id='header' maxwidgets='1' showaddelement='no'>
<b:widget id='Header1' locked='false' title='' type='Header'/>
</b:section>-->
</div>
#navbar-iframe, #navbar, .navbar {height:0px; visibility:hidden; display:none; 0 !important;}
]]></b:skin>
</head>
<body>
<div id='outer-wrapper'><div id='wrap2'>

    <!-- skip links for text browsers -->
    <span id='skiplinks' style='display:none;'>
<a href="">skip to main </a> |
    <a href="">skip to sidebar</a>
</span>
<div id='header-wrapper'>
<div class='header section' id='header'><div class='widget Header' id='Header1'>
<div id='header-inner'>
</div>
</div></div>
<div class='menu'>
<ul>
<li><span><span>
<a href='https://justpaste.it/redirect/chotemplate/http%3A%2F%2Fchobots.pro%2F'
target='_blank'><span><span>Home</span></span></a></span></span></li>
<li><span><span><a
href='https://justpaste.it/redirect/chotemplate/http%3A%2F%2Fchobots.pro%2Fcitizenship'
target='_blank'><span><span>Citizenship</span></span></a></span></span></li>
<li class='current'><span><span><a
href='https://justpaste.it/redirect/chotemplate/http%3A%2F%2Fblog.chobots.pro%2F'><span>
<span>Community</span></span></a></span></span></li>
<li><span><span><a
href='https://justpaste.it/redirect/chotemplate/http%3A%2F%2Fchobots.pro%2Fforum'
target='_blank'><span><span>Forum</span></span></a></span></span></li>

<li class='play'>
<a href='https://justpaste.it/redirect/chotemplate/http%3A%2F%2Fchobots.pro%2Fplay.html'>

```

```

</a></li>
</ul>
</div>
</div>
<div id='header-wrapper'>
  <b:section class='header' id='header' maxwidgets='1' showaddelement='no'>
    <b:widget id='Header1' locked='true' title='Chobots.pro - Your Family Game! (Header)'
type='Header'>
      <b:includable id='main'>

<b:if cond='data:useImage'>
  <b:if cond='data:imagePlacement == &quot;BEHIND&quot;'>
    <!--
    Show image as background to text. You can't really calculate the width
    reliably in JS because margins are not taken into account by any of
    clientWidth, offsetWidth or scrollWidth, so we don't force a minimum
    width if the user is using shrink to fit.
    This results in a margin-width's worth of pixels being cropped. If the
    user is not using shrink to fit then we expand the header.
    -->
    <b:if cond='data:mobile'>
      <div id='header-inner'>
        <div class='titlewrapper' style='background: transparent'>
          <h1 class='title' style='background: transparent; border-width: 0px'>
            <b:include name='title'/>
          </h1>
        </div>
        <b:include name='description'/>
      </div>
    <b:else/>
      <div expr:style='&quot;background-image: u rl(\&quot;&quot;; + data:sourceUrl +
&quot;\&quot;); &quot; + &quot;background-position: &quot; + &quot; +
data:backgroundPositionStyleStr + &quot;; &quot; + &quot; +
data:widthStyleStr + &quot;;min-height: &quot; + data:height + &quot; +
&quot;_height: &quot; + data:height + &quot;background-repeat: no-repeat;
&quot;' id='header-inner'>
        <div class='titlewrapper' style='background: transparent'>
          <h1 class='title' style='background: transparent; border-width: 0px'>
            <b:include name='title'/>

```

```

        </h1>
    </div>
    <b:include name='description'/>
</div>
</b:if>
<b:else/>
    <!--Show the image only-->
    <div id='header-inner'>
        <a expr:href=" style='display: block'>
            <img expr:alt='data:title' expr:height='data:height' expr:id='data:widget.instanceId +
            &quot;_headerimg&quot;' expr:src='data:sourceUrl' expr:width='data:width' style='display:
            block'/>
        </a>
        <!--Show the description-->
        <b:if cond='data:imagePlacement == &quot;BEFORE_DESCRIPTION&quot;'>
            <b:include name='description'/>
        </b:if>
    </div>
</b:if>
<b:else/>
    <!--No header image -->
    <div id='header-inner'>
        <div class='titlewrapper'>
            <h1 class='title'>
                <b:include name='title'/>
            </h1>
        </div>
        <b:include name='description'/>
    </div>
</b:if>
</b:includable>
    <b:includable id='description'>
        <div class='descriptionwrapper'>
            <p class='description'><span><data:description/></span></p>
        </div>
    </b:includable>
    <b:includable id='title'>
        <b:if cond='data:blog.url == data:blog.homepageUrl'>
            <data:title/>

```

```

<b:else/>
  <a expr:href=""><data:title/></a>
</b:if>
</b:includable>
  </b:widget>
</b:section>
</div>
<div id='content-wrapper'>
  <div id='main-wrapper'>
    <b:section class='main' id='main' showaddelement='no'>
      <b:widget id='Blog1' locked='true' title='Blog Posts' type='Blog'>
        <b:includable id='main' var='top'>
<b:if cond='data:mobile == &quot;false&quot;'>

  <!-- posts -->
  <div class='blog-posts hfeed'>

    <b:include data='top' name='status-message'/>

    <data:defaultAdStart/>
    <b:loop values='data:posts' var='post'>
      <b:if cond='data:post.isDateStart'>
        <b:if cond='data:post.isFirstPost == &quot;false&quot;'>
          &lt;/div&gt;&lt;/div&gt;
        </b:if>
      </b:if>
      <b:if cond='data:post.isDateStart'>
        &lt;div class='&quot;date-outer&quot;'&gt;
      </b:if>
      <b:if cond='data:post.dateHeader'>
        <h2 class='date-header'><span><data:post.dateHeader/></span></h2>
      </b:if>
      <b:if cond='data:post.isDateStart'>
        &lt;div class='&quot;date-posts&quot;'&gt;
      </b:if>
      <div class='post-outer'>
        <b:include data='post' name='post'/>
        <b:if cond='data:blog.pageType == &quot;static_page&quot;'>
          <b:include data='post' name='comment_picker'/>

```

```

</b:if>
<b:if cond='data:blog.pageType == &quot;item&quot;';>
  <b:include data='post' name='comment_picker'/>
</b:if>
</div>
<b:if cond='data:post.includeAd'>
  <b:if cond='data:post.isFirstPost'>
    <data:defaultAdEnd/>
  <b:else/>
    <data:adEnd/>
  </b:if>
  <div class='inline-ad'>
    <data:adCode/>
  </div>
  <data:adStart/>
</b:if>
</b:loop>
<b:if cond='data:numPosts != 0'>
  &lt;/div&gt;&lt;/div&gt;
</b:if>
<data:adEnd/>
</div>

```

```

<!-- navigation -->
<b:include name='nextprev'/>

```

```

<!-- feed links -->
<b:include name='feedLinks'/>

```

```

<b:if cond='data:top.showStars'>
  <script src='//www.google.com/jsapi' type='text/javascript'/>
  <script type='text/javascript'>
    google.load(&quot;annotations&quot;, &quot;1&quot;, {&quot;locale&quot;: &quot;
<data:top.languageCode/>&quot;;});
    function initialize() {
      google.annotations.setApplicationId(<data:top.blogspotReviews/>);
      google.annotations.createAll();
      google.annotations.fetch();
    }
  </script>
</b:if>

```

```

        google.setOnLoadCallback(initialize);
    </script>
</b:if>

<b:else/>
    <b:include name='mobile-main'/>
</b:if>

<b:if cond='data:top.showDummy'>
    <data:top.dummyBootstrap/>
</b:if>

</b:includable>
    <b:includable id='backlinkDeletelcon' var='backlink'>
    <span expr:class='&quot;item-control &quot; + data:backlink.adminClass'>
        <a expr:href=" expr:title='data:top.deleteBacklinkMsg'>
            <img src='//www.blogger.com/img/icon_delete13.gif'/>
        </a>
    </span>
</b:includable>
    <b:includable id='backlinks' var='post'>
    <a name='links'/'><h4><data:post.backlinksLabel/></h4>
    <b:if cond='data:post.numBacklinks != 0'>
    <dl class='comments-block' id='comments-block'>
    <b:loop values='data:post.backlinks' var='backlink'>
    <div class='collapsed-backlink backlink-control'>
    <dt class='comment-title'>
        <span class='backlink-toggle-zippy'>&#160;</span>
        <a expr:href=" rel='nofollow'><data:backlink.title/></a>
        <b:include data='backlink' name='backlinkDeletelcon'/'>
    </dt>
    <dd class='comment-body collapseable'>
        <data:backlink.snippet/>
    </dd>
    <dd class='comment-footer collapseable'>
        <span class='comment-author'><data:post.authorLabel/> <data:backlink.author/>
</span>
        <span class='comment-timestamp'><data:post.timestampLabel/>
<data:backlink.timestamp/></span>

```

```

        </dd>
    </div>
</b:loop>
</dl>
</b:if>
<p class='comment-footer'>
    <a class='comment-link' expr:href=" expr:id='data:widget.instanceId + &quot;_backlinks-
create-link&quot;' target='_blank'><data:post.createLinkLabel/></a>
</p>
</b:includable>
    <b:includable id='comment-form' var='post'>
<div class='comment-form'>
    <a name='comment-form' />
    <b:if cond='data:mobile'>
        <h4 id='comment-post-message'>
            <a expr:id='data:widget.instanceId + &quot;_comment-editor-toggle-link&quot;' href="
<data:postCommentMsg/></a></h4>
            <p><data:blogCommentMessage/></p>
            <data:blogTeamBlogMessage/>
            <a expr:href=" id='comment-editor-src' />
            <iframe allowtransparency='true' class='blogger-iframe-colorize blogger-comment-from-
post' frameborder='0' height='410' id='comment-editor' name='comment-editor' src="
style='display: none' width='100%' />
        <b:else/>
            <h4 id='comment-post-message'><data:postCommentMsg/></h4>
            <p><data:blogCommentMessage/></p>
            <data:blogTeamBlogMessage/>
            <a expr:href=" id='comment-editor-src' />
            <iframe allowtransparency='true' class='blogger-iframe-colorize blogger-comment-from-
post' frameborder='0' height='410' id='comment-editor' name='comment-editor' src="
width='100%' />
        </b:if>
        <data:post.friendConnectJs/>
        <data:post.cmtfplframe/>
        <script type='text/javascript'>
            BLOG_CMT_createIframe(&#39;<data:post.appRpcRelayPath/>&#39;;, &#39;
<data:post.communityId/>&#39;);
        </script>
    </div>

```

```

</b:includable>
    <b:includable id='commentDeleteIcon' var='comment'>
<span expr:class='&quot;item-control &quot; + data:comment.adminClass'>
    <b:if cond='data:showCmtPopup'>
        <div class='goog-toggle-button'>
            <div class='goog-inline-block comment-action-icon'>
        </div>
    <b:else/>
        <a class='comment-delete' expr:href="" expr:title='data:top.deleteCommentMsg'>
            
        </a>
    </b:if>
</span>
</b:includable>
    <b:includable id='comment_count_picker' var='post'>
<b:if cond='data:post.commentSource == 1'>
    <span class='cmt_count_iframe_holder' expr:data-count='data:post.numComments'
expr:data-onclick='data:post.addCommentOnClick' expr:data-post-url='data:post.url' expr:data-
url='data:post.canonicalUrl'>
    </span>
<b:else/>
    <a class='comment-link' expr:href="" expr:onclick='data:post.addCommentOnClick'>
        <data:post.commentLabelFull/>:
    </a>
</b:if>
</b:includable>
    <b:includable id='comment_picker' var='post'>
<b:if cond='data:post.commentSource == 1'>
    <b:include data='post' name='iframe_comments'>
<b:else/>
    <b:if cond='data:post.showThreadedComments'>
        <b:include data='post' name='threaded_comments'>
    <b:else/>
        <b:include data='post' name='comments'>
    </b:if>
</b:if>
</b:includable>
    <b:includable id='comments' var='post'>
<div class='comments' id='comments'>

```

```

<a name='comments'/>
<b:if cond='data:post.allowComments'>
  <h4><data:post.commentLabelFull/>:</h4>

  <b:if cond='data:post.commentPagingRequired'>
    <span class='paging-control-container'>
      <b:if cond='data:post.hasOlderLinks'>
        <a expr:class='data:post.oldLinkClass' expr:href=""><data:post.oldestLinkText/></a>
          &#160;
        <a expr:class='data:post.oldLinkClass' expr:href=""><data:post.olderLinkText/></a>
          &#160;
      </b:if>

      <data:post.commentRangeText/>

      <b:if cond='data:post.hasNewerLinks'>
        &#160;
        <a expr:class='data:post.newLinkClass' expr:href=""><data:post.newerLinkText/></a>
          &#160;
        <a expr:class='data:post.newLinkClass' expr:href=""><data:post.newestLinkText/></a>
      </b:if>
    </span>
  </b:if>

  <div expr:id='data:widget.instanceId + &quot;_comments-block-wrapper&quot;'>
    <dl expr:class='data:post.avatarIndentClass' id='comments-block'>
      <b:loop values='data:post.comments' var='comment'>
        <dt expr:class='&quot;comment-author &quot; + data:comment.authorClass'
expr:id='data:comment.anchorName'>
          <b:if cond='data:comment.favicon'>
            <img expr:src='data:comment.favicon' height='16px' style=' -2px;' width='16px' />
          </b:if>
          <a expr:name='data:comment.anchorName' />
          <b:if cond='data:blog.enabledCommentProfileImages'>
            <data:comment.authorAvatarImage />
          </b:if>
          <b:if cond='data:comment.authorUrl'>
            <a expr:href=" rel='nofollow'><data:comment.author /></a>
          <b:else/>

```

```

        <data:comment.author/>
    </b:if>
    <data:commentPostedByMsg/>
</dt>
<dd class='comment-body' expr:id='data:widget.instanceId +
data:comment.cmtBodyIdPostfix'>
    <b:if cond='data:comment.isDeleted'>
        <span class='deleted-comment'><data:comment.body/></span>
    <b:else/>
        <p>
            <data:comment.body/>
        </p>
    </b:if>
</dd>
<dd class='comment-footer'>
    <span class='comment-timestamp'>
        <a expr:href=" title='comment permalink'>
            <data:comment.timestamp/>
        </a>
        <b:include data='comment' name='commentDeleteIcon'/>
    </span>
</dd>
</b:loop>
</dl>
</div>

```

```

<b:if cond='data:post.commentPagingRequired'>
    <span class='paging-control-container'>
        <a expr:class='data:post.oldLinkClass' expr:href=">
            <data:post.oldestLinkText/>
        </a>
        <a expr:class='data:post.oldLinkClass' expr:href=">
            <data:post.olderLinkText/>
        </a>
        &#160;
        <data:post.commentRangeText/>
        &#160;
        <a expr:class='data:post.newLinkClass' expr:href=">
            <data:post.newerLinkText/>

```

```
</a>
<a expr:class='data:post.newLinkClass' expr:href="">
  <data:post.newestLinkText/>
</a>
</span>
</b:if>
```

```
<p class='comment-footer'>
  <b:if cond='data:post.embedCommentForm'>
    <b:if cond='data:post.allowNewComments'>
      <b:include data='post' name='comment-form'/>
    <b:else/>
      <data:post.noNewCommentsText/>
    </b:if>
  <b:else/>
    <b:if cond='data:post.allowComments'>
      <a expr:href="" expr:onclick='data:post.addCommentOnClick'>
<data:postCommentMsg/></a>
      </b:if>
    </b:if>

  </p>
</b:if>
<b:if cond='data:showCmtPopup'>
  <div id='comment-popup'>
    <iframe allowtransparency='true' frameborder='0' id='comment-actions' name='comment-
actions' scrolling='no'>
    </iframe>
  </div>
</b:if>

<div id='backlinks-container'>
  <div expr:id='data:widget.instanceId + &quot;_backlinks-container&quot;'>
    <b:if cond='data:post.showBacklinks'>
      <b:include data='post' name='backlinks'/>
    </b:if>
  </div>
</div>
</div>
```

```

</b:includable>
    <b:includable id='feedLinks'>
<b:if cond='data:blog.pageType != &quot;item&quot;'> <!-- Blog feed links -->
    <b:if cond='data:feedLinks'>
        <div class='blog-feeds'>
            <b:include data='feedLinks' name='feedLinksBody' />
        </div>
    </b:if>

    <b:else/> <!-- Post feed links -->
    <div class='post-feeds'>
        <b:loop values='data:posts' var='post'>
            <b:if cond='data:post.allowComments'>
                <b:if cond='data:post.feedLinks'>
                    <b:include data='post.feedLinks' name='feedLinksBody' />
                </b:if>
            </b:if>
        </b:loop>
    </div>
</b:if>
</b:includable>

    <b:includable id='feedLinksBody' var='links'>
    <div class='feed-links'>
    <data:feedLinksMsg/>
    <b:loop values='data:links' var='f'>
        <a class='feed-link' expr:href=" expr:type='data:f.mimeType' target='_blank'>
<data:f.name/> (<data:f.feedType/>)</a>
    </b:loop>
    </div>
</b:includable>

    <b:includable id='iframe_comments' var='post'>

    <b:if cond='data:post.allowIframeComments'>
        <script expr:src='data:post.iframeCommentSrc' type='text/javascript' />
        <div class='cmt_iframe_holder' expr:data-href=" expr:data-viewtype='data:post.viewType' />

    <b:if cond='data:post.embedCommentForm == &quot;false&quot;'>
        <a expr:href=" expr:onclick='data:post.addCommentOnClick'><data:postCommentMsg/>
</a>

```

```
</b:if>
</b:if>
</b:includable>
    <b:includable id='mobile-index-post' var='post'>
<div class='mobile-date-outer date-outer'>
    <b:if cond='data:post.dateHeader'>
        <div class='date-header'>
            <span><data:post.dateHeader/></span>
        </div>
    </b:if>

<div class='mobile-post-outer'>
    <a expr:href=''>
        <h3 class='mobile-index-title entry-title' itemprop='name'>
            <data:post.title/>
        </h3>

        <div class='mobile-index-arrow'>&rsaquo;</div>

<div class='mobile-index-contents'>
    <b:if cond='data:post.thumbnailUrl'>
        <div class='mobile-index-thumbnail'>
            <div class='Image'>
                <img expr:src='data:post.thumbnailUrl'/>
            </div>
        </div>
    </b:if>

    <div class='post-body'>
        <b:if cond='data:post.snippet'><data:post.snippet/></b:if>
    </div>
</div>

<div style='clear: both;'>
</a>

<div class='mobile-index-comment'>
    <b:if cond='data:blog.pageType != "static_page"'>
        <b:if cond='data:post.allowComments'>
```

```

        <b:if cond='data:post.numComments != 0'>
            <b:include data='post' name='comment_count_picker'/>
        </b:if>
    </b:if>
</b:if>
</div>
</div>
</div>
</b:includable>
    <b:includable id='mobile-main' var='top'>
        <!-- posts -->
        <div class='blog-posts hfeed'>

            <b:include data='top' name='status-message'/>

            <b:if cond='data:blog.pageType == &quot;index&quot;'>
                <b:loop values='data:posts' var='post'>
                    <b:include data='post' name='mobile-index-post'/>
                </b:loop>
            <b:else/>
                <b:loop values='data:posts' var='post'>
                    <b:include data='post' name='mobile-post'/>
                </b:loop>
            </b:if>
        </div>

        <b:include name='mobile-nextprev'/>
    </b:includable>
    <b:includable id='mobile-nextprev'>
        <div class='blog-pager' id='blog-pager'>
            <b:if cond='data:newerPageUrl'>
                <div class='mobile-link-button' id='blog-pager-newer-link'>
                    <a class='blog-pager-newer-link' expr:href=" expr:id='data:widget.instanceId +
&quot;_blog-pager-newer-link&quot;' expr:title='data:newerPageTitle'>&amp;lsaquo;</a>
                </div>
            </b:if>

            <b:if cond='data:olderPageUrl'>
                <div class='mobile-link-button' id='blog-pager-older-link'>

```

```

    <a class='blog-pager-older-link' expr:href=" expr:id='data:widget.instanceId + &quot;_blog-
pager-older-link&quot;' expr:title='data:olderPageTitle'>&amp;rsaquo;</a>
  </div>
</b:if>

<div class='mobile-link-button' id='blog-pager-home-link'>
  <a class='home-link' expr:href=" "><data:homeMsg/></a>
</div>

<div class='mobile-desktop-link'>
  <a class='home-link' expr:href=" "><data:desktopLinkMsg/></a>
</div>

</div>
<div class='clear' />
</b:includable>
  <b:includable id='mobile-post' var='post'>
<div class='date-outer'>
  <b:if cond='data:post.dateHeader'>
    <h2 class='date-header'><span><data:post.dateHeader/></span></h2>
  </b:if>
  <div class='date-posts'>
    <div class='post-outer'>

      <div class='post hentry uncustomized-post-template' itemscope='itemscope'
itemtype='http://schema.org/BlogPosting'>
        <b:if cond='data:post.thumbnailUrl'>
          <meta expr:content='data:post.thumbnailUrl' itemprop='image_url' />
        </b:if>
        <meta expr:content='data:blog.blogId' itemprop='blogId' />
        <meta expr:content='data:post.id' itemprop='postId' />

        <a expr:name='data:post.id' />
        <b:if cond='data:post.title'>
          <h3 class='post-title entry-title' itemprop='name'>
            <b:if cond='data:post.link'>
              <a expr:href=" "><data:post.title/></a>
            <b:else/>
              <b:if cond='data:post.url'>

```

```

        <b:if cond='data:blog.url != data:post.url'>
            <a expr:href=''><data:post.title/></a>
        <b:else/>
            <data:post.title/>
        </b:if>
    <b:else/>
        <data:post.title/>
    </b:if>
</b:if>
</h3>
</b:if>

```

```

<div class='post-header'>
    <div class='post-header-line-1'>
</div>

```

```

<div class='post-body entry-content' expr:id='&quot;post-body-&quot; + data:post.id'
itemprop='articleBody'>
    <data:post.body/>
    <div style='clear: both;'> <!-- clear for photos floats -->
</div>

```

```

<div class='post-footer'>
    <div class='post-footer-line post-footer-line-1'>
        <span class='post-author vcard'>
            <b:if cond='data:top.showAuthor'>
                <b:if cond='data:post.authorProfileUrl'>
                    <span class='fn' itemprop='author' itemscope='itemscope'
itemtype='http://schema.org/Person'>
                        <meta expr:content='data:post.authorProfileUrl' itemprop='url'>
                        <a expr:href='' rel='nofollow' title='author profile'>
                            <span itemprop='name'><data:post.author/></span>
                        </a>
                    </span>
                <b:else/>
                    <span class='fn' itemprop='author' itemscope='itemscope'
itemtype='http://schema.org/Person'>
                        <span itemprop='name'><data:post.author/></span>
                    </span>

```

```
</b:if>
</b:if>
</span>
```

```
<span class='post-timestamp'>
  <b:if cond='data:top.showTimestamp'>
    <data:top.timestampLabel/>
    <b:if cond='data:post.url'>
      <meta expr:content='data:post.canonicalUrl' itemprop='url'/>
      <a class='timestamp-link' expr:href="" rel='nofollow' title='permanent link'><abbr
class='published' expr:title='data:post.timestampISO8601' itemprop='datePublished'>
<data:post.timestamp/></abbr></a>
    </b:if>
  </b:if>
</span>
```

```
<span class='post-comment-link'>
  <b:if cond='data:blog.pageType != &quot;item&quot;'>
    <b:if cond='data:blog.pageType != &quot;static_page&quot;'>
      <b:if cond='data:post.allowComments'>
        <b:include data='post' name='comment_count_picker'/>
      </b:if>
    </b:if>
  </b:if>
</span>
</div>
```

```
<div class='post-footer-line post-footer-line-2'>
  <b:if cond='data:top.showMobileShare'>
    <div class='mobile-link-button goog-inline-block' id='mobile-share-button'>
      <a href=''><data:shareMsg/></a>
    </div>
  </b:if>
  <b:if cond='data:top.showDummy'>
    <div class='goog-inline-block dummy-container'><data:post.dummyTag/></div>
  </b:if>
</div>
```

```
</div>
```

```

</div>

<b:if cond='data:blog.pageType == &quot;static_page&quot;';>
  <b:include data='post' name='comment_picker' />
</b:if>
<b:if cond='data:blog.pageType == &quot;item&quot;';>
  <b:include data='post' name='comment_picker' />
</b:if>
</div>
</div>
</div>
</b:includable>
  <b:includable id='nextprev'>
<div class='blog-pager' id='blog-pager'>
  <b:if cond='data:newerPageUrl'>
    <span id='blog-pager-newer-link'>
      <a class='blog-pager-newer-link' expr:href=" expr:id='data:widget.instanceId +
&quot;_blog-pager-newer-link&quot;,' expr:title='data:newerPageTitle'><data:newerPageTitle/>
</a>
    </span>
  </b:if>

  <b:if cond='data:olderPageUrl'>
    <span id='blog-pager-older-link'>
      <a class='blog-pager-older-link' expr:href=" expr:id='data:widget.instanceId + &quot;_blog-
pager-older-link&quot;,' expr:title='data:olderPageTitle'><data:olderPageTitle/></a>
    </span>
  </b:if>

  <a class='home-link' expr:href="><data:homeMsg/></a>

  <b:if cond='data:mobileLinkUrl'>
    <div class='blog-mobile-link'>
      <a expr:href="><data:mobileLinkMsg/></a>
    </div>
  </b:if>

</div>
<div class='clear' />

```

</b:includable>

<b:includable id='post' var='post'>

<div class='post hentry' itemprop='blogPost' itemscope='itemscope'
itemtype='http://schema.org/BlogPosting'>

<b:if cond='data:post.firstImageUrl'>

<meta expr:content='data:post.firstImageUrl' itemprop='image_url'>

</b:if>

<meta expr:content='data:blog.blogId' itemprop='blogId'>

<meta expr:content='data:post.id' itemprop='postId'>

<a expr:name='data:post.id'>

<b:if cond='data:post.title'>

<h3 class='post-title entry-title' itemprop='name'>

<b:if cond='data:post.link'>

<a expr:href=''><data:post.title/>

<b:else/>

<b:if cond='data:post.url'>

<b:if cond='data:blog.url != data:post.url'>

<a expr:href=''><data:post.title/>

<b:else/>

<data:post.title/>

</b:if>

<b:else/>

<data:post.title/>

</b:if>

</b:if>

</h3>

</b:if>

<div class='post-header'>

<div class='post-header-line-1'>

</div>

<b:if cond='data:blog.metaDescription == ""'>

<!-- Then use the post body as the schema.org description,
for good G+/FB snippeting. -->

<div class='post-body entry-content' expr:id='"post-body-" + data:post.id'
itemprop='description articleBody'>

<data:post.body/>

```

    <div style='clear: both;'/> <!-- clear for photos floats -->
</div>
<b:else/>
    <div class='post-body entry-content' expr:id='&quot;post-body-&quot;' + data:post.id'
itemprop='articleBody'>
        <data:post.body/>
        <div style='clear: both;'/> <!-- clear for photos floats -->
    </div>
</b:if>

<b:if cond='data:post.hasJumpLink'>
    <div class='jump-link'>
        <a expr:href=" expr:title='data:post.title'><data:post.jumpText/></a>
    </div>
</b:if>

<div class='post-footer'>
<div class='post-footer-line post-footer-line-1'><span class='post-author vcard'>
    <b:if cond='data:top.showAuthor'>
        <data:top.authorLabel/>
        <b:if cond='data:post.authorProfileUrl'>
            <span class='fn' itemprop='author' itemscope='itemscope'
itemtype='http://schema.org/Person'>
                <meta expr:content='data:post.authorProfileUrl' itemprop='url'/>
                <a class='g-profile' expr:href=" rel='nofollow' title='author profile'>
                    <span itemprop='name'><data:post.author/></span>
                </a>
            </span>
        <b:else/>
            <span class='fn' itemprop='author' itemscope='itemscope'
itemtype='http://schema.org/Person'>
                <span itemprop='name'><data:post.author/></span>
            </span>
        </b:if>
    </b:if>
</span> <span class='post-timestamp'>
    <b:if cond='data:top.showTimestamp'>
        <data:top.timestampLabel/>
    <b:if cond='data:post.url'>

```

```

<meta expr:content='data:post.canonicalUrl' itemprop='url'/>
<a class='timestamp-link' expr:href="" rel='nofollow' title='permanent link'><abbr
class='published' expr:title='data:post.timestampISO8601' itemprop='datePublished'>
<data:post.timestamp/></abbr></a>
</b:if>
</b:if>
</span> <span class='post-comment-link'>
<b:if cond='data:blog.pageType != &quot;item&quot;:'>
<b:if cond='data:blog.pageType != &quot;static_page&quot;:'>
<b:if cond='data:post.allowComments'>
<b:include data='post' name='comment_count_picker'/>
</b:if>
</b:if>
</b:if>
</span> <span class='post-icons'>
<!-- email post links -->
<b:if cond='data:post.emailPostUrl'>
<span class='item-action'>
<a expr:href="" expr:title='data:top.emailPostMsg'>
<img alt="" class='icon-action' height='13'
src='http://img1.blogblog.com/img/icon18_email.gif' width='18'/>
</a>
</span>
</b:if>

<!-- quickedit pencil -->
<b:include data='post' name='postQuickEdit'/>
</span> <div class='post-share-buttons goog-inline-block'>
<b:if cond='data:post.sharePostUrl'>
<b:include data='post' name='shareButtons'/>
</b:if>
</div> </div>

<div class='post-footer-line post-footer-line-2'><span class='post-labels'>
<b:if cond='data:post.labels'>
<data:postLabelsLabel/>
<b:loop values='data:post.labels' var='label'>
<a expr:href="" rel='nofollow'><data:label.name/></a><b:if cond='data:label.isLast !=
&quot;true&quot;:'>,</b:if>

```

```
</b:loop>
</b:if>
</span> </div>
```

```
<div class='post-footer-line post-footer-line-3'><span class='post-location'>
  <b:if cond='data:top.showLocation'>
    <b:if cond='data:post.location'>
      <data:postLocationLabel/>
      <a expr:href=" target='_blank'><data:post.location.name/></a>
    </b:if>
  </b:if>
</span> </div>
```

```
</div>
```

```
</div>
```

```
</b:includable>
```

```
  <b:includable id='postQuickEdit' var='post'>
```

```
    <b:if cond='data:post.editUrl'>
```

```
      <span expr:class='&quot;item-control &quot; + data:post.adminClass'>
```

```
        <a expr:href=" expr:title='data:top.editPostMsg'>
```

```
          <img alt=" class='icon-action' height='18'
```

```
src='http://img2.blogblog.com/img/icon18_edit_allbkg.gif' width='18'/>
```

```
        </a>
```

```
      </span>
```

```
    </b:if>
```

```
</b:includable>
```

```
  <b:includable id='shareButtons' var='post'>
```

```
    <b:if cond='data:top.showEmailButton'><a class='goog-inline-block share-button sb-email'
expr:href=" expr:title='data:top.emailThisMsg' target='_blank'><span class='share-button-link-
text'><data:top.emailThisMsg/></span></a></b:if><b:if cond='data:top.showBlogThisButton'>
<a class='goog-inline-block share-button sb-blog' expr:href="
expr:onclick='&quot;window.open(this.href, \&quot;_blank\&quot;;,
\&quot;height=270,width=475\&quot;); return false;&quot;;' expr:title='data:top.blogThisMsg'
target='_blank'><span class='share-button-link-text'><data:top.blogThisMsg/></span></a>
</b:if><b:if cond='data:top.showTwitterButton'><a class='goog-inline-block share-button sb-
twitter' expr:href=" expr:title='data:top.shareToTwitterMsg' target='_blank'><span class='share-
button-link-text'><data:top.shareToTwitterMsg/></span></a></b:if><b:if
cond='data:top.showFacebookButton'><a class='goog-inline-block share-button sb-facebook'
expr:href=" expr:onclick='&quot;window.open(this.href, \&quot;_blank\&quot;;,
\&quot;height=430,width=640\&quot;); return false;&quot;;'
```

```
expr:title='data:top.shareToFacebookMsg' target='_blank'><span class='share-button-link-
text'><data:top.shareToFacebookMsg/></span></a></b:if><b:if
cond='data:top.showOrkutButton'><a class='goog-inline-block share-button sb-orkut'
expr:href=" expr:title='data:top.shareToOrkutMsg' target='_blank'><span class='share-button-
link-text'><data:top.shareToOrkutMsg/></span></a></b:if><b:if cond='data:top.showDummy'>
<div class='goog-inline-block dummy-container'><data:post.dummyTag/></div></b:if>
</b:includable>

    <b:includable id='status-message'>
    <b:if cond='data:navMessage'>
    <div class='status-msg-wrap'>
    <div class='status-msg-body'>
    <data:navMessage/>
    </div>
    <div class='status-msg-border'>
    <div class='status-msg-bg'>
    <div class='status-msg-hidden'><data:navMessage/></div>
    </div>
    </div>
    </div>
    <div style='clear: both;'/>
    </b:if>
</b:includable>

    <b:includable id='threaded-comment-form' var='post'>
    <div class='comment-form'>
    <a name='comment-form'/'>
    <b:if cond='data:mobile'>
    <p><data:blogCommentMessage/></p>
    <data:blogTeamBlogMessage/>
    <a expr:href=" id='comment-editor-src'/'>
    <iframe allowtransparency='true' class='blogger-iframe-colorize blogger-comment-from-
post' frameborder='0' height='410' id='comment-editor' name='comment-editor' src="
style='display: none' width='100%'/'>
    <b:else/>
    <p><data:blogCommentMessage/></p>
    <data:blogTeamBlogMessage/>
    <a expr:href=" id='comment-editor-src'/'>
    <iframe allowtransparency='true' class='blogger-iframe-colorize blogger-comment-from-
post' frameborder='0' height='410' id='comment-editor' name='comment-editor' src="
width='100%'/'>
```

```

</b:if>
<data:post.friendConnectJs/>
<data:post.cmtfplframe/>
<script type='text/javascript'>
  BLOG_CMT_createlframe(&#39;<data:post.appRpcRelayPath/>&#39;;, &#39;
<data:post.communityId/>&#39;);
</script>
</div>
</b:includable>
  <b:includable id='threaded_comment_js' var='post'>
<script async='async' expr:src='data:post.commentSrc' type='text/javascript'>

<script type='text/javascript'>
(function() {
  var items = <data:post.commentJs/>;
  var msgs = <data:post.commentMsgs/>;
  var config = <data:post.commentConfig/>;

// <![CDATA[
  var cursor = null;
  if (items && items.length > 0) {
    cursor = parseInt(items[items.length - 1].timestamp) + 1;
  }

  var bodyFromEntry = function(entry) {
    if (entry.gd$extendedProperty) {
      for (var k in entry.gd$extendedProperty) {
        if (entry.gd$extendedProperty[k].name == 'blogger.contentRemoved') {
          return '<span>' + entry.content.$t + '</span>';
        }
      }
    }
    return entry.content.$t;
  }

  var parse = function(data) {
    cursor = null;
    var comments = [];
    if (data && data.feed && data.feed.entry) {

```

```

for (var i = 0, entry; entry = data.feed.entry[i]; i++) {
  var comment = {};
  // comment ID, parsed out of the original id format
  var id = /blog-(\d+).post-(\d+)/.exec(entry.id.$t);
  comment.id = id ? id[2] : null;
  comment.body = bodyFromEntry(entry);
  comment.timestamp = Date.parse(entry.published.$t) + "";
  if (entry.author && entry.author.constructor === Array) {
    var auth = entry.author[0];
    if (auth) {
      comment.author = {
        name: (auth.name ? auth.name.$t : undefined),
        profileUrl: (auth.uri ? auth.uri.$t : undefined),
        avatarUrl: (auth.gd$image ? auth.gd$image.src : undefined)
      };
    }
  }
  if (entry.link) {
    if (entry.link[2]) {
      comment.link = comment.permalink = entry.link[2].href;
    }
    if (entry.link[3]) {
      var pid = /.comments\/default\/(\d+)\?.*/.exec(entry.link[3].href);
      if (pid && pid[1]) {
        comment.parentId = pid[1];
      }
    }
  }
  comment.deleteclass = 'item-control blog-admin';
  if (entry.gd$extendedProperty) {
    for (var k in entry.gd$extendedProperty) {
      if (entry.gd$extendedProperty[k].name == 'blogger.itemClass') {
        comment.deleteclass += ' ' + entry.gd$extendedProperty[k].value;
      } else if (entry.gd$extendedProperty[k].name == 'blogger.displayTime') {
        comment.displayTime = entry.gd$extendedProperty[k].value;
      }
    }
  }
  comments.push(comment);
}

```

```

    }
}
return comments;
};

```

```

var paginator = function(callback) {
    if (hasMore()) {
        var url = config.feed + '?alt=json&v=2&orderby=published&reverse=false&max-
results=50';
        if (cursor) {
            url += '&published-min=' + new Date(cursor).toISOString();
        }
        window.bloggercomments = function(data) {
            var parsed = parse(data);
            cursor = parsed.length < 50 ? null
                : parseInt(parsed[parsed.length - 1].timestamp) + 1
            callback(parsed);
            window.bloggercomments = null;
        }
        url += '&callback=bloggercomments';
        var script = document.createElement('script');
        script.type = 'text/javascript';
        script.src = url;
        document.getElementsByTagName('head')[0].appendChild(script);
    }
};

var hasMore = function() {
    return !!cursor;
};

var getMeta = function(key, comment) {
    if ('iswriter' == key) {
        var matches = !!comment.author
            && comment.author.name == config.authorName
            && comment.author.profileUrl == config.authorUrl;
        return matches ? 'true' : '';
    } else if ('deletelink' == key) {
        return config.baseUrl + '/delete-comment.g?blogID='
            + config.blogId + '&postID=' + comment.id;
    } else if ('deleteclass' == key) {

```

```
    return comment.deleteclass;
}
return "";
};
```

```
var replybox = null;
var replyUrlParts = null;
var replyParent = undefined;
```

```
var onReply = function(commentId, domId) {
    if (replybox == null) {
        // lazily cache replybox, and adjust to suit this style:
        replybox = document.getElementById('comment-editor');
        if (replybox != null) {
            replybox.height = '250px';
            replybox.style.display = 'block';
            replyUrlParts = replybox.src.split('#');
        }
    }
    if (replybox && (commentId !== replyParent)) {
        document.getElementById(domId).insertBefore(replybox, null);
        replybox.src = replyUrlParts[0]
            + (commentId ? '&parentID=' + commentId : "")
            + '#' + replyUrlParts[1];
        replyParent = commentId;
    }
};
```

```
var hash = (window.location.hash || '#').substring(1);
var startThread, targetComment;
if (/^comment-form_/.test(hash)) {
    startThread = hash.substring('comment-form_'.length);
} else if (/^c[0-9]+$/.test(hash)) {
    targetComment = hash.substring(1);
}
```

```
// Configure commenting API:
var configJso = {
    'maxDepth': config.maxThreadDepth
```

```

};
var provider = {
  'id': config.postId,
  'data': items,
  'loadNext': paginator,
  'hasMore': hasMore,
  'getMeta': getMeta,
  'onReply': onReply,
  'rendered': true,
  'initComment': targetComment,
  'initReplyThread': startThread,
  'config': configJso,
  'messages': msgs
};

var render = function() {
  if (window.goog && window.goog.comments) {
    var holder = document.getElementById('comment-holder');
    window.goog.comments.render(holder, provider);
  }
};

// render now, or queue to render when library loads:
if (window.goog && window.goog.comments) {
  render();
} else {
  window.goog = window.goog || {};
  window.goog.comments = window.goog.comments || {};
  window.goog.comments.loadQueue = window.goog.comments.loadQueue || [];
  window.goog.comments.loadQueue.push(render);
}
})();
// ]]>
</script>
</b:includable>
  <b:includable id='threaded_comments' var='post'>
<div class='comments' id='comments'>
  <a name='comments' />
  <h4><data:post.commentLabelFull/></h4>

```

```

<div class='comments-content'>
  <b:if cond='data:post.embedCommentForm'>
    <b:include data='post' name='threaded_comment_js'/>
  </b:if>
  <div id='comment-holder'>
    <data:post.commentHtml/>
  </div>
</div>

<p class='comment-footer'>
  <b:if cond='data:post.allowNewComments'>
    <b:include data='post' name='threaded-comment-form'/>
  <b:else/>
    <data:post.noNewCommentsText/>
  </b:if>
</p>

<b:if cond='data:showCmtPopup'>
  <div id='comment-popup'>
    <iframe allowtransparency='true' frameborder='0' id='comment-actions' name='comment-
actions' scrolling='no'>
      </iframe>
    </div>
</b:if>

<div id='backlinks-container'>
  <div expr:id='data:widget.instanceId + &quot;_backlinks-container&quot;'>
    <b:if cond='data:post.showBacklinks'>
      <b:include data='post' name='backlinks'/>
    </b:if>
  </div>
</div>
</div>
</b:includable>
  </b:widget>
  </b:section>
</div>
<div id='sidebar-wrapper'>

```

```

    <b:section class='sidebar' id='sidebar' preferred='yes'>
      <b:widget id='HTML3' locked='false' title='Chobots Time' type='HTML'>
        <b:includable id='main'>
<!-- only display title if it's non-empty -->
<b:if cond='data:title != &quot;&quot;'>
  <h2 class='title'><data:title/></h2>
</b:if>
<div class='widget-content'>
  <data:content/>
</div>

<b:include name='quickedit'/>
</b:includable>
  </b:widget>
  <b:widget id='HTML4' locked='false' title='How many online?' type='HTML'>
    <b:includable id='main'>
<!-- only display title if it's non-empty -->
<b:if cond='data:title != &quot;&quot;'>
  <h2 class='title'><data:title/></h2>
</b:if>
<div class='widget-content'>
  <data:content/>
</div>

<b:include name='quickedit'/>
</b:includable>
  </b:widget>
  <b:widget id='HTML2' locked='false' title='Chat &apos;n&apos; Play, Everyday!'
type='HTML'>
    <b:includable id='main'>
<!-- only display title if it's non-empty -->
<b:if cond='data:title != &quot;&quot;'>
  <h2 class='title'><data:title/></h2>
</b:if>
<div class='widget-content'>
  <data:content/>
</div>

<b:include name='quickedit'/>

```

```

</b:includable>
    </b:widget>
    <b:widget id='HTML1' locked='false' title='Become an Agent' type='HTML'>
        <b:includable id='main'>
<!-- only display title if it's non-empty -->
<b:if cond='data:title != &quot;&quot;';>
    <h2 class='title'><data:title/></h2>
</b:if>
<div class='widget-content'>
    <data:content/>
</div>

<b:include name='quickedit'/>
</b:includable>
    </b:widget>
    <b:widget id='Followers1' locked='false' title='Followers' type='Followers'>
        <b:includable id='main'>
<b:if cond='data:title != &quot;&quot;';>
    <b:if cond='data:codeSnippet != &quot;&quot;';>
        <h2 class='title'><data:title/></h2>
    <b:else/>
        <b:if cond='data:totalFollowerCount != &quot;&quot;';>
            <h2 class='title'><data:title/> (<data:totalFollowerCount/>)</h2>
        </b:if>
    </b:if>
</b:if>
<div class='widget-content'>
    <div expr:id='data:widget.instanceId + &quot;-wrapper&quot;';>
        <b:if cond='data:codeSnippet != &quot;&quot;';>
            <div style='2px;';>
                <data:codeSnippet/>
            </div>
        <b:else/>
            <b:if cond='data:totalFollowerCount == &quot;&quot;';>
                <span class='item-control following-not-admin'>
                    <b><data:failureSnippet/></b>
                </span>
                <span class='item-control blog-admin'>
                    <b><data:adminFailureSnippet/></b>

```


<b:else/>

<b:if cond='data:followingLinkPresent'>

<div class='follow-this profile-link item-control following-follow-this'>

<a expr:href="">

<data:followThisMessage/>

</div>

<div class='follow-this profile-link item-control following-stop-following-this'>

<a expr:href="">

<data:stopFollowingMessage/>

</div>

</b:if>

<div class='followers-grid'>

<b:if cond='data:totalFollowerCount == 0'>

<div class='profile-link item-control following-follow-this'>

<data:emptyFollowersMessage/>

</div>

</b:if>

<!--

Relies on the js written out in navbar.gxp

-->

<b:loop values='data:followers' var='follower'>

<div class='follower'>

<a expr:href="" expr:title='data:follower.displayName' rel='nofollow'>

<img class='follower-img' expr:alt='data:follower.displayName'

expr:height='data:follower.imageHeight'

expr:onerror='"this.onerror=null;this.src="" + data:anonFollowerImageUrl +

"";"' expr:onload='"setAttributeOnload(this, "src",,

"" + data:follower.imageUrl + ",")"'

expr:width='data:follower.imageWidth' src='http://img1.blogblog.com/img/blank.gif'/>

</div>

</b:loop>

<div class='clear'/'>

</div>

```

<div class='followers-canvas profile-link'>
  <data:followersFooterMessage/>
  <span class='item-control following-not-admin'>
    <a expr:href="">
      <data:viewAllMessage/>
    </a>
  </span>
  <span class='item-control blog-admin'>
    <a expr:href="">
      <data:manageFollowersMessage/>
    </a>
  </span>
</div>
</b:if>
</b:if>
</div>
<b:include name='quickedit'/>
</div>
</b:includable>
  </b:widget>
  <b:widget id='Navbar1' locked='true' title='Navbar' type='Navbar'>
    <b:includable id='main'>&lt;script type='text/javascript'&gt;
function setAttributeOnload(object, attribute, val) {
  if(window.addEventListener) {
    window.addEventListener(&#39;load&#39;,
      function(){ object[attribute] = val; }, false);
  } else {
    window.attachEvent(&#39;onload&#39;, function(){ object[attribute] = val; });
  }
}
&lt;/script&gt;
&lt;div id='&quot;navbar-iframe-container&quot;'&gt;&lt;/div&gt;
&lt;script type='text/javascript'&gt;
src='&quot;https://apis.google.com/js/plusone.js&quot;'&gt;&lt;/script&gt;
&lt;script type='text/javascript'&gt;
  gapi.load('iframes-styles-bubble', function() {
    if (window.iframes &amp; iframes.open) {
      iframes.open(
        &#39;//www.blogger.com/navbar.g?

```

targetBlogID\0757495088786309337999\46blogName\75Chobots.pro+-
+Your+Family+Game!\46publishMode\75PUBLISH_MODE_HOSTED\46navbarType\75DISA
BLED\46layoutType\75LAYOUTS\46searchRoot\75http://blog.chobots.pro/search\46blogLocal
e\75en_GB\46v\0752\46homepageUrl\75http://blog.chobots.pro/\46blogFollowUrl\75https://plu
s.google.com/100870784596408848555\46vt\0757284148389263381359';,

```
{
    container: &quot;navbar-iframe-container&quot;;
    id: &quot;navbar-iframe&quot;;
},
{
});
}
});
</script>&lt;script type=&quot;text/javascript&quot;&gt;
```

```
(function() {
var script = document.createElement(&#39;script&#39;);
script.type = &#39;text/javascript&#39;;
script.src = &#39;//pagead2.googlesyndication.com/pagead/js/google_top_exp.js&#39;;
var head = document.getElementsByTagName(&#39;head&#39;)[0];
if (head) {
head.appendChild(script);
}})();
</script>
```

</b:includable>

</b:widget>

<b:widget id='HTML5' locked='false' title='Chobots Widgets' type='HTML'>

<b:includable id='main'>

<!-- only display title if it's non-empty -->

<b:if cond='data:title != ""'>

<h2 class='title'><data:title/></h2>

</b:if>

<div class='widget-content'>

<data:content/>

</div>

<b:include name='quickedit'/>

</b:includable>

</b:widget>

</b:section>

</div>

<!-- spacer for skins that want sidebar and main to be the same height-->

<div class='clear'> </div>

</div> <!-- end content-wrapper -->

<div class='clear'> </div>

<center><div align='center' style='color:#FFFFFF; width:500px; float:center; 12px;'> Privacy Policy | Terms and Conditions | Jobs with Chobots | Contact Us</div></center>

<script src='http://pagead2.googlesyndication.com/pagead/show_ads.js' type='text/javascript'></script>

</div>

<div id='footer'>

<div class='first-links'>

</div>

</div> <!-- end outer-wrapper -->

</body>

</html>