



☀ Introducing Istar Materials: Your Trusted Partner in Superior Coal Tar Solutions! ☀

☀ Introducing Istar Materials: Your Trusted Partner in Superior Coal Tar Solutions! ☀

We are thrilled to present Istar Materials, a leading expert in the field of coal tar products. Our unwavering commitment to quality and customer satisfaction makes us your ideal partner for all coal tar requirements.

◆ **About Us:**

- **Experts in Coal Tar:** Years of expertise in delivering high-quality coal tar solutions.
- **Commitment to Quality and Customer Satisfaction:** Ensuring each client receives the best products and services.

◆ **Our Strengths:**

- **State-of-the-Art Technology:** Leveraging the latest advancements for superior product quality.
- **Robust Infrastructure:** Ensuring efficient production and timely delivery.
- **Timely Delivery:** Meeting deadlines for all bulk orders, every time.
- **Experienced Workforce:** A team of skilled and dedicated professionals.
- **Quality Assurance:** Comprehensive research laboratory for rigorous quality control.
- **Customization:** Tailored products to meet your specific requirements.

◆ **Manufacturing Excellence:**

Our vacuum flash distillation process guarantees high-quality and consistent products. We meticulously monitor the following physical and chemical properties:

- Softening Point
- Density and Viscosity
- Coking Value
- Toluene Insoluble
- Beta-Resin
- Quinine Insoluble
- Sulphur and Metals
- Ash

◆ **Applications:**

Our coal tar products are compatible with:

- Epoxy, Polyurethane, Polyamide, Marine, Protective, Anti-Corrosive, and other High Build Coatings
- Chloro-Rubber Formulations, Coal Tar Aluminium, Coal Tar Poly-Butedine Coatings
- Carbon Impregnation
- Water Proofing, Sealants, and Construction Chemicals
- Refractory Linings (Mudgun Mass / Taphole Clay)

◆ **Typical Specifications of Major Tar Grades:**

Characteristic	22A	22B	22B-II	221-S	221-R	50SS-II
Density at 30°C ± 0.02	1.200	1.200	1.206	1.200	1.200	1.170
RW IV 50ml/50°C (Sec)	420-460	220-330	180-195	120-135	180-240	55-60
Tar Viscometer 50ml/50°C (Sec)	80-90	50-90	30-35	25-30	35-40	25-35
B4 at 30°C	150-250	70-120	45-60	15-25	45-65	140-180
Poise at 25°C	0.5	0.5	0.5	0.5	0.5	0.3
Moisture Content % (Max)	12	15	15	15	15	10
V.M (Max) % 12 Hrs.	85	85	85	85	80	75
Distillate up to 200°C %	2	2	2	2	2	1
Distillate up to 230°C %	5	5	5	5	5	3
Distillate up to 270°C %	12	12	12	12	12	5
Distillate up to 300°C %	30	30	30	30	30	25
Distillate up to 330°C %	45	45	45	45	45	35
Ash Content % (Max)	0.2	0.2	0.2	0.2	0.2	0.2
Toluene Insoluble % (Max)	90	70	65	65	80	64
Flash Point (Deg C Max)	90	70	65	65	80	64
Carbon Content	-	-	-	-	-	25-35

◆ **Our Team:**

Our team of experts understands the critical importance of these properties and ensures precise control and monitoring of feedstock blending, centrifuging, and distillation severity.

💡 **Share Your Requirements:**

Please share your valuable requirements with us and let us provide you with technically optimal, reasonably priced solutions within the stipulated time period.

Contact Us:

✉ Email: info@istarmaterials.com

☎ Phone: +91-9301988995

🌐 Website: www.istarmaterials.com

Istar Materials specializes in the trading and procurement of high-quality technical products, offering exceptional products and services globally. For more details, visit our website.

We look forward to collaborating with you.

Istar Materials specializes in trading and procurement of high-quality technical products, offering exceptional products and services globally. For more details, visit our website.

I Star Materials



this is pure

COAL TAR
PITCH



+91 9301988995 / 9630520016
EMAIL- INFO@ISTARMATERIALS.COM



FREE
Shipping