



tex-log file

This is LuaHBTeX, Version 1.17.0 (TeX Live 2023/TeX Live for SUSE Linux) (format=lualatex 2023.9.18) 25 SEP 2023 16:51

system commands enabled.

****Main.fail.tex**

(./Main.fail.tex

LaTeX2e <2022-11-01> patch level 1

Lua module: luaotfload 2022-10-03 3.23 Lua based OpenType font support

Lua module: lualibs 2022-10-04 2.75 ConTeXt Lua standard libraries.

Lua module: lualibs-extended 2022-10-04 2.75 ConTeXt Lua libraries -- extended collection.

luaotfload | conf : Root cache directory is "/home/lw/.cache/texmf/fonts/luatex-cache/generic/names".

luaotfload | init : Loading fontloader "fontloader-2022-10-03.lua" from kpse-resolved path "/usr/share/texmf/tex/luatex/luaotfload/fontloader-2022-10-03.lua".

Lua-only attribute luaotfload@noligature = 1

luaotfload | init : Context OpenType loader version 3.120

Inserting `luaotfload.node\_processor' in `pre_linebreak_filter'.

Inserting `luaotfload.node\_processor' in `hpack_filter'.

Inserting `luaotfload.glyph\_stream' in `glyph_stream_provider'.

Inserting `luaotfload.define\_font' in `define_font'.

Lua-only attribute luaotfload_color_attribute = 2

luaotfload | conf : Root cache directory is "/home/lw/.cache/texmf/fonts/luatex-cache/generic/names".

Inserting `luaotfload.harf.strip\_prefix' in `find_opentype_file'.

Inserting `luaotfload.harf.strip\_prefix' in `find_truetype_file'.

Removing `luaotfload.glyph\_stream' from `glyph_stream_provider'.

Inserting `luaotfload.harf.glyphstream' in `glyph_stream_provider'.

Inserting `luaotfload.harf.finalize\_vlist' in `post_linebreak_filter'.

Inserting `luaotfload.harf.finalize\_hlist' in `hpack_filter'.

Inserting `luaotfload.cleanup\_files' in `wrapup_run'.

Inserting `luaotfload.harf.finalize\_unicode' in `finish_pdffile'.

Inserting `luaotfload.glyphinfo' in `glyph_info'.

Lua-only attribute luaotfload.letterspace_done = 3

Inserting `luaotfload.aux.set\_yscale\_dims' in `luaotfload.patch_font'.
Inserting `luaotfload.aux.set\_font\_index' in `luaotfload.patch_font'.
Inserting `luaotfload.aux.patch\_cambria\_domh' in `luaotfload.patch_font'.
Inserting `luaotfload.aux.fixup\_fontdata' in `luaotfload.patch_font_unsafe'.
Inserting `luaotfload.aux.set\_capheight' in `luaotfload.patch_font'.
Inserting `luaotfload.aux.set\_xheight' in `luaotfload.patch_font'.
Inserting `luaotfload.rewrite\_fontname' in `luaotfload.patch_font'. L3 programm
ing layer <2023-02-22>

Inserting `tracingstacklevels' in `input_level_string'. (/usr/share/texmf/tex/la
tex/base/article.cls

Document Class: article 2022/07/02 v1.4n Standard LaTeX document class
(/usr/share/texmf/tex/latex/base/size11.clo

File: size11.clo 2022/07/02 v1.4n Standard LaTeX file (size option)

luaotfload | db : Font names database loaded from /home/lw/.cache/texmf/fonts/lu
atex-cache/generic/names/luaotfload-names.luc.gz)

\c@part=\count183

\c@section=\count184

\c@subsection=\count185

\c@subsubsection=\count186

\c@paragraph=\count187

\c@subparagraph=\count188

\c@figure=\count189

\c@table=\count190

\abovcaptionskip=\skip48

\belowcaptionskip=\skip49

\bibindent=\dimen139

)

(/usr/share/texmf/tex/latex/geometry/geometry.sty

Package: geometry 2020/01/02 v5.9 Page Geometry

(/usr/share/texmf/tex/latex/graphics/keyval.sty

Package: keyval 2022/05/29 v1.15 key=value parser (DPC)

\KV@toks@=\toks16

)

(/usr/share/texmf/tex/generic/iftex/iftex.sty

Package: ifvtex 2019/10/25 v1.7 ifvtex legacy package. Use iftex instead.

(/usr/share/texmf/tex/generic/iftex/iftex.sty

Package: iftex 2022/02/03 v1.0f TeX engine tests

```
))  
\Gm@cnth=\count191  
\Gm@cntv=\count192  
\c@Gm@tempcnt=\count193  
\Gm@bindingoffset=\dimen140  
\Gm@wd@mp=\dimen141  
\Gm@odd@mp=\dimen142  
\Gm@even@mp=\dimen143  
\Gm@layoutwidth=\dimen144  
\Gm@layoutheight=\dimen145  
\Gm@layouthoffset=\dimen146  
\Gm@layoutvoffset=\dimen147  
\Gm@dimlist=\toks17  
)  
(/usr/share/texmf/tex/generic/babel/babel.sty  
Package: babel 2023/02/13 3.86 The Babel package
```

```
(/usr/share/texmf/tex/generic/babel/luababel.def  
\bbl@readstream=\read2  
\l@dumylang=\language2  
Package babel Info: Non-standard hyphenation setup on input line 118.  
\l@nohyphenation=\language3  
\l@german-x-2023-03-06=\language4  
\l@ngerman-x-2023-03-06=\language5  
\l@ancientgreek=\language6  
\l@ibycus=\language7  
\l@arabic=\language8  
\l@basque=\language9  
\l@bulgarian=\language10  
\l@catalan=\language11  
\l@churchslavonic=\language12  
\l@croatian=\language13  
\l@czech=\language14  
\l@danish=\language15  
\l@dutch=\language16  
\l@ukenglish=\language17  
\l@usenglishmax=\language18  
\l@estonian=\language19  
\l@farsi=\language20
```

\\@finnish=\\language21
\\@schoolfinnish=\\language22
\\@french=\\language23
\\@friulan=\\language24
\\@galician=\\language25
\\@german=\\language26
\\@ngerman=\\language27
\\@swissgerman=\\language28
\\@greek=\\language29
\\@monogreek=\\language30
\\@hungarian=\\language31
\\@icelandic=\\language32
\\@irish=\\language33
\\@italian=\\language34
\\@kurmanji=\\language35
\\@classiclatin=\\language36
\\@latin=\\language37
\\@liturgicallatin=\\language38
\\@latvian=\\language39
\\@lithuanian=\\language40
\\@macedonian=\\language41
\\@bokmal=\\language42
\\@nynorsk=\\language43
\\@occitan=\\language44
\\@piedmontese=\\language45
\\@polish=\\language46
\\@portuguese=\\language47
\\@romanian=\\language48
\\@romansh=\\language49
\\@russian=\\language50
\\@slovak=\\language51
\\@slovenian=\\language52
\\@spanish=\\language53
\\@swedish=\\language54
\\@turkish=\\language55
\\@ukrainian=\\language56
\\@uppersorbian=\\language57
\\@welsh=\\language58
\\babelcatcodetablenum=\\catcodetable12

\bbl@pattcodes=\catcodetable13

)

\babel@savecnt=\count194

\U@D=\dimen148

\l@unhyphenated=\language59

(/usr/share/texmf/tex/generic/babel/luababel.def

\bbl@attr@locale=\attribute4

(/usr/share/texmf/tex/luatex/luatexbase/luatexbase.sty

Package: luatexbase 2015/10/04 v1.3 luatexbase interface to LuaTeX

(/usr/share/texmf/tex/luatex/ctablestack/ctablestack.sty

Package: ctablestack 2015/10/01 v1.0 Catcode table stable support

\@catcodetablestackcnt=\count195

)

\CatcodeTableOther=\catcodetable14

\CatcodeTableExpl=\catcodetable15

)

Removing `luaotfload.node\_processor' from `pre_linebreak_filter'.

Inserting `Babel.pre\_otfload\_v' in `pre_linebreak_filter'.

Inserting `luaotfload.node\_processor' in `pre_linebreak_filter'.

Removing `luaotfload.node\_processor' from `hpack_filter'.

Removing `luaotfload.harf.finalize\_hlist' from `hpack_filter'.

Inserting `Babel.pre\_otfload\_h' in `hpack_filter'.

Inserting `luaotfload.node\_processor' in `hpack_filter'.

Inserting `luaotfload.harf.finalize\_hlist' in `hpack_filter'.

\bbl@attr@dir=\attribute5

)

(/usr/share/texmf/tex/generic/babel-latvian/latvian.ldf

Language: latvian 2018/02/19 v2.0b Latvian support from the babel system

(/usr/share/texmf/tex/generic/hyph-utf8/loadhyph/loadhyph-lv.tex

UTF-8 Latvian hyphenation patterns

(/usr/share/texmf/tex/generic/hyph-utf8/patterns/tex/hyph-lv.tex))))

(/usr/share/texmf/tex/generic/babel/locale/lv/babel-latvian.tex

Package babel Info: Importing font and identification data for latvian

(babel) from babel-lv.ini. Reported on input line 11.

)

(/usr/share/texmf/tex/latex/caption/caption.sty

Package: caption 2023/03/12 v3.6j Customizing captions (AR)

(/usr/share/texmf/tex/latex/caption/caption3.sty

Package: caption3 2023/03/12 v2.4 caption3 kernel (AR)

\caption@tempdima=\dimen149

\captionmargin=\dimen150

\caption@leftmargin=\dimen151

\caption@rightmargin=\dimen152

\caption@width=\dimen153

\caption@indent=\dimen154

\caption@parindent=\dimen155

\caption@hangindent=\dimen156

Package caption Info: latvian babel option detected.

Package caption Info: latvian babel package is loaded.

)

\c@caption@flags=\count196

\c@continuedfloat=\count197

Package caption Info: latvian babel package is loaded.

)

(/usr/share/texmf/tex/latex/adjustbox/adjustbox.sty

Package: adjustbox 2022/10/17 v1.3a Adjusting TeX boxes (trim, clip, ...)

(/usr/share/texmf/tex/latex/xkeyval/xkeyval.sty

Package: xkeyval 2022/06/16 v2.9 package option processing (HA)

(/usr/share/texmf/tex/generic/xkeyval/xkeyval.tex

(/usr/share/texmf/tex/generic/xkeyval/xkvutils.tex

\XKV@toks=\toks18

\XKV@tempa@toks=\toks19

)

\XKV@depth=\count198

File: xkeyval.tex 2014/12/03 v2.7a key=value parser (HA)

))

(/usr/share/texmf/tex/latex/adjustbox/adjcalc.sty

Package: adjcalc 2012/05/16 v1.1 Provides advanced setlength with multiple back-ends (calc, etex, pgfmath)

)

(/usr/share/texmf/tex/latex/adjustbox/trimclip.sty

Package: trimclip 2020/08/19 v1.2 Trim and clip general TeX material

(/usr/share/texmf/tex/latex/graphics/graphicx.sty

Package: graphicx 2021/09/16 v1.2d Enhanced LaTeX Graphics (DPC,SPQR)

(/usr/share/texmf/tex/latex/graphics/graphics.sty

Package: graphics 2022/03/10 v1.4e Standard LaTeX Graphics (DPC,SPQR)

(/usr/share/texmf/tex/latex/graphics/trig.sty

Package: trig 2021/08/11 v1.11 sin cos tan (DPC)

)
(/usr/share/texmf/tex/latex/graphics-cfg/graphics.cfg
File: graphics.cfg 2016/06/04 v1.11 sample graphics configuration

)
Package graphics Info: Driver file: luatex.def on input line 107.

(/usr/share/texmf/tex/latex/graphics-def/luatex.def

File: luatex.def 2022/09/22 v1.2d Graphics/color driver for luatex

))
\Gin@req@height=\dimen157
\Gin@req@width=\dimen158
)

(/usr/share/texmf/tex/latex/collectbox/collectbox.sty

Package: collectbox 2022/10/17 v0.4c Collect macro arguments as boxes

\collectedbox=\box51
)

\tc@llx=\dimen159
\tc@lly=\dimen160
\tc@urx=\dimen161
\tc@ury=\dimen162

(/usr/share/texmf/tex/latex/adjustbox/tc-pgf.def

File: tc-pgf.def 2019/01/04 v2.2 trimclip fall-back clipping driver using PGF

(/usr/share/texmf/tex/latex/pgf/basiclayer/pgf.sty

(/usr/share/texmf/tex/latex/pgf/utilities/pgfrcs.sty

(/usr/share/texmf/tex/generic/pgf/utilities/pgfutil-common.tex

\pgfutil@everybye=\toks20
\pgfutil@tempdima=\dimen163

\pgfutil@tempdimb=\dimen164

)

(/usr/share/texmf/tex/generic/pgf/utilities/pgfutil-latex.def

\pgfutil@abb=\box52

)

(/usr/share/texmf/tex/generic/pgf/utilities/pgfrcs.code.tex

(/usr/share/texmf/tex/generic/pgf/pgf.revision.tex)

Package: pgfrcs 2023-01-15 v3.1.10 (3.1.10)

))

Package: pgf 2023-01-15 v3.1.10 (3.1.10)

(/usr/share/texmf/tex/latex/pgf/basiclayer/pgfcore.sty

(/usr/share/texmf/tex/latex/pgf/systemlayer/pgfsys.sty

(/usr/share/texmf/tex/generic/pgf/systemlayer/pgfsys.code.tex

Package: pgfsys 2023-01-15 v3.1.10 (3.1.10)

(/usr/share/texmf/tex/generic/pgf/utilities/pgfkeys.code.tex

\pgfkeys@pathtoks=\toks21

\pgfkeys@temptoks=\toks22

(/usr/share/texmf/tex/generic/pgf/utilities/pgfkeyslibraryfiltered.code.tex

\pgfkeys@tmptoks=\toks23

))

\pgf@x=\dimen165

\pgf@y=\dimen166

\pgf@xa=\dimen167

\pgf@ya=\dimen168

\pgf@xb=\dimen169

\pgf@yb=\dimen170

\pgf@xc=\dimen171

\pgf@yc=\dimen172

\pgf@xd=\dimen173

\pgf@yd=\dimen174

\w@pgf@writea=\write3

\r@pgf@reada=\read3

\c@pgf@counta=\count199

\c@pgf@countb=\count266

\c@pgf@countc=\count267

\c@pgf@countd=\count268

\t@pgf@toka=\toks24

\t@pgf@tokb=\toks25

\t@pgf@tokc=\toks26

\pgf@sys@id@count=\count269

(/usr/share/texmf/tex/generic/pgf/systemlayer/pgf.cfg

File: pgf.cfg 2023-01-15 v3.1.10 (3.1.10)

)

Driver file for pgf: pgfsys-luatex.def

(/usr/share/texmf/tex/generic/pgf/systemlayer/pgfsys-luatex.def

File: pgfsys-luatex.def 2023-01-15 v3.1.10 (3.1.10)

(/usr/share/texmf/tex/generic/pgf/systemlayer/pgfsys-common-pdf.def

File: pgfsys-common-pdf.def 2023-01-15 v3.1.10 (3.1.10)

)))

(/usr/share/texmf/tex/generic/pgf/systemlayer/pgfsyssoftpath.code.tex

File: pgfsyssoftpath.code.tex 2023-01-15 v3.1.10 (3.1.10)

\pgfsyssoftpath@smallbuffer@items=\count270

\pgfsyssoftpath@bigbuffer@items=\count271

)

(/usr/share/texmf/tex/generic/pgf/systemlayer/pgfsysprotocol.code.tex

File: pgfsysprotocol.code.tex 2023-01-15 v3.1.10 (3.1.10)

))

(/usr/share/texmf/tex/latex/xcolor/xcolor.sty

Package: xcolor 2022/06/12 v2.14 LaTeX color extensions (UK)

(/usr/share/texmf/tex/latex/graphics-cfg/color.cfg

File: color.cfg 2016/01/02 v1.6 sample color configuration

)

Package xcolor Info: Driver file: luatex.def on input line 227.

(/usr/share/texmf/tex/latex/graphics/mathcolor.ltx)

Package xcolor Info: Model `cmy' substituted by `cmy0' on input line 1353.

Package xcolor Info: Model `hsb' substituted by `rgb' on input line 1357.

Package xcolor Info: Model `RGB' extended on input line 1369.

Package xcolor Info: Model `HTML' substituted by `rgb' on input line 1371.

Package xcolor Info: Model `Hsb' substituted by `hsb' on input line 1372.

Package xcolor Info: Model `tHsb' substituted by `hsb' on input line 1373.

Package xcolor Info: Model `HSB' substituted by `hsb' on input line 1374.
Package xcolor Info: Model `Gray' substituted by `gray' on input line 1375.
Package xcolor Info: Model `wave' substituted by `hsb' on input line 1376.
)

(/usr/share/texmf/tex/generic/pgf/basiclayer/pgfcore.code.tex
Package: pgfcore 2023-01-15 v3.1.10 (3.1.10)

(/usr/share/texmf/tex/generic/pgf/math/pgfmath.code.tex
(/usr/share/texmf/tex/generic/pgf/math/pgfmathutil.code.tex)
(/usr/share/texmf/tex/generic/pgf/math/pgfmathparser.code.tex
\pgfmath@dimen=\dimen175
\pgfmath@count=\count272
\pgfmath@box=\box53
\pgfmath@toks=\toks27
\pgfmath@stack@operand=\toks28
\pgfmath@stack@operation=\toks29
)
(/usr/share/texmf/tex/generic/pgf/math/pgfmathfunctions.code.tex)
(/usr/share/texmf/tex/generic/pgf/math/pgfmathfunctions.basic.code.tex)
(/usr/share/texmf/tex/generic/pgf/math/pgfmathfunctions.trigonometric.code.tex)
(/usr/share/texmf/tex/generic/pgf/math/pgfmathfunctions.random.code.tex)
(/usr/share/texmf/tex/generic/pgf/math/pgfmathfunctions.comparison.code.tex)
(/usr/share/texmf/tex/generic/pgf/math/pgfmathfunctions.base.code.tex)
(/usr/share/texmf/tex/generic/pgf/math/pgfmathfunctions.round.code.tex)
(/usr/share/texmf/tex/generic/pgf/math/pgfmathfunctions.misc.code.tex)
(/usr/share/texmf/tex/generic/pgf/math/pgfmathfunctions.integerarithmetics.code
.tex) (/usr/share/texmf/tex/generic/pgf/math/pgfmathcalc.code.tex)
(/usr/share/texmf/tex/generic/pgf/math/pgfmathfloat.code.tex
\c@pgfmathroundto@lastzeros=\count273
)
(/usr/share/texmf/tex/generic/pgf/math/pgfint.code.tex)
(/usr/share/texmf/tex/generic/pgf/basiclayer/pgfcorepoints.code.tex
File: pgfcorepoints.code.tex 2023-01-15 v3.1.10 (3.1.10)
\pgf@picminx=\dimen176
\pgf@picmaxx=\dimen177
\pgf@picminy=\dimen178
\pgf@picmaxy=\dimen179
\pgf@pathminx=\dimen180
\pgf@pathmaxx=\dimen181

```

\pgf@pathminy=\dimen182
\pgf@pathmaxy=\dimen183
\pgf@xx=\dimen184
\pgf@xy=\dimen185
\pgf@yx=\dimen186
\pgf@yy=\dimen187
\pgf@zx=\dimen188
\pgf@zy=\dimen189
)
(/usr/share/texmf/tex/generic/pgf/basiclayer/pgfcorepathconstruct.code.tex
File: pgfcorepathconstruct.code.tex 2023-01-15 v3.1.10 (3.1.10)
\pgf@path@lastx=\dimen190
\pgf@path@lasty=\dimen191
)
(/usr/share/texmf/tex/generic/pgf/basiclayer/pgfcorepathusage.code.tex
File: pgfcorepathusage.code.tex 2023-01-15 v3.1.10 (3.1.10)
\pgf@shorten@end@additional=\dimen192
\pgf@shorten@start@additional=\dimen193
)
(/usr/share/texmf/tex/generic/pgf/basiclayer/pgfcorescopes.code.tex
File: pgfcorescopes.code.tex 2023-01-15 v3.1.10 (3.1.10)
\pgfpic=\box54
\pgf@hbox=\box55
\pgf@layerbox@main=\box56
\pgf@picture@serial@count=\count274
)
(/usr/share/texmf/tex/generic/pgf/basiclayer/pgfcoregraphicstate.code.tex
File: pgfcoregraphicstate.code.tex 2023-01-15 v3.1.10 (3.1.10)
\pgflinewidth=\dimen194
)
(/usr/share/texmf/tex/generic/pgf/basiclayer/pgfcoretransformations.code.tex
File: pgfcoretransformations.code.tex 2023-01-15 v3.1.10 (3.1.10)
\pgf@pt@x=\dimen195
\pgf@pt@y=\dimen196
\pgf@pt@temp=\dimen197
)
(/usr/share/texmf/tex/generic/pgf/basiclayer/pgfcorequick.code.tex
File: pgfcorequick.code.tex 2023-01-15 v3.1.10 (3.1.10)
)

```

```

(/usr/share/texmf/tex/generic/pgf/basiclayer/pgfcoreobjects.code.tex
File: pgfcoreobjects.code.tex 2023-01-15 v3.1.10 (3.1.10)
)
(/usr/share/texmf/tex/generic/pgf/basiclayer/pgfcorepathprocessing.code.tex
File: pgfcorepathprocessing.code.tex 2023-01-15 v3.1.10 (3.1.10)
)
(/usr/share/texmf/tex/generic/pgf/basiclayer/pgfcorearrows.code.tex
File: pgfcorearrows.code.tex 2023-01-15 v3.1.10 (3.1.10)
\pgfarrowsep=\dimen198
)
(/usr/share/texmf/tex/generic/pgf/basiclayer/pgfcoreshade.code.tex
File: pgfcoreshade.code.tex 2023-01-15 v3.1.10 (3.1.10)
\pgf@max=\dimen199
\pgf@sys@shading@range@num=\count275
\pgf@shadingcount=\count276
)
(/usr/share/texmf/tex/generic/pgf/basiclayer/pgfcoreimage.code.tex
File: pgfcoreimage.code.tex 2023-01-15 v3.1.10 (3.1.10)
)
(/usr/share/texmf/tex/generic/pgf/basiclayer/pgfcoreexternal.code.tex
File: pgfcoreexternal.code.tex 2023-01-15 v3.1.10 (3.1.10)
\pgfexternal@startupbox=\box57
)
(/usr/share/texmf/tex/generic/pgf/basiclayer/pgfcorelayers.code.tex
File: pgfcorelayers.code.tex 2023-01-15 v3.1.10 (3.1.10)
)
(/usr/share/texmf/tex/generic/pgf/basiclayer/pgfcoretransparency.code.tex
File: pgfcoretransparency.code.tex 2023-01-15 v3.1.10 (3.1.10)
)
(/usr/share/texmf/tex/generic/pgf/basiclayer/pgfcorepatterns.code.tex
File: pgfcorepatterns.code.tex 2023-01-15 v3.1.10 (3.1.10)
)
(/usr/share/texmf/tex/generic/pgf/basiclayer/pgfcorerdf.code.tex
File: pgfcorerdf.code.tex 2023-01-15 v3.1.10 (3.1.10)
)))
(/usr/share/texmf/tex/generic/pgf/modules/pgfmoduleshapes.code.tex
File: pgfmoduleshapes.code.tex 2023-01-15 v3.1.10 (3.1.10)
\pgfnodeparttextbox=\box58
)

```

(/usr/share/texmf/tex/generic/pgf/modules/pgfmoduleplot.code.tex

File: pgfmoduleplot.code.tex 2023-01-15 v3.1.10 (3.1.10)

)

(/usr/share/texmf/tex/latex/pgf/compatibility/pgfcomp-version-0-65.sty

Package: pgfcomp-version-0-65 2023-01-15 v3.1.10 (3.1.10)

\pgf@nodesepstart=\dimen256

\pgf@nodesepend=\dimen257

)

(/usr/share/texmf/tex/latex/pgf/compatibility/pgfcomp-version-1-18.sty

Package: pgfcomp-version-1-18 2023-01-15 v3.1.10 (3.1.10)

)))

Package trimclip Info: No clipping driver 'tc-luatex.def' available.

(trimclip) Using fall-back PGF driver.

)

\adjbox@Width=\dimen258

\adjbox@Height=\dimen259

\adjbox@Depth=\dimen260

\adjbox@Totalheight=\dimen261

\adjbox@pwidth=\dimen262

\adjbox@pheight=\dimen263

\adjbox@pdepth=\dimen264

\adjbox@ptotalheight=\dimen265

(/usr/share/texmf/tex/latex/ifoddpage/ifoddpage.sty

Package: ifoddpage 2022/10/18 v1.2 Conditionals for odd/even page detection

\c@checkoddpage=\count277

)

(/usr/share/texmf/tex/latex/varwidth/varwidth.sty

Package: varwidth 2009/03/30 ver 0.92; Variable-width minipages

\@vwid@box=\box59

\sift@deathcycles=\count278

\@vwid@loff=\dimen266

\@vwid@roff=\dimen267

))

(/usr/share/texmf/tex/latex/titlesec/titlesec.sty

Package: titlesec 2021/07/05 v2.14 Sectioning titles

\ttl@box=\box60

\beforetitleunit=\skip50

\aftertitleunit=\skip51

```
\ttl@plus=\dimen268
\ttl@minus=\dimen269
\ttl@toksa=\toks30
\ttlewidth=\dimen270
\ttlewidthlast=\dimen271
\ttlewidthfirst=\dimen272
)
(/usr/share/texmf/tex/latex/l3backend/l3backend-luatex.def
File: l3backend-luatex.def 2023-01-16 L3 backend support: PDF output (LuaTeX)
\l__color_backend_stack_int=\count279
\l__pdf_internal_box=\box61
) (./Main.fail.aux)
\openout1 = Main.fail.aux
```

LaTeX Font Info: Checking defaults for OML/cmm/m/it on input line 7.

LaTeX Font Info: ... okay on input line 7.

LaTeX Font Info: Checking defaults for OMS/cmsy/m/n on input line 7.

LaTeX Font Info: ... okay on input line 7.

LaTeX Font Info: Checking defaults for OT1/cmr/m/n on input line 7.

LaTeX Font Info: ... okay on input line 7.

LaTeX Font Info: Checking defaults for T1/cmr/m/n on input line 7.

LaTeX Font Info: ... okay on input line 7.

LaTeX Font Info: Checking defaults for TS1/cmr/m/n on input line 7.

LaTeX Font Info: Trying to load font information for TS1+cmr on input line 7

.

```
(/usr/share/texmf/tex/latex/base/ts1cmr.fd
```

File: ts1cmr.fd 2022/07/10 v2.5l Standard LaTeX font definitions

```
)
```

LaTeX Font Info: ... okay on input line 7.

LaTeX Font Info: Checking defaults for TU/lmr/m/n on input line 7.

LaTeX Font Info: ... okay on input line 7.

LaTeX Font Info: Checking defaults for OMX/cmex/m/n on input line 7.

LaTeX Font Info: ... okay on input line 7.

LaTeX Font Info: Checking defaults for U/cmr/m/n on input line 7.

LaTeX Font Info: ... okay on input line 7.

geometry driver: auto-detecting

geometry detected driver: luatex

```

*geometry* verbose mode - [ preamble ] result:
* driver: luatex
* paper: a4paper
* layout: <same size as paper>
* layoutoffset:(h,v)=(0.0pt,0.0pt)
* modes:
* h-part:(L,W,R)=(71.13188pt, 455.24411pt, 71.13188pt)
* v-part:(T,H,B)=(71.13188pt, 702.78308pt, 71.13188pt)
* \paperwidth=597.50787pt
* \paperheight=845.04684pt
* \textwidth=455.24411pt
* \textheight=702.78308pt
* \oddsidemargin=-1.1381pt
* \evensidemargin=-1.1381pt
* \topmargin=-38.1381pt
* \headheight=12.0pt
* \headsep=25.0pt
* \topskip=11.0pt
* \footskip=30.0pt
* \marginparwidth=50.0pt
* \marginparsep=10.0pt
* \columnsep=10.0pt
* \skip\footins=10.0pt plus 4.0pt minus 2.0pt
* \hoffset=0.0pt
* \voffset=0.0pt
* \mag=1000
* \@twocolumnfalse
* \@twosidefalse
* \@mparswitchfalse
* \@reversemarginfalse
* (1in=72.27pt=25.4mm, 1cm=28.453pt)

```

Removing `Babel.pre\_otfload\_h' from `hpack_filter'.

Removing `luaotfload.node\_processor' from `hpack_filter'.

Removing `luaotfload.harf.finalize\_hlist' from `hpack_filter'.

Inserting `Babel.math\_box\_dir' in `hpack_filter'.

Inserting `Babel.pre\_otfload\_h' in `hpack_filter'.

Inserting `luaotfload.node\_processor' in `hpack_filter'.

Inserting `luaotfload.harf.finalize\_hlist' in `hpack_filter'.

Package caption Info: Begin \AtBeginDocument code.
 Package caption Info: End \AtBeginDocument code.
 (/usr/share/texmf/tex/context/base/mkii/supp-pdf.mkii
 [Loading MPS to PDF converter (version 2006.09.02).]
 \scratchcounter=\count280
 \scratchdimen=\dimen273
 \scratchbox=\box62
 \nofMPsegments=\count281
 \nofMParguments=\count282
 \everyMPshowfont=\toks31
 \MPscratchCnt=\count283
 \MPscratchDim=\dimen274
 \MPnumerator=\count284
 \makeMPintoPDFobject=\count285
 \everyMPtoPDFconversion=\toks32
) (/usr/share/texmf/tex/latex/epstopdf-pkg/epstopdf-base.sty
 Package: epstopdf-base 2020-01-24 v2.11 Base part for package epstopdf
 Package epstopdf-base Info: Redefining graphics rule for '.eps' on input line 4
 85.

(/usr/share/texmf/tex/latex/latexconfig/epstopdf-sys.cfg
 File: epstopdf-sys.cfg 2010/07/13 v1.3 Configuration of (r)epstopdf for TeX Live
 e
))
 (./images/6195f2d3c08c94fdc73f8d014f5614648c81ee8b.tex
 <images/6195f2d3c08c94fdc73f8d014f5614648c81ee8b.png, id=4, 1259.70625pt x 917.
 4275pt>
 File: images/6195f2d3c08c94fdc73f8d014f5614648c81ee8b.png Graphic file (type png)
 g)
 <use images/6195f2d3c08c94fdc73f8d014f5614648c81ee8b.png>
 Package luatex.def Info: images/6195f2d3c08c94fdc73f8d014f5614648c81ee8b.png used
 on input line 3.
 (luatex.def) Requested size: 1259.70319pt x 917.42528pt.
)
 ! Undefined control sequence.
 \the@chapter ...ed \relax \else \ifnum \c@chapter
 >\z@ \thechapter \fi \fi
 l.11 \caption{
 %

The control sequence at the end of the top line of your error message was never \def'ed. If you have misspelled it (e.g., '\hobx'), type `l' and the correct spelling (e.g., '\hbox'). Otherwise just continue, and I'll forget about whatever was undefined.

! Missing number, treated as zero.

<to be read again>

>

l.11 \caption{

%

A number should have been here; I inserted `0'.

(If you can't figure out why I needed to see a number, look up `weird error' in the index to The TeXbook.)

! Undefined control sequence.

\the@chapter ...ed \relax \else \ifnum \c@chapter

>\z@ \thechapter \fi \fi

l.13 }

The control sequence at the end of the top line of your error message was never \def'ed. If you have misspelled it (e.g., '\hobx'), type `l' and the correct spelling (e.g., '\hbox'). Otherwise just continue, and I'll forget about whatever was undefined.

! Missing number, treated as zero.

<to be read again>

>

l.13 }

A number should have been here; I inserted `0'.

(If you can't figure out why I needed to see a number, look up `weird error' in the index to The TeXbook.)

! Undefined control sequence.

\the@chapter ...ed \relax \else \ifnum \c@chapter

>\z@ \thechapter \fi \fi

l.13 }

The control sequence at the end of the top line of your error message was never `\defed`. If you have misspelled it (e.g., ``\hobx'`), type ``l'` and the correct spelling (e.g., ``\hbox'`). Otherwise just continue, and I'll forget about whatever was undefined.

! Missing number, treated as zero.

<to be read again>

>

l.13 }

A number should have been here; I inserted ``0'`.

(If you can't figure out why I needed to see a number, look up ``weird error'` in the index to The TeXbook.)

! Undefined control sequence.

`\the@chapter ...ed \relax \else \ifnum \c@chapter`

`>\z@ \thechapter \fi \fi`

l.13 }

The control sequence at the end of the top line of your error message was never `\defed`. If you have misspelled it (e.g., ``\hobx'`), type ``l'` and the correct spelling (e.g., ``\hbox'`). Otherwise just continue, and I'll forget about whatever was undefined.

! Missing number, treated as zero.

<to be read again>

>

l.13 }

A number should have been here; I inserted ``0'`.

(If you can't figure out why I needed to see a number, look up ``weird error'` in the index to The TeXbook.)

! Undefined control sequence.

`\the@chapter ...ed \relax \else \ifnum \c@chapter`

`>\z@ \thechapter \fi \fi`

l.13 }

The control sequence at the end of the top line of your error message was never `\def`ed. If you have misspelled it (e.g., `\hobx`'), type ``l'` and the correct spelling (e.g., `\hbox`'). Otherwise just continue, and I'll forget about whatever was undefined.

! Missing number, treated as zero.

<to be read again>

>

l.13 }

A number should have been here; I inserted ``0'`.
(If you can't figure out why I needed to see a number, look up ``weird error'` in the index to The TeXbook.)

! Undefined control sequence.

`\the@chapter ...ed \relax \else \ifnum \c@chapter`

`>\z@ \thechapter \fi \fi`

l.13 }

The control sequence at the end of the top line of your error message was never `\def`ed. If you have misspelled it (e.g., `\hobx`'), type ``l'` and the correct spelling (e.g., `\hbox`'). Otherwise just continue, and I'll forget about whatever was undefined.

! Missing number, treated as zero.

<to be read again>

>

l.13 }

A number should have been here; I inserted ``0'`.
(If you can't figure out why I needed to see a number, look up ``weird error'` in the index to The TeXbook.)

{/var/lib/texmf/fonts/map/pdftex/updmap/pdftex.map}<./images/6195f2d3c08c94fdc73f8d014f5614648c81ee8b.png>] (./Main.fail.aux))

Here is how much of LuaTeX's memory you used:

14317 strings out of 478285

100000,1977958 words of node,token memory allocated

467 words of node memory still in use:

4 hlist, 1 vlist, 1 rule, 4 glue, 3 kern, 1 glyph, 12 attribute, 51 glue_spec
, 6 attribute_list, 2 write nodes

avail lists: 2:218,3:33,4:34,5:42,6:6,7:124,8:2,9:80,10:2

33961 multiletter control sequences out of 65536+600000

15 fonts using 723367 bytes

105i,7n,101p,472b,461s stack positions out of 10000i,1000n,20000p,200000b,200000s

</usr/share/fonts/texlive-lm/lmroman10-regular.otf>

Output written on Main.fail.pdf (1 page, 239750 bytes).

PDF statistics: 19 PDF objects out of 1000 (max. 8388607)

11 compressed objects within 1 object stream

0 named destinations out of 1000 (max. 131072)

16 words of extra memory for PDF output out of 10000 (max. 100000000)