



```
In [68]: from yt.imods import *
```

```
-----  
NotImplementedError Traceback (most recent call last)
```

```
/home/gvn22/local/lib/python2.7/site-packages/yt-2.7dev-py2.7-linux-x86\_64.egg/EGG-INFO/scripts/iyt in <module>()
```

```
----> 1 from yt.imods import *
```

```
/home/gvn22/local/lib/python2.7/site-packages/yt-2.7dev-py2.7-linux-x86\_64.egg/yt/imods.py  
in <module>()
```

```
10 inst = InteractiveShell.instance()
```

```
11 ip = inst.get_ipython()
```

```
---> 12 ip.enable_pylab("inline", import_all=False)
```

```
13
```

```
14 from yt.config import ytcfg
```

```
/home/gvn22/local/lib/python2.7/site-packages/IPython/core/interactiveshell.pyc in
```

```
enable_pylab(self, gui, import_all, welcome_message)
```

```
2924 from IPython.core.pylabtools import import_pylab
```

```
2925
```

```
-> 2926 gui, backend = self.enable_matplotlib(gui)
```

```
2927
```

```
2928 # We want to prevent the loading of pylab to pollute the user's
```

```
/home/gvn22/local/lib/python2.7/site-packages/IPython/core/interactiveshell.pyc in
```

```
enable_matplotlib(self, gui)
```

```
2890 # Now we must activate the gui pylab wants to use, and fix %run to take
```

```
2891 # plot updates into account
```

```
-> 2892 self.enable_gui(gui)
```

```
2893 self.magics_manager.registry['ExecutionMagics'].default_runner = \
```

```
2894 pt.mpl_runner(self.safe_execfile)
```

```
/home/gvn22/local/lib/python2.7/site-packages/IPython/core/interactiveshell.pyc in
```

```
enable_gui(self, gui)
```

```
2849
```

```
2850 def enable_gui(self, gui=None):
```

```
-> 2851 raise NotImplementedError('Implement enable_gui in a subclass')
```

2852

2853 def enable_matplotlib(self, gui=None):

NotImplementedError: Implement enable_gui in a subclass