



```
!  
! Last configuration change at 11:57:40 UTC Fri Apr 17 2015 by rkarpinski  
version 15.2  
service tcp-keepalives-in  
service tcp-keepalives-out  
service timestamps debug datetime msec localtime show-timezone year  
service timestamps log datetime msec localtime show-timezone year  
service password-encryption  
service sequence-numbers  
!  
hostname pztest-r1  
!  
boot-start-marker  
boot-end-marker  
!  
!  
aaa new-model  
!  
!  
aaa authentication login default local-case  
aaa authorization exec default local  
!  
!  
!  
!  
!  
aaa session-id common  
!  
crypto pki trustpoint TP-self-signed-3662212268  
enrollment selfsigned  
subject-name cn=IOS-Self-Signed-Certificate-3662212268  
revocation-check none  
rsa-keypair TP-self-signed-3662212268  
!  
!  
crypto pki certificate chain TP-self-signed-3662212268
```

```
ip cef
!
!
!
!

!
ip dhcp excluded-address 192.168.0.1 192.168.0.20
!
ip dhcp pool test-lan
network 192.168.0.0 255.255.255.0
domain-name testnet.local
netbios-name-server 192.168.0.2
netbios-node-type p-node
default-router 192.168.0.1
dns-server 8.8.8.8
!
!
!
ip domain retry 3
ip domain name testnet.local
ip name-server 62.233.233.233
ip name-server 192.168.0.2
no ipv6 cef
!
!
!
!
!
multilink bundle-name authenticated
!
!
!
!
!
!
license udi pid CISCO891-K9 sn FCZ171990KS
!
!
```

```
!  
redundancy  
!  
!  
!  
!  
!  
ip tcp synwait-time 5  
ip tcp path-mtu-discovery  
ip ssh authentication-retries 2  
!  
!  
!  
!  
!  
interface FastEthernet0  
no ip address  
!  
interface FastEthernet1  
no ip address  
!  
interface FastEthernet2  
no ip address  
!  
interface FastEthernet3  
no ip address  
!  
interface FastEthernet4  
no ip address  
!  
interface FastEthernet5  
no ip address  
!  
interface FastEthernet6  
no ip address  
!  
interface FastEthernet7  
no ip address  
!
```

```
interface FastEthernet8
description Siec LAN 192.168.0.0/24
ip address 192.168.0.1 255.255.255.0
ip nat inside
ip virtual-reassembly in
duplex auto
speed auto
!
interface GigabitEthernet0
ip address 2.2.2.2 255.255.255.240
ip nat outside
ip virtual-reassembly in
duplex auto
speed auto
!
interface Vlan1
no ip address
shutdown
!
interface Async1
no ip address
encapsulation slip
!
ip forward-protocol nd
ip http server
ip http authentication local
ip http secure-server
ip http timeout-policy idle 60 life 86400 requests 10000
!
!
ip dns view default
domain retry 3
ip nat pool wan1-ip3 2.2.2.3 2.2.2.3 netmask 255.255.255.240
ip nat inside source list nat-lan pool wan1-ip3 overload
ip nat inside source static tcp 192.168.0.2 22 2.2.2.4 22 extendable
ip nat inside source static tcp 192.168.0.2 443 2.2.2.4 443 extendable
ip route 0.0.0.0 0.0.0.0 2.2.2.1
!
ip access-list standard admin
```

```
permit 10.128.0.0 0.0.255.255
permit 194.24.180.0 0.0.1.255
permit 192.168.0.0 0.0.0.255
ip access-list standard nat-lan
permit 192.168.0.0 0.0.0.255
!
access-list 23 permit 10.10.10.0 0.0.0.7
access-list 23 permit 192.168.0.0 0.0.0.255
no cdp run
!
!
!
!
!
control-plane
!
!
!
!
mgcp profile default
!
!
!
!
!
alias exec ct configure terminal
!
line con 0
exec-timeout 30 0
logging synchronous
transport preferred ssh
transport output telnet ssh
line 1
modem InOut
speed 115200
flowcontrol hardware
line aux 0
line vty 0 4
access-class admin in
```

```
exec-timeout 30 0
privilege level 15
logging synchronous
transport preferred ssh
transport input telnet ssh
transport output telnet ssh
line vty 5 15
access-class admin in
exec-timeout 30 0
privilege level 15
logging synchronous
transport preferred ssh
transport input telnet ssh
transport output telnet ssh
!
!
end
```