



"HOME MADE" Active Denial System (Directed Energy Weapon)

"But the real value of our attacks today lies in the psychological impact, not in the immediate casualties. For one thing, our efforts against the System gained immeasurably in credibility. More important, though, is what we taught the politicians and the bureaucrats. They learned today that not one of them is beyond our reach. They can huddle behind barbed wire and tanks in the city, or they can hide behind the concrete walls and alarm systems of their country estates, but we can still find them and kill them. All the armed guards and bulletproof limousines in America cannot guarantee their safety. That is a lesson they will not forget."

--- Excerpt from [The Turner Diaries](#), by [Dr. William L. Pierce](#).

Overview

The military has a non-lethal Directed Energy Weapon (DEW) called the "[Active Denial System](#)." Which, despite all the hoopla and millions in tax-dollars, *hasn't* actually ever been deployed! Their Active Denial System is basically a 100 kilowatt, 95 GHz gyrotron oscillator ([CPI VGB-8095](#)) feeding a high-gain (very narrow beamwidth), rotatable parabolic or phased-array antenna. The idea is for the high-energy RF beam to *rapidly* heat the outside layer of skin (up to around 130°F), causing the target to flee the immediate area. Due to its 3.2 millimeter wavelength, a 95 GHz beam can't penetrate more than about 0.4 millimeters of living tissue and the "blink" factor will help to protect your eyes. And therein lies the entire problem... Who wants a weapon that only *annoys* people? We want one that will fry their insides!

The July 1989 issue of [73 Magazine](#) has a really neat article entitled "[ATV Transmitter from a Microwave Oven!](#)" by David Pacholok, KA9BYI. The article tells you how to construct a high-voltage power supply and frequency modulator circuit to control the 2.45 GHz magnetron used in a standard microwave oven. The circuit is actually quite clever, and also fairly simple to build, but does require the use of old television horizontal sweep tubes (6JE6, 6LQ6, or 6MJ6 - with 6MJ6s being the best) to control the current into the magnetron. That's one big problem, as these tubes can be more difficult to find than Barack Hussein Obama's [birth certificate](#). Try checking your local TV repair store (Repair? Huh?) and pick up as many as you can find,

along with the matching 9-pin Novar sockets. Most of the other parts, believe it or not, can still be picked up at Radio Shack. Also, since the 73 article is quite thorough, the specific details of the magnetron's control circuit operation will not be covered here. A [copy](#) of the article will appear on the website.

The goal for our project is to implement this same circuit into some type of "Poor Man's Active Denial System." The idea being that using a microwave oven magnetron in Continuous Wave (CW) mode, instead of the normal 60 Hz "pulsed" mode, will result in a higher average output power. This is much more desirable for "cooking" a target. You may remember a *MythBusters* [episode](#) where they try to cook a turkey using a high-power *pulsed* marine (9.4 GHz) radar. While radars do put out a lot of radio frequency energy, it is only for a few microseconds. Their overall average RF output power is actually quite low, so they can't really harm the living.

While not having anywhere near the range or insane RF output power level of the military version, this version of the Active Denial System is still quite useful for slowly (or covertly) heating a remote target. It may also be possible to remotely induce fevers, cataracts, headaches, or other fatigue symptoms in a human target. And, since the 2.45 GHz wavelength is quite long, it may even be possible to cause severe internal tissue, brain, or other organ damage. RF heating of a person's heart can cause all sorts of problems, especially if they have a pacemaker. Imagine being able to remotely induce a heart attack... Other non-amateur radio related uses for high-powered, continuous wave 2.45 GHz energy:

- **Counter-IED Operations:** Heating an area with RF can cause plastic explosives to retain some energy which will allow them to be "viewed" via a thermal imaging system. RF energy may also disable detonation or timer electronics.
- **Fight Global Warming:** There are too many people on the planet. But, are there any White countries with overpopulation problems? Nope! Try using high-energy RF to remotely induce abortions or severely damage a shit-skin fetus.
- **SAM Spoofing:** Some surface-to-air missiles use high-power CW illumination for the missile to ride on. Point your device at a military airplane and see if it shoots out any cool countermeasures. Can also be used as a decoy to draw in anti-radiation missiles to places you want blown up.

- **Surveillance:** The Russians used to [flood the U.S. embassy](#) with high-power microwaves to try and pick up any "vibrations" in objects caused by people talking. Also try flooding an area with 2.45 GHz and demodulating an odd harmonic (7.35, 12.25 GHz etc.) to extract audio via a modulated non-linear junction.
- **Preventing ACORN Fraud:** Prevent one of the most corrupt Democrat-supported organizations on the planet, [ACORN](#), from partaking in [voter](#) or [census fraud](#). Zap 'em!
- **Counter-Body Armor:** Your house getting raided because you don't support [Obama](#) or own a gun Hollywood liberals don't like? RF passes right through that fancy body armor. The target's "flinch factor" can also give you extra time to aim or to expose vulnerable regions on your attacker. Good for weeding out snipers too...
- **Increasing Home Values:** Thanks to "diversity," your once quiet neighborhood in probably being destroyed thanks to non-White invaders or other liberal scum. Don't like your new neighbors? Zap 'em! Loud stereos? Zap 'em! Section 8 housing? Zap 'em! Corrupt politicians, lawyers, and bankers? Zap 'em!
- **Countering Alarm Systems:** Most alarms systems don't like being in high-RF areas, especially video cameras. You might be able to disable or even remotely trigger alarm systems using a device like this. Really freaks dogs out too...
- **Frey Effect:** Properly pulsed high-power microwave energy can cause people to "[hear](#)" things. Seriously. Simple tones are the easiest, while speech requires a "pre-distortion" circuit.
- **Doppler Radar:** Tap the output of the magnetron via a directional coupler and run it into a mixer to detect phase shifts. This is a good start for a homebrew, long-range Doppler radar. Point it straight up and search for UFOs.

All that from the little box sitting in your kitchen. Holy fuck!

Pictures & Construction



Parts for the 120 VAC main input.

A high-amperage line filter, toggle switch, and fuse holder will be mounted inside a square electrical outlet box. The filtered 120 VAC lines will be mounted on standoffs and distributed to the other transformers.

The little green blob with two leads is an input surge absorber from an old computer switching power supply. It's used to reduce the large surge current when the power is initially applied.

The Radio Shack #273-1511 transformer will provide the 12.6 VAC for the two 6MJ6 tubes (filaments in series) we will be using. It will also provide the +/- power supply for the op-amp in the control circuit.



Rear view of the AC input power panel.

Try to use a single point ground to reduce any ground loops.


There are (optional) ferrite beads on the incoming 120 VAC hot, neutral, and ground leads.

A green neon lamp is used as a power indicator.



Everything will be mounted to a large aluminium plate.

L-brackets are riveted to the plate, which will be used to mount the twelve electrolytic capacitors making up the high-voltage power supply's ripple capacitor.



Secured electrolytic capacitor.

Twelve 650 μ F / 450 VDC electrolytic capacitors will be used.

Put a piece of heatshrink tubing over the L-bracket and wrap the bottom of each capacitor with electrical tape.


Secure the capacitors using hose clamps.



The twelve capacitors ready to go.

Proper high-voltage construction techniques would require a little more space between the capacitors and maybe also mount them on some type of insulator. *Oh well...*

Wire the capacitors in series (+ to -) with a 100 kohm / 5W resistor across each one for voltage load sharing.




Stock microwave oven transformer.

Its secondary provides 3.3 VAC for the magnetron's filament and the high-voltage winding provides around 1,800 VAC.

Note that one side of the high-voltage winding is connected to the frame of the transformer (ground). This will need to be disconnected and properly isolated. The magnetic shunts, which are normally installed in a microwave oven transformer, can stay.

On the two bottom spade connectors for the 120 VAC primary input, a resistor/capacitor snubber circuit is used to clamp any high-voltage spikes or kick-backs.



Isolating the high-voltage secondary.


The grounded end was unsoldered and connected to a little stand-off terminal mounted on the transformer's protective cardboard.

Not all transformers will be the same, but they will all have one side of the high-voltage winding tied to ground, either with a screw or a solder tab.



The case of the transformer was further isolated from the chassis ground using a rubber gasket sheet and nylon washers on the mounting bolts.


This is to help reduce any 60 Hz hum, if you'd ever wish to modulate the magnetron's output in the future, so it's not really a requirement.



Overview of the 6MJ6's filament transformer (silver-colored - mounted on the electrical box) and also the grid voltage transformer (gold-colored).

The series 0.8 μF capacitor in the voltage-doubling circuit is isolated from ground by Zip-tying it to a plastic rod.

You can also see the high-voltage load sharing resistors (100 kohm / 5W) across each of the electrolytic capacitors. These will also help to dissipate any stray voltage when the power is off.



High-voltage output from the capacitor bank.


Little spring clips were made to connect the 100 ohm resistors to the top cap (plate) on the two 6MJ6s.



6MJ6s in place.

Optional spring retainers hold the tubes in place.

The tube on the lower-right is the "A" tube, the other is the "B" tube.




Underside view of the mounting plate showing the tube socket wiring and grid voltage circuit.

The top socket is for the "A" tube, the other is for the "B" tube.


The 6MJ6's have their filaments wired in series so they can be driven directly with the 12.6 VAC secondary from a Radio Shack #273-1511 transformer.

Note the nylon insulation washers on the microwave oven transformer's mounting bolts (lower-left).



Magnetron current meter, magnetron cathode current control (I_k), and the transmit-enable (**XMIT**) switch.

The meter is from an old Lab-Volt trainer used in schools. Its full-scale reading is 500 mA DC.



HVPR16-06 high-voltage diodes in the voltage doubler circuit.


Leaving the shunts in the microwave oven transformer also helps to suppress the large surge current when first powered on. This is necessary to protect the diodes from any over-current transients.

Use two diodes in series, as shown, just to be safe.

HVPR16-06 Diode Specifications V_R 6,000 Volts I_F 550 mA V_F 10.00 Volts




The final high-voltage output connectors will be mounted in a fiberglass electrical box. The magnetron connections will be via banana jacks.



Connect the banana jacks like so. Note that the direct filament winding on the microwave oven transformer *usually* goes to the magnetron's "FA" terminal. Every schematic or datasheet shows them connected differently, so I don't know on that one...

Also note the isolated ground lug. This ties back to the single point ground in the main incoming voltage electrical box.



Completed high-voltage magnetron connection plate.



Toshiba 2M172J magnetron mounted to the horn assembly built in *GBPPR* 'Zine, [Issue #55](#).

The horn has a mounting bracket in the rear to allow for mounting at the focal point of a parabolic dish.


A large 120 VAC fan provides continuous air flow over the magnetron's cooling fins.

[Raytheon](#) markets their Active Denial System for "riot control."

This one is designed for "[Bolshevik](#) control."


"Nobody wants to be on the wrong side of Ari Emanuel, especially now that his brother is running the White House," said one television executive, who asked for anonymity to preserve harmony with him."

--- June 9, 2009 quote about Ariel Emanuel, Jewish supremacist Rahm Emanuel's brother, in the [New York Times](#) (of all places).



Current sink circuit board.


Differs slightly from the original 73 article due to not having all the same parts. Should work fine though, except for amateur television transmissions. A LF351 op-amp replaces the circuit's original LF357. The LF351's voltage is regulated via (optional) 7812 and 7912 regulators. An [IRF510](#) N-channel MOSFET replaces the [VN66AF](#).




Mounting the control circuit board.

The two phono jack inputs are for external current control and modulation input. These will be for upcoming projects.

The **Input Select** switch is on the lower-left. The **Modulation Input #1** is the phono jack below that, then the **Modulation Input #2** (direct) phono jack.



Final wiring showing the current meter, transmit switch, and 1 kohm current control potentiometer.



Outside test setup.

Wasn't sure if it would work or not, but remarkably, everything did check out.

An Atari Lynx is used as a RF output indicator.


The high-voltage lines to the magnetron are run through vinyl tubing for extra insulation.



Then it blew up...

Microwave oven transformers are not really designed for continuous current operations, or for use in "real" high-voltage power supplies.

As you can see here, the high-voltage secondary winding arced over. Try to find a microwave oven transformer that is *physically* large or has been coated with some type of resin or sealant.



Back up and running with a new microwave oven transformer.

This transformer has been coated with some sort of "goo" to help prevent high-voltage arcing.

All microwave oven transformers are basically the same, so swapping them out should be no problem. They all seem to have slightly different mounting or wiring configurations, though.

A good secondary high-voltage winding on a microwave oven transformer will usually have a DC resistance between 50 and 120 ohms or so. The filament winding will have very low DC resistance, often below 1 ohm. You can use this to check the windings before hand.



Is it bad when you can get a frequency counter reading, with no antenna, and standing behind the horn?



Test setup of the Litton 2M167 magnetron used in the [2.45 GHz Magnetron to Coax Assembly](#) article in *GBPPR 'Zine*, [Issue #46](#).

This magnetron is being run into a 50 ohm load for testing with a spectrum analyzer.



Spectrum analyzer view of the magnetron's RF output transverted (2.278 GHz LO) to fit the range of an IFR service monitor. The spectrum display is 1 MHz per division.

On the left, is the output of a Litton 2M167 magnetron. The meter is reading a center frequency of "135.0 MHz," but this converts to an actual output frequency of 2.413 GHz. Note the output is about 1 MHz *lower* than the center reading. This magnetron was run into a 50 ohm load via a homebrew waveguide-to-coaxial adapter.

On the right, is the output of a Toshiba 2M172 magnetron. The meter is reading "177.0 MHz," and the signal is about 1.5 MHz *higher* than the center

frequency. The final output frequency is around 2.4565 GHz. This magnetron was run into an open horn, so there was a lot of background RF noise, which raises the noise floor on the analyzer.

Bugs & Operating Notes

1. It gets hot! Very hot! Both the 6MJ6 tubes and the magnetron. Forced air cooling is a must!
1. The filaments in the 6MJ6 tubes and the magnetron need to be warmed up prior to applying the plate voltage (i.e., flipping the "XMIT" switch). Give it a good 30 seconds or so.
1. The (stock) current control circuit appears to top out around 200 mA into the magnetron. Some magnetrons will require higher current for a cleaner RF output spectrum. Experiment with different magnetrons, if you can.
1. Turn the magnetron's cathode current control (I_k) *down* before you activate the **XMIT** switch. The magnetron seems to perform better with a slowly increasing cathode current.
1. Mount the magnetron/horn assembly at the focal point of a 24 dB WiFi parabolic dish for an ERP output of around 100 kW or more!
1. The magnetron's RF output signal tends to "jump" around a bit in frequency, especially if the current is too low.

1. [2M167 Magnetron RF Output Power Test](#) A Bird 43 wattmeter with a "25 W / 400-1000 MHz" slug is reading around 5 watts (+37 dBm) and the magnetron is connected via a 20 dB directional coupler. RF output power is then (potentially) around 500 watts (+57 dBm). Not sure how much error is from the out-of-band Bird slug, though.

Microwave Oven Magnetron Current Recommendations


Manufacturer Operating Current (mA) Litton 160 - 300 Sharp 200 - 450 Tappan 250 - 325 Whirlpool 240 - 300 Sanyo 200 - 270 Amana RC-10 400 - 500 (1,000 Watts) Litton 70-40 600 - 650 (1,000 Watts) Litton 80-50 600 - - (1,300 Watts) Litton 550 500 - 600 (1,300 Watts) Sharp R-22 350 - 450 (1,000 Watts) Compiled from various repair notes.

Schematics

- [GBPPR Active Denial System - High-Voltage Power Supply Schematic](#)
- [GBPPR Active Denial System - Current Regulator and Modulator Schematic](#)

DOCTOR FUN

18 Aug 97



Copyright © 1997 David Farley, d-farley@tezcat.com
http://sunsite.unc.edu/Dave/drfun.html
This cartoon is made available on the Internet for personal viewing only.
Opinions expressed herein are solely those of the author.

"Heh - some 'Death Ray' ... more like a 'Mild Heat Rash Ray', I'd say."



Notes & Datasheets

1. Higher resolution pictures and the original project article are available in GBPPR 'Zine [Issue #62](#)

1. [6LQ6 Beam Pentode](#) The [6JE6](#) and the 6MJ6 are similar to the 6LQ6. (282k PDF) ([Alternate](#)) ([Pinout](#)) ([Example Horizontal Sweep Schematic](#))

1. [LF351 JFET Op-Amp](#) (252k PDF)

1. [IRF510 N-Channel Power MOSFET](#) (1.0M PDF)

1. [Matsushita 2M167B 2.45 GHz CW Magnetron](#) (744k PDF)

1. [New Non-Lethal Energy Weapon Heats Skin](#)

1. [Directed Energy Weapons Safety](#) (565k PDF)

1. [Localized Effects of Microwave Radiation on the Intact Eye Lens in Culture Conditions](#) (228k PDF)

1. [Behavioral Effects of High Peak Power Microwave Pulses: Head Exposure at 1.3 GHz](#) (762k PDF)

1. [A Narrative Summary and Independent Assessment of the Active Denial System](#) (322k PDF)

1. [Rate Effects in Isolated Hearts Induced by Microwave Irradiation](#) by James L. Lords, Carl H. Durney, Alan M. Borg, and Charles E. Tinney (442k PDF)

1. [Moscow's Remote-Controlled Heart Attacks](#) ([Original](#))

1. [Electrical Induction of Ventricular Fibrillation in the Human Heart](#) A study of excitability levels with alternating current of different frequencies.

1. [Effects of GHz Radiation on the Human Nervous System](#) Recent developments in the technology of political control, by Harian E. Girard.

1. [Non-Lethal Technology and Their Human Effects](#) Annex G describes technologies that are being used or are being proposed for use for non-lethal applications. Specific weapon systems are not addressed, except for a few examples. (261k PDF)

1. [Bioelectromagnetics 2005: Abstract Collection](#) A joint meeting of The Bioelectromagnetics Society and The European BioElectromagnetics Association. (5.7M PDF) ([Additional Info](#))

1. [Biological Effects of Directed Energy](#) United States Air Force Research Laboratory, November 2002 (3.2M PDF)

1. [Biological Effects of Radiofrequency Fields: Does Modulation Matter?](#) (448k PDF)

1. [Biological Effects of Electromagnetic Radiation](#) by Arthur W. Guy, IEEE.

1. [Active Denial System](#) Fact Sheet
1. [Joint Non-Lethal Weapons Program ADS Information](#)
1. [Active Denial System Enabling Technologies](#) (790k PDF)
1. [Millimeter Waves, Lasers, Acoustics for Non-Lethal Weapons?](#) Physics analyses and inferences, by Dr. Jurgen Altmann. (1.6M PDF)
1. [Marines Fund Non-Lethal Heat Ray](#)
1. [Pain Ray Going Airborne](#)
1. [High Power Microwave Nearly Operational](#)
1. [Run Away the Ray-Gun is Coming: We Test U.S. Army's New Secret Weapon](#)
1. [Radio Frequency, Active Denial & Psych Weapons](#) by Ted Twietmeyer
1. [Active Denial Technology - Weapon of the 21st Century](#)

1. [Active Denial System Deters Subject Without Harm](#)
1. [U.S. Justice Dept Builds Microwave Heat-Ray 'Rifle'](#)
1. [Questions Linger About Health Effects of DoD's 'Non-Lethal' Ray](#) (321k PDF)
1. ["Safety" of EMP/Microwave Weapons](#) (130k PDF)
1. [Weaponizing the Future: Direct-Energy Weapons Effectiveness Now and Tomorrow](#) by Chadwick F. Fager, Major, USAF. (113k PDF)
1. [Radio Waves From Mobiles Damage DNA, Study Finds](#)
1. [Effects of Directed Energy Weapons](#) by Philip E. Nielsen (1.5M PDF)
1. [Electromagnetic Weapons and Mind Control](#) From CNN's *Special Assignment*, from 1985.
1. [Stop - or I'll use the Pain Ray](#)

1. [The Magnetron Tube Used in Microwave Ovens](#) Structure and Operation
1. [Pain Beam to Get Tougher, Smaller, More Powerful](#)
1. [Army Orders Pain Ray Trucks; New Report Shows 'Potential for Death'](#)
1. [U.S. Eyes 'Pain Beam' for Home Security, Law Enforcement](#) ([Alternate](#))
1. [U.S. Testing Pain Ray in Afghanistan](#)
1. [Microwave Weapon Will Rain Pain From The Sky](#) ([Above Top Secret Forum](#))
1. [Police Toy With 'Less Lethal' Weapons](#)
1. [Maximum Pain is Aim of New U.S. Weapon](#)
1. [Sweeping Stun Guns to Target Crowds](#)
1. [New Laser Guns Being Developed for U.S. Police](#)

1. [Shooting Not to Kill](#) America's development and use of non-lethal weapons.

1. [Pentagon Pain Ray's New Target: Killer Geese](#)

1. [Microwave Missiles: High-Energy Weapons in the Air Force](#)

1. [Rumsfeld's Ray Gun](#)

1. [Raytheon's Pain Ray: Coming to a Protest Near You?](#)

1. [Energy Beam Weapon May Lower Iraq Civilian Deaths](#)

1. [Military Readies Directed-Energy Weapons](#) (60k PDF)

1. [Bay Area Company Develops Ray Gun System](#)

1. [Anderson Company to Make New Weapon for Marines](#) Xtreme Alternative Defense Systems (XADS) Ltd., headquartered in Anderson, Indiana, has been tapped by the U. S. Marine Corps to develop a directed energy weapon for use in riot control and other situations requiring less-than-lethal force.

1. [Sweeping Stun Guns to Target Crowds](#)
1. ['Star Trek' Weapon May be a Reality](#)
1. [Marines Want Pain Ray, ASAP](#)
1. [Pain Ray 2.0: Heat vs. Heat Gun](#)
1. [Slideshow: Say Hello to the Goodbye Weapon](#) ([Additional Info](#))
1. [New Active Denial System = Next iPod?](#)
1. [No Pain Ray Weapon for Iraq](#)
1. [Pain Ray Test Subjects Exposed to 'Unconscionable Risks'](#) ([PDF Report](#))
1. [Military Zips Lips on Pain Ray Accident](#)
1. [Pain Ray 2.0: People-Zapper on the Move](#)

1. ['Telepathic Ray Guns' and Vaporized Shoes: The Truth is Weirder Than You Think \(U.S. vs. Donald Friedman\)](#)
1. [Report: Non-Lethal Weapons Could Target Brain, Mimic Schizophrenia](#)
1. [The Voice of God Weapon Returns](#)
1. [Court to Defendant: Stop Blasting That Man's Mind!](#)
1. ['Pain Ray' First Commercial Sale Looms](#)
1. [Israelis Want a Pain Ray of Their Own \(WaveStun\)](#)
1. [Clandestine Compound Could Power New Pain Ray](#)
1. [Pain Ray Recalled From Afghanistan](#)
1. [Pain Ray, Rejected by the Military, Ready to Blast L.A. Prisoners](#)
1. [Israelis Develop Portable 'Pain Ray'](#)

1. [Mind Games](#) by Sharon Weinberger. A community of people who believe the government is beaming voices into their minds. They may be crazy, but the Pentagon has pursued a weapon that can do just that.

1. [Xtreme Defense](#) by Sharon Weinberger. Lightning guns, heat rays, weapons that can make you hear the voice of God. This is what happens when the war on terror meets the entrepreneurial spirit.

1. [Pentagon Nixes Ray Gun Weapon in Iraq](#)

1. [Airman Injured in Heat-Beam Test](#)

1. [Active Denial System Demonstrates Capabilities at CENTCOM](#)

1. [Military's Active Denial System is First True Ray Gun](#)

1. [Vehicle-Mounted Active Denial System \(V-MADS\)](#)

1. [Raytheon Delivers Active Denial System 2 to U.S. Air Force](#)

1. [High-Energy Density and High-Power RF](#) by David K. Abe, and G. S. Nusinovich. (Google Books)

1. [ZAP! Have You Been Targeted by a 'Directed Energy Weapon?'](#) Victims of organized 'Gang Stalking' say it's happening in the USA.
1. [Government Report: Non-Lethal Weapon Program a Waste of Money](#) ([GAO Report](#))
1. [Ray Gun, Sci-Fi Staple, Meets Reality](#)
1. [Microwave Ray Gun Controls Crowds with Noise](#) (MEDUSA) ([Mirror](#))
1. [Electromagnetic Weapons - The Ones NATO Don't Want you to Know About](#)
1. [Team Investigates Active Denial System for Security Applications](#) Sandia press release. ([High-Res JPEG #1](#)) ([High-Res JPEG #2](#))
1. [Wonder Weapons](#) The Pentagon's quest for non-lethal arms is amazing. But is it smart?
1. [Police Agencies Look to Raytheon Weapon](#)
1. [Officials Unveil High-Tech Ray Gun to be Installed in County Jail](#) ([High-Res JPEG](#)) ([Video](#))

1. [Details of U.S. Microwave-Weapon Tests Revealed](#)

1. [Directed Energy Weapons \(DEW\) and Targeted Individuals \(TIs\)](#)

1. [Microwave Mind Control](#) by Tim Rifat

1. [People Cooker](#) by [Peter Mooring](#)

1. [Court Recognizes Electronic Harassment: Protection Order for James Walbert](#)

1. [The Microwave Furor](#) Last month the U.S. confirmed that for some 15 years the Soviet Union has been beaming microwaves at the hulking nine-story U.S. embassy on Moscow's Tchaikovsky Street. From 1976.

1. [Phase Locking a Microwave Oven for EME Use?](#)

1. [A High-Power, 13 cm Magnetron Transmitter](#) by Chuck Swedblom, WA6EXV. *Communications Quarterly*, Winter 1991. (3.7M PDF)

1. [Design of a 95 GHz, Multi-Megawatt Gyroklystron Amplifier for Advanced Accelerators](#) (185k PDF)

1. [Defense Science Board Task Force on Directed Energy Weapons](#) (3.6M PDF)

1. [Covert Microwave-Proof Clothing](#)

1. [Robert Duncan / Energy Weapons & Testing](#) From December 5, 2007. *"Independent investigator Robert Duncan discussed directed energy and neurological weapons and his contention that they've been tested on the public at large. While directed energy is used in microwaves, to remove kidney stones, and in non-invasive surgery, it's also been developed extensively for military purposes, he reported."*

1. [High Power Microwaves](#) Advisory Group for Aerospace Research & Development (AGARD), Conference Proceedings 564 (14.7M PDF)

1. [Bioeffects of Selected Non-Lethal Weapons](#) U.S. Army (3.7M PDF)

1. [Effects of Exposure to 400 Watt, 95 GHz Millimeter Wave Energy on Non-Stationary Humans](#) (3.5M PDF)

1. [High Power Microwave Technology and Effects](#) A University of Maryland Short Course presented to MSIC Redstone Arsenal. (4.8M PDF)

1. [Gyrotron](#) *Caution:* Wikipedia

1. [Active Denial System](#) *Caution:* Wikipedia

1. [Microwave Burn](#) *Caution:* Wikipedia

1. [Millimeter-Wave Area-Protection System and Method](#) U.S. Patent
7,126,477 (Raytheon) (185k PDF)

1. [Pain Ray Fries Reporter](#) (YouTube)

1. [Pain Ray Fries Troops](#) (YouTube)

1. [Angry Mob Zapped by Heat Beam](#) (YouTube)

1. [Active Denial System Demos](#) (YouTube)

1. [CBS News: The Ray Gun in Action](#) (YouTube) ([News Story](#))

1. [Future Weapons: The Active Denial System \(ADS\)](#) (YouTube)

1. [Active Denial System Riot Demo](#) (YouTube)

1. [GBPPR Active Denial System - Spectrum Analyzer View #1](#) 2M167
magnetron, 1 MHz per division. Add 2.278 GHz to the displayed frequency. Multiply the current meter reading (top scale) by "100" for the magnetron's cathode current. (2M WMV)

1. [GBPPR Active Denial System - Spectrum Analyzer View #2](#) 2M167
magnetron into a 50 ohm load. 0.2 MHz, then 0.5 MHz, then 1 MHz, then back to 0.2 MHz per division. Add 2.278 GHz to the displayed frequency. Multiply the current meter reading (top scale) by "100" for the magnetron's cathode current. 5 watt RF power reading is via a 20 dB directional coupler. (1.4M WMV)

1. [GBPPR Active Denial System - Spectrum Analyzer View #3](#) 2M172
magnetron, 1 MHz per division. Add 2.278 GHz to the displayed frequency. Multiply the current meter reading (top scale) by "100" for the magnetron's cathode current. (2M WMV)

1. [GBPPR Active Denial System - Spectrum Analyzer View #4](#) 2M258
magnetron, 1 MHz per division. Add 2.278 GHz to the displayed frequency. Multiply the current meter reading (top scale) by "100" for the magnetron's cathode current. (2M WMV)

1. [GBPPR Active Denial System - Spectrum Analyzer View #5](#) 2M258
magnetron, 0.2 MHz per division. Add 2.278 GHz to the displayed frequency. Multiply the current meter reading (top scale) by "100" for the magnetron's cathode current. (1.1M WMV)

1. [GBPPR Active Denial System - Spectrum Analyzer View #6](#) 2M261
magnetron, 1 MHz, then 0.5 MHz, then 0.2 MHz per division. Add 2.278 GHz to the displayed frequency. Multiply the current meter reading (top scale) by "100" for the magnetron's cathode current. (1.4M WMV)

Other Related GBPPR Projects:

1. [GBPPR Electromagnetic Pulse Experiments - Part 1](#)
1. [GBPPR Electromagnetic Pulse Experiments - Part 2](#)
1. [GBPPR Electromagnetic Pulse Experiments - Part 3](#)
1. [GBPPR 2.45 GHz Magnetron to Coax Assembly](#)
1. [GBPPR Microwave Oven Experiments](#)
1. [GBPPR HERF Device](#)
1. [GBPPR Radar Experiments](#)
1. [GBPPR Mind Control Devices and Experiments](#)

1. [Anti-TASER Clothing Experiments](#)

1. [GBPPR Remote Respiration/Heart Beat Monitor Experiments](#)
